

# Index

Page numbers in *italic* denote Figures. Page numbers in **bold** denote Tables.

- Abikh Uplift 192  
Absheron Formation 177, 179  
Absheron Ridge 175, 178, 182, 184, 188, 192, 193  
accretionary prism  
  Balochistan ophiolite belt 81  
  Central Tien Shan 6  
aeolian deposits  
  Gobi Desert 39  
  Kalaza Formation 500, 503, **504**, 505, 506, 515  
Afghan orogenic segment 5, 57–84, 67  
  Early Cimmerian magmatic arc 66, 67, 69–72  
  extent 57, 58  
  intracontinental faulting and magmatism 82  
  Jurassic-Neogene platform sediments 64–65  
  Late Cimmerian orogenic belt 72–78  
  nomenclature and access 60  
  North Afghan fault block 65–66  
  Pamir connection 78–80  
  sedimentation 63–66  
  Variscan basement 60–63  
Afghan-Tajik Basin 1, 2, 66, 89, 90, 92, 358, 568  
  comparison with northern Iranian basins 405–406  
  depocentre 117, 118  
Eocene  
  lithostratigraphy 567, 570  
  marine incursions 569, 571  
  evolution 10  
  geodynamic framework 406–407  
  geology 5, 57–84  
  magnetic and gravity anomalies 97, 98, 99  
  palaeoenvironment and sedimentation  
    Lower-Middle Jurassic 8, 357–407  
    bio- and chronostratigraphy 360–361  
    cycles 395–398, 403  
    driving mechanisms 404–405  
    evolution 399–403  
    marine stage 399–403  
    non-marine stage 399  
    facies 369, 379, 387–395, 398–399  
    lithostratigraphy 359–360  
    macroflora and macrofauna 395  
    sections 361–369  
    sequence stratigraphy 403  
  proto-Paratethys Sea 572–573  
    bivalve analyses **576**, 577–578  
    Eocene transgression/regression 581  
    lithostratigraphy **583**  
    stratigraphic correlation 567, 570, **576**, 578  
    tectonic control 580–581  
  subsidence 103  
  tectonics 59, 404–405  
age-elevation relationships, Talas Range 301  
Aghdarband Basin 64, 70, 90, 130  
  succession 71  
Akchagyl marine transgression 177, 178–179, 194  
Akchetash Formation 241, 248  
Aksu section  
  bivalve analyses 575, **576**, 578  
  lithostratigraphy 569, 570, 571, 572  
Aktailyak Formation 245  
Ala Buka section 569  
  bivalve analyses 574, 575, **576**, 577  
Alai Basin 3, 296, 440  
  Eocene marine incursions 569, 571  
  proto-Paratethys Sea 572, 573  
    bivalve analyses 573–575, **576**, 577  
    Eocene transgression/regression 581  
    lithostratigraphy **582**  
    stratigraphic correlation 578  
    tectonic control 580–581  
  tectonic evolution 568  
Alai Formation 316, 571  
  bivalve analyses 573, 578  
Alai High 414  
Alai microcontinent 61, 98, 129, 234, 442  
  collision with Kazakh-Kyrgyz continent 480  
Alai Range, uplift 3, 330, 566  
Alai sector 4, 8, 411, 441  
Alat Fault 119  
Albian, Kyzylkum 457–461, 462, 476–477  
Alborz Range 272, 278  
Alburz-Mormul Fault 59, 66, 90, 93, 103  
Ali Pai Bel limestone 64, 80  
alluvial fan deposits  
  Jurassic-Early Cretaceous 425, 492, 493, 496–516  
  Tajik Basin 536  
Altai Range 273, 274  
  planation 30, 31  
Altai-Mongolia Block 24  
Altyn Dara back-arc rift 61, 69, 72  
Altyn Tagh Fault 20, 35–36, 41  
ammonite biostratigraphy  
  Afghan-Tajik Basin 360–361  
  Amu Darya Basin 100, 101  
Amu Darya Basin 1, 2, 20, 58, 89–136, 357, 358, 411, 414  
  basement  
    depth structure map 102, 103  
    magnetic and gravity anomalies 97, 98, 99  
    seismic profiles 99  
  carbon isotopes 101  
  carbonates 93, 94, 95, 96, 100–101, 104, 106, 107–108, 112, 169, 170  
  Cretaceous sedimentology 479  
  depocentres 106–119, 132  
  evaporites 64, 65, 94, 95, 100, 102, 107–108, 112  
  evolution 5, 10, 89–136  
    methods and data 95, 97  
    regional context 129–135  
  faults 90, 93  
  geological setting 91, 92–95, 145–148  
  hydrocarbons 5, 66, 89, 91, 92, 107–108, 112, 120, 150, 417, 441  
  Jurassic sedimentation 431

- Amu Darya Basin (*Continued*)  
 Late Palaeozoic-Mesozoic subsidence 102  
 evolution 121, 125–128  
 maps and cross sections 102–119  
 models 128–129  
 Mesozoic extension 5–6, 36, 129, 132–133, 168–171  
 northeastern region 120–121, 122–124  
 northern margin 441, 480  
 Cretaceous succession 442–481  
 Palaeozoic-Triassic troughs 119–120, 146  
 sediment fill 93–95, 168, 441  
 age and depositional environment 100–102  
 cross-sections 113–119  
 maps  
 depth structure 102–103, 104–105, 106  
 isopach 106, 107–111, 112–113  
 structural subdivisions 90, 92–93  
 well data 97  
*see also* Bukhara-Khiva oil-gas province; Palaeo-Amu Darya River
- Amu Darya Fault 59, 61, 99, 120, 121  
 Andarab Fault 61, 66, 67, 90, 93, 103  
 Andkhoy High 58, 66, 90  
 Angara Craton 20, 25  
 Angren Area, Jurassic sedimentation 431  
 anhydrite *see* evaporites  
 Anjuan Formation 299  
 anoxia, Toarcian 8, 352–353, 354  
 apatite fission track thermochronology 19, 20–23, 29  
 Jurassic-Cretaceous planation 29, 31, 32, 33  
 Mesozoic extension 36  
 Talas-Fergana Fault 300–301  
 Aptian, Kyzylkum 457, 459, 476, 477  
<sup>40</sup>Ar/<sup>39</sup>Ar geochronology  
 Lhasa Block accretion 37  
 Mesozoic extension 36  
 Mesozoic planation 31, 32, 33–34  
 South Tien Shan 201
- Arabia-Eurasia collision zone 2, 179, 272  
 lithospheric structure 7, 287  
 elevation and geoid anomaly 279–280, 282  
 seismic data 278, 279–280, 282
- Arabian Plate 272  
 lithospheric structure  
 elevation/geoid anomaly inversion 276, 280, 287  
 seismic data 276–277, 278, 279–280, 282
- Aral-Murgab rift system 119
- arc systems  
 Afghan Orogenic Segment 62, 65  
 southern margin of Kazakhstan 245, 247, 259  
 Yili Block 3–4  
*see also* back-arc systems; forearc-magmatic arc
- Arghandab Zone 67, 76
- aridification  
 Eocene 568, 581  
 Jurassic 38, 133, 417, 492, 493, 495  
 Kalaza Formation 503, 504, 505, 513, 514, 515  
 Permian-Triassic boundary 38
- Arpa Formation 249, 251, 258
- Ashgabat Depression 90, 93, 127
- Ashgabat Fault 90, 93  
 reactivation 135
- Atbashi Range 199, 200, 204, 205, 233  
 accretionary prism 203, 205, 221, 222  
 Cenozoic exhumation and deformation 299, 305  
 crustal cross-section 219–220  
 geological mapping and cross-sections 203–206  
 metamorphism 200–201, 203–206, 208, 223  
 migmatization 206, 208  
 petrology 206, 207, 209–215  
 metabasalt geochemistry 206–207, 209  
 P-T conditions  
 continental gneiss 213, 214–215, 216  
 mafic eclogite 209–213, 216, 217  
 host sediments 213–214
- Atbashi-Inylchek suture 200
- Auminzatau 90, 417, 418, 443
- Aytm Formation 457, 471
- Azrao Series 64, 80
- back-arc systems 36, 39, 40, 130, 337  
 Great Caucasus Proto-Caspian 178  
 Hindu Kush 62, 63–64, 65, 69  
 South Tien Shan Ocean 4, 198, 200, 221
- Badaowan Formation 36
- Badkhyz-Karabil Step 90, 93, 106, 113
- Badkhyz-Maimana Fault Block 58, 59, 62, 63, 66, 67
- Baga Bogd Plateau, planation 31
- Bagadzha Step 90, 93, 114, 115, 120
- Bagharak Fault 59, 78
- Bai Taiga Plateau, planation 30
- Baibichetau Mountains, carbonate facies 251
- Baikal Range, planation 32
- Baikal Rift System 29, 35, 41
- Bakhardok Slope 90, 93, 127, 128
- Baktriy Formation 298, 305, 315, 316, 317, 320, 321, 322, 332  
 conglomerate composition 321–322, 324, 325  
 palaeocurrent indicators 323  
 sedimentation 330, 331  
 seismic data 325, 326, 327–328, 330, 331
- Balabougun Formation 339, 340
- Balatlurlan breccia 255
- Baldshuan Formation 526–527, 528, 530, 540  
 conglomerate composition 546  
 heavy mineral composition 546, 547  
 lithofacies assemblages 534  
 lithology 536, 537, 539–541, 543–544  
 palaeotransport directions 547, 548–549  
 source rock 554
- Balkui Trough 90, 93, 113, 118
- Balochistan ophiolite belt 58, 80–81
- Band-e Bayan Block 64, 67, 68, 70, 72
- Band-e Turkestan Fault 58, 59, 61, 67, 90, 93
- Band-e Turkestan mountains 59, 62, 66
- Bangong Nujiang Suture 21, 36, 492  
 Lhasa Block accretion 36, 37
- Barguzin Block 24, 25
- Barremian Sea 73
- Bashibulake Formation 572  
 bivalve analyses 573, 577
- Bashibulake Mine section 572
- Bashkirian, Kyrgyz MTS 245, 246, 247, 254, 257, 260–261, 262

- bauxite  
   Early Cimmerian orogenic belt 70, 72  
   Jurassic, Uzbekistan 417  
   North Afghan Platform 64, 65
- Bayan Har Block 21
- Bayanbulak Basin, planation 32, 33
- Bayramali High 90, 105, 111
- Bayramali pseudo-well 121, 125, 126–127
- Baysun Formation 94, 148, 149, 360, 361, 365–366, 367, 368, 416
- cyclicality 397
- facies associations 371–374, 381, 383, 386–387, 392, 394
- facies pattern 398–399, 403
- fossils 395
- Baysun Stage
- palaeogeography 433
- sedimentation, Kyzylkum 415, 416, 433, 435
- Bela Ophiolite 64, 80
- Beshkent Depression 90, 93, 106, 112, 115, 119, 120–121, 147–148, 162, 166–167, 442
- Beurdeshek Step 90, 93, 112, 442
- Bioherms
- Cenozoic 579
- Jurassic 100, 121
- Kyrgyz MTS 237, 239, 241, 242, 243, 246, 249, 251, 255, 257, 258
- Bisseky Formation 457, 471
- bivalve analyses, proto-Paratethys Sea 573–578
- black shale
- Amu Darya Basin 101, 133
- Bukhara-Khiva steps 151
- southern Kazakhstan margin 234–263
- STS 323
- Bogda Shan, uplift 36
- Bordy Formation 238, 245
- Borolday Formation 339, 340
- Bosbutau, Devonian-Bashkirian 235, 237, 251
- Botanica field station 444
- breccia
- Famennian 238, 239, 255
- NE Tajik Basin 533, 536, 544
- Brick Red Suite 315, 316, 325, 328
- Bukantau Mountains 413, 418, 440, 443
- Bukantau-Atbashi forearc basin 232, 234, 254, 257
- Bukhara Formation 94, 150, 316
- Bukhara Step 5–6, 90, 93, 106, 146, 147, 441
- cross-sections 114, 115, 154–163
- geophysical model 157
- regional tectonics 170
- seismic profiles 150, 152–153, 155, 156, 158
- stratigraphy, Jurassic 148–152, 160–163, 165–167, 169, 170–171
- structure and evolution 163–168
- thickness variation 163, 165
- Bukhara unit 61–62
- Bukhara-Gissar Fault Zone 93, 119, 132
- see also* Uchbash-Karshi Flexure Fault Zone
- Bukhara-Khiva oil-gas province 5, 145–171, 417
- geological setting 147–148
- regional tectonics 168–171
- sediments 147–148
- steps 147–148
- cross-sections 153–163
- seismic data 150, 152–153, 155, 156, 158–159
- stratigraphy 148–152
- Jurassic 148–152, 160–163, 165–171
- structure and evolution 163–168
- faults and reefs 166–167
- thickness variation 163, 165, 168
- Campanian, Kyzylkum 457, 467, 472, 474
- carbon isotopes
- Amu Darya Basin 101
- Leontiev Graben sediments 342, 349, 350, 351–353
- carbonates
- Amu Darya Basin 93, 94, 95, 96, 100–101, 104, 106, 107–108, 112, 169, 170
- Atbashi Range 204, 205
- build ups, ADB 94, 95, 100, 120, 122, 124, 133
- Bukhara-Khiva steps 148–151, 163, 169, 170
- seismic reflectors 150, 153
- Helmand Block 75
- Kyrgyz MTS 6, 234, 235–245, 249, 251, 254–255, 258, 259, 261
- Kyzylkum region 415
- North Afghan Platform 64, 65, 66
- Carboniferous
- Amu Darya Basin 93, 94
- Middle Tien Shan 6
- South Tien Shan, geodynamic model 221–223
- tectonic setting 23–25
- Caspian Sea, Mesozoic extension 36
- Cenomanian, Kyzylkum 457, 459, 461–464, 477, 478
- Cenozoic
- Bukhara-Khiva steps 152
- deformation 2, 128
- AFT thermochronology 22
- South Tien Shan 199–200
- subsidence 102, 103, 106, 110–111, 112–119
- Fergana Basin evolution 329–330
- India-Eurasia collision 9, 128, 135
- Tien Shan evolution 202–203
- transgression and basin fill 297–298
- Central Asia
- AFT thermochronology 19, 20–23
- difficulty of access 1
- Mesozoic geodynamics 5, 19–42
- Central Asian Orogenic Belt (CAOB) 2, 4, 5, 9, 21, 24, 232, 439
- Devonian-Permian 231–264
- Neoproterozoic evolution 4
- Palaeozoic-Mesozoic evolution 4, 23–42, 197
- Central Badakhshan Fault 57, 58, 59, 61, 71, 78, 82
- Central Eurasia 273
- geodynamic context 272–274
- lithospheric structure 6–7, 271–287
- crust-mantle boundary 272, 275
- elevation/geooid anomaly 274, 276, 277, 280, 282
- lithosphere-asthenosphere 272, 274, 275
- methodology and input data 274–276
- topography and bathymetry 276
- Central Fergana Fault 314, 315, 327, 328, 330
- Central Karakum Arch 90, 93, 97, 106, 112, 113, 115, 116, 117, 118
- Central Tien Shan 3

- Central Tien Shan Ocean 3, 4  
 subduction 6, 200  
 polarity 197–198, 220–221
- Central Tien Shan suture 200
- Central Ust Yurt Fault 90, 93, 97, 98
- Chagai Arc 59, 76–77
- Chahai Formation 339, 340
- Chaman Fault 57, 59, 67, 76, 81, 82
- channel deposits, ATB 387, **388**, 390, 391
- Chaoshui Basin, extension 36
- Chara Suture 24
- Chardzhou Step 6, 90, 93, 106, 146, 147–148, 441  
 cross-sections 114, 115, 154–163  
 faults 120, 147  
 geophysical model 157  
 Jurassic stratigraphy 148–152, 160–163, 165–167, 169, 170–171  
 regional tectonics 170  
 seismic profiles 150, 152–153, 155, 156, 158–159  
 structure and evolution 163–168  
 reefs and faults 166–167, 416  
 thickness variation 163, 165, 168
- ‘Chardzhou unit’ 61, 62
- Charysh Suture 24
- Chatkal Fault 328
- Chatkal Ranges 296, 297, 314  
 AER data 304  
 AFT data **300**, 302–304, 305  
 arc magmatism 247  
 exhumation 7, 303–305, 307  
 thermal modelling 304  
 thrusting and crustal thickening 298, 313  
 uplift 330
- Chatkal-Kurama accretionary terrane 440
- Che-Mo uplift 507, 509, 513, 514
- Chemandy Formation 245, 250, 253
- Childara Member 526, 527, 530  
 floodplain deposits 555  
 fluvial deposits 558, 559  
 lithology and interpretation 537, 540, 541  
 palaeotransport directions 548
- Childara-Shuldara section 569, 570, 571, 572
- Chinese Central Tien Shan 3, 198, 198  
 suture 220
- Chinese North Tien Shan 3, 198
- Chinese South Tien Shan 4  
 metamorphic evolution, comparison with Kyrgyz  
 South Tien Shan 201, 215, 217, 218–221  
*see also* Kyrgyz South Tien Shan; South Tien Shan
- Chinese South Tien Shan suture 198
- Chinese Tien Shan 3, 24  
 terminology 198, 200
- Chingou Complex  
 conglomerate composition 545, 546  
 floodplain deposits 555  
 fluvial deposits 558, 559  
 heavy mineral composition 546  
 lithology and interpretation 537–538, 539, 541–542  
 palaeotransport directions 547, 548–549  
 source rock **554**  
 unconformity 551, 552
- Chingou Formation 526, 527, 530–531  
 lithofacies assemblages **534**  
 northern Tajik Basin 528
- Chokpacksk Formation 339, 340
- Chonkurchak Formation 33
- Chu-Sarysu Basin 232, 234, 245, 255, 260–261
- Cimmerian blocks 5, 9, 19, 26, 89
- Cimmerian orogeny 26–28, 39, 62, 491
- Cimmerian realm  
 North Afghan Platform 63, 64  
*see also* Early Cimmerian orogenic belt; Late Cimmerian orogenic belt
- coal 40  
 Bukhara-Khiva steps 148  
 Junggar Basin 492, 493, 495  
 North Afghan Platform 64, 64–65, 71  
 Siberia 38
- concretions, Jurassic, Kyzylkum 424
- conglomerates  
 Cretaceous, Kyzylkum sector 446–447, 448, 449  
 Fergana Basin **318**, 319, **320**, 321–322  
 Jurassic, Kyzylkum sector 417, 419–420, 421, 422, 424–425, 426–428, 431  
 Jurassic-Early Cretaceous 492, 493  
 NE Tajik Basin 523, 527–528, 530–533, 536–544, 555, 559
- Coniacian, Kyzylkum 457, 466, 467, 469, 470, 471, 472
- coquinas, Fergana Basin 319, **320**, 321
- Cretaceous  
 Amu Darya Basin  
 cross-sections 113–118  
 depth-structure map 105, 106  
 isopach maps 109–110, 112  
 sediment subsidence 125, 134  
 Bukhara-Khiva steps 152, 160–162, 167–168  
 Kyzylkum and Nuratau regions 456–481  
 climate 480–481  
 facies 442, 446–456  
 palaeoclimate 38–39  
 palaeogeography 27, 29  
 sedimentation  
 Amu Darya Basin 94, 95, 102  
 Kyzylkum 8  
 North Afghan Platform 64, 65
- Cretaceous-Early Palaeogene, South Caspian Basin fill 178
- crust  
 density, Central Eurasia 274–275  
 global models 283–284, 285  
 oceanic affinity, South Caspian Basin 175–176, 179, 188, 189–190  
 thermal conductivity 275  
 thickness 9, 276, 280, 281, 282–284, 285, 287
- crust-mantle boundary 272, 275, 276, 281, 283
- cycads, Jurassic, Kyzylkum 415
- Dadu River, AFT thermochronology 22
- Dalut Mine section 358, **359**  
 correlation 401  
 cyclicity 396  
 facies associations 369, 379, 390  
 stratigraphy 366, 375–377, 378
- Danba region, AFT thermochronology 22
- Danian, Kyzylkum 466
- DARIUS Programme 4–5
- Darvaz Fault 82, 525, 528, 529, 536, 539, 550, 551  
 reactivation 10, 558, 559, 560

- Darvaz Range 525, 550, 556  
 Daryalyk-Daudan Trough 113, 118, 119  
 Datka section 569, 571, 572  
   bivalve analyses 573–575, **576**, 577  
 Dauletabad Trough 90, 93, 120  
 deformation  
   accretionary events 9–10, 83  
   Bashkirian, Tien Shan 257, 262  
   rotational, northwestern Tien Shan 305–306  
   Tertiary 5, 19  
     Afghan orogenic segment 82  
   timing, South Tien Shan 220  
   transpressive 295  
   see also metamorphism  
 Degibadam Formation 148, 149, 360, 378, 387,  
   391, 392  
   cyclicality 396–397  
   deltaic complex 402–403  
   facies pattern 398  
   sections 361, 363–364, 366, 367, 368, 370–371, 373,  
     377, 380, 383, 384–386  
 delta deposits, ATB **388**, 390, 391, 392,  
   396–397, 402  
 Derbent (Iron Gate) section 165, **359**, 368, 387  
   correlation 400  
   facies associations 390, 391, 392, 394  
   cyclicality 396, 397  
   sequence stratigraphy 403, 404  
   stratigraphy 361, 366–367, 368, 369, 378, 380–381  
 Devonian-Bashkirian passive margin 259–262  
   Kyrgyz MTS 251, 254–255, 257  
 Devonian-Permian, Kyrgyz MTS 231–264  
   hydrocarbon potential 263–264  
 Diatom Formation 177, 178  
 disconformity, Eocene-Oligocene Transition 569  
 Divalkak 1 well 150  
 Djamandavan Formation 247  
 Djamanyar 443, 445, 463, 465  
 Djamanyar Formation 444, 445, 457–458, 460, 461  
 Djapryk Formation 244, 248  
 Djeirantuy Formation 444, 445, 457, 464, 465  
 Doab Series 64, 69  
 Dongurme Formation 245, 250, 253  
 Donguztau Formation 444, 445, 457, 461–462, 463  
 drowning events, Mississippian 244, 245, 248, 249, 250,  
   252–253, 254, 255  
   see also sea-level change; transgression  
 dune deposits, Afghan-Tajik Basin **389**, 390, 393  
 Early Cimmerian orogenic belt 83  
   magmatic arc 5, 9, 66, 67, 68, 69, 130, 132  
   suture zone 69–72  
 Early Cimmerian unconformity 9, 70, 71,  
   106, 146  
 East Kulach pseudo-well 121, 125, 126–127  
 East Sayan Ranges 24  
   palaeoenvironment 31  
   planation 30, 31, 40  
 Eastern (Chinese) Tien Shan see Chinese Tien Shan  
 eclogite, Atbashi Range 203, 205, 209–213, 216, 217,  
   218, 221–222  
 elevation, Central Eurasia 274–276, 277, 280, 282  
 embayment deposits, Afghan-Tajik Basin **388**  
 Eo-Cimmerian Belt see Early Cimmerian orogenic belt  
 Eocene  
   Indo-Asia collision 566–567  
   proto-Paratethys Sea retreat 578–583  
 epicontinental sea 8–9, 565–6  
 erosion, Pamir 545, 550, 553  
   see also exhumation; planation  
   Eurasia  
   collision with Gondwana-derived blocks 5, 9, 57, 62,  
     68, 82–83  
   collision with Helmand Block 73  
   collision with India see India-Eurasia collision  
   see also Arabia-Eurasia collision zone  
 European Craton 21, 25, 27, 35  
 evaporites  
   Amu Darya Basin 64, 65, 93–95, 100–102, 105,  
     107–108, 112, 133, 134, 169, 170,  
     415–417, 431  
   Badkhyz-Maimana Fault Block 66  
   Bukhara-Khiva steps 149, 150, 151–152, 163, 169,  
     170, 416  
     seismic reflectors 150, 153  
   Middle Tien Shan 237  
 exhumation  
   Central Asia 19–20, 22  
   Central Tien Shan 6, 39  
   Chatkal Ranges 303  
   Fergana Basin 330  
   Jurassic-Cretaceous 29, 31, 33  
   Pamir 545  
   post-Mesozoic 5  
   Talas-Fergana Fault 7, 303–305  
   Tien Shan 202–203, 215, 221–223  
 extension  
   Amu Darya Basin 168–171  
   Kyrgyz MTS 259  
   Mesozoic 5–6, 34–37, 40–41, 129, 132–133  
   and sedimentation 23  
   South Caspian Basin 175–194  
 extinction events, Late Permian 38  
 Famennian, carbonate platforms, Kyrgyz MTS 235–236,  
   238, 239, 254, 260  
 Farah Basin 64, 67, 68, 72–75, 83  
 Farah Rod Fault 67  
 Farallon Plate 34  
 Fariman Basin 70  
 Fariman complex 70–71  
 faults  
   Afghan orogenic segment 82  
   Bukhara-Khiva steps 162, 165, 166–167, 170  
   northeastern Amu Darya Basin 120–121  
   reactivation 7, 10, 135, 170, 197, 199, 200, 202  
   southern Kazakhstan margin 255  
   strike-slip 7, 10, 25  
     south Tien Shan 201–202  
     western Tien Shan 305–306  
   transensional 34, 41  
 Fergana Basin 1, 2, 7, 20, 233, 313–332, 566, 568  
   basin formation 330–332  
   Cenozoic evolution 329–330  
   deformation 7, 305, 330–331  
   Eocene  
     lithostratigraphy 567, 571  
     marine incursions 569, 571  
   evolution, tectonic control 313, 330–331

- Fergana Basin (*Continued*)  
 geological setting 314–315, 316, 495  
 gravity anomaly 331  
 Jurassic sedimentation 431  
 Jurassic-Lower Cretaceous  
 alluvial deposition 512–513  
 tectonism 513  
 depositional evolution 513, 515  
 lithofacies associations 318–325  
 conglomerate composition 323–325  
 interpretation 322–325  
 palaeoflow 323, 329  
 sediment dispersal 323  
 mantle folding buckle 331–332  
 Mesozoic evolution 328–329  
 Moho depth 331  
 pre-Himalayan evolution 328–330  
 proto-Paratethys Sea 572, 573  
 bivalve analyses 573–575, 576, 577  
 Eocene transgression/regression 581  
 lithostratigraphy 582  
 stratigraphic correlation 578  
 tectonic control 580–581  
 rotational deformation 298, 305, 306, 313  
 sedimentology and facies analysis 298, 315–317  
 seismic reflection data 325–328  
 stratigraphy 494  
 syn-Himalayan evolution 330  
 Fergana Group 298, 315, 316, 317, 320  
 conglomerate composition 323–325  
 palaeocurrent indicators 323  
 seismic data 326, 327, 328  
 Fergana Range 233, 296  
 AER data 303, 304  
 AFT data 300, 304  
 Carboniferous strata 251  
 exhumation 7, 305  
 thermal modelling 304  
 uplift 330  
 ferns  
 Kazakhstan 351  
 Kyzylkum region 423–424  
 Sandzhar Stage, Kyzylkum 415  
 Feroz Koh mountains 62  
 Feroz Koh-Parapamisos Uplift 58, 59, 61, 64, 66  
 fission tracks *see* apatite fission track thermochronology  
 floodplain deposits  
 Afghan-Tajik Basin 379, 388, 390  
 NE Tajik Basin 539–542, 555–556, 560  
 flower structure  
 Shache-Yangdaman Fault 299  
 South Tien Shan 10, 220, 223  
 foraminifera zones, Kyrgyz MTS 236, 244, 245, 251  
 forearc-magmatic arc  
 Kandahar 64, 67, 68, 76  
 Mashad-Hindu Kush-Pamir 61  
 Qala-e Naw Block 62  
 southern margin of Kazakhstan 232, 247, 257, 261  
 foreland basins 337  
 Frasnian, Kyrgyz Middle Tien Shan 235, 254  
 Galkynysh gas field 112  
 Gangdese magmatic arc 37–38  
 Gansu corridor, palaeoclimate 38  
 Garbi structure 162  
 Gardarin Formation 94, 101, 149, 151  
 Gardez Fault 67, 81, 82  
 Garzê-Litang Basin 25, 26  
 Garzê-Litang Ocean 27  
 gas *see* hydrocarbons  
 Gaurdak Formation 94, 95, 96, 102, 104, 105, 107–108,  
 112, 125, 149, 151, 360, 416  
 age 100  
 Gaurdak Stage  
 palaeogeography 434  
 sedimentation, Kyzylkum 415, 416, 417, 434  
 Gazji Formation 64, 81  
 geoid anomaly 274, 276, 277, 280, 282  
 Ghazaband Fault 59, 77  
 Ghorband Fault 57, 58, 59  
 Gissar Ocean, closure 4, 129  
 Gissar Range 89, 90, 566  
*see also* Southwestern Gissar Range  
 Gissar sector 4  
 Gissar Suture 3, 4  
 Givar Formation, bivalve analyses 576  
 Givetian, Kyrgyz Middle Tien Shan 235, 254  
 Gobi Altai Range  
 Mesozoic extension 40  
 planation 30, 31, 40  
 Gobi Desert 39  
 Godin Massif 188, 192, 193  
 Gondwana-derived blocks, collision with Eurasia 5, 9, 57,  
 62, 68, 82–83  
 goniatites  
 Asselian 251  
 Viséan 244, 248, 257  
 graben *see* horst and graben; Kimerek Graben;  
 Leontiev Graben  
 granite  
 Atbashi Range 206, 208  
 Songpan Garzê Basin 28, 33  
 granitoids  
 Early Cimmerian Magmatic arc 64, 66, 67, 69  
 Late Cimmerian orogenic belt 74, 76  
 Pamir-Mashad Arc 63, 70, 72  
 granodiorite 76  
 gravel, NE Tajik Basin 533, 535, 543  
 gravity anomalies  
 Afghan-Tajik Basin 97, 98, 99  
 Amu Darya Basin 97, 98, 99  
 Pre-Kopet-Dagh foredeep 98, 99  
 South Caspian Basin 179, 180, 181, 184, 188, 191  
 Great Caucasus Basin  
 back-arc system 178  
 Mesozoic extension 36, 40  
 Green Bed Series 64, 65  
 growth strata 326, 327  
 NE Tajik Basin 550–553, 559  
 Gurud Formation 94, 148, 149, 360, 379, 392,  
 395, 416  
 facies pattern 398  
 sections 361, 362–363, 366, 367, 370, 375–377,  
 382–383, 384, 386  
 Gurud Stage  
 palaeogeography 432  
 sedimentation, Kyzylkum 415, 416, 432, 435  
 Gzhelian-Asselian, Kyrgyz MTS 249, 251, 258

- Halaalate Range 492, 513  
 Hajigak hematite-magnetite iron ore deposit 72  
 Hamar Daban Plateau, planation 31  
 Hanabad Formation 316, 530, 540, 572  
   bivalve analyses 576, 577  
 Hari Rod wrench fault 62, 67, 69, 82  
 Hari Rod-Ghorband-Panjsher-Central Badakhshan Fault System 57, 58, 59, 82  
 Helmand Block 21, 27, 35, 64, 67, 68, 73  
   accretion 36, 73  
   collision with Eurasia 73  
   subduction 76  
   succession 64, 75  
   tectonics 75–76, 83  
 Helmand Fault 67, 73  
 Himalaya orogenic belt 80–82, 272, 287  
   Balochistan ophiolite belt 80–81  
   formation 2, 63  
   Kabul Block 80  
   Katawaz Basin 64, 67, 81–82  
 Himalayan realm, North Afghan Platform 63, 64  
 Hindu Kush 21, 58, 59  
   back-arc rift 61, 62, 63–64, 67, 69  
 Hith Formation 133, 134  
 horsetail plant fossils, Kyzylkum region 423, 424  
 horsetail splays, Talas-Fergana Fault 297, 304, 305  
 horst and graben  
   Helmand Block 76  
   North Afghan Platform 63, 64  
 Huoxiaoshan 494  
 Hutubi section, alluvial deposits 492, 498–500, 508, 510  
 hydrocarbons 1  
   Afghan-Tajik Basin 66, 92  
   Amu Darya Basin 5, 66, 89, 91, 92, 107–108, 112, 120, 417, 441  
   Andkhoy High 66  
   Badkhyz-Maimana Fault Block 66  
   Kyrgyz Middle Tien Shan 6, 263–264  
   South Caspian Basin 178  
   Turan Plate 57  
   *see also* Bukhara-Khiva oil-gas province
- Ih Bogd Plateau, planation 30, 31, 32  
 Ilim Trough 90, 93, 102, 106, 112  
 India-Eurasia collision 2, 3, 9, 81, 82, 272, 273, 480  
   lithospheric structure 7, 287  
     elevation/geoid anomaly 281, 282–283  
   seismic data 278, 282–283  
   timing 273  
   Turan Plate 68, 69, 135  
   Western Tien Shan 297, 307, 315  
 Indian Plate 272  
   elevation and geoid anomaly 279, 280  
   seismic data 278, 279, 282  
 Indochina Block 21, 27, 35  
   collision with Sibumasu Block 26  
   palaeogeography 25  
 Indosinian Orogeny 9, 26  
 Indus Basin 81  
 Indus-Yarlung-Zangbo Suture 21, 38, 59  
 inner ramp deposits 389, 390, 391, 393, 396, 397  
 Intermediate Complex 93, 94, 116, 118, 119, 125  
 Inylchek Valley 199  
   Pobeda Thrust 206, 207, 208
- Iolotan-Osman Field 90, 112  
 Iron Gate section *see* Derbent (Iron Gate) section  
 Irtysh Fault 24, 25  
 Isfara Formation 316, 526, 530, 540, 572  
   bivalve analyses 573, 576, 577  
 Izanagi Plate 27, 34, 40  
 IZgant pseudo-well 126–127, 127
- Jachak Formation 526, 528, 543  
   conglomerate composition 547  
   heavy mineral composition 547  
   lithofacies assemblages 534  
   lithology and interpretation 544  
   palaeotransport directions 549  
   source rock 550, 554  
 Jilin Suture 21, 23, 24  
 Jinsha subduction zone 27  
 Jinsha Suture 21, 26  
 Jukar Formation 572  
   bivalve analyses 576, 578  
 Junggar Basin 1, 2, 3, 20, 274, 492  
   Jurassic-Lower Cretaceous  
     comparison with Fergana Basin 512–513  
     comparison with North Tarim Basin 509, 512  
     depositional evolution 496–509, 510, 514  
     palaeoenvironment 514, 515–516  
     sedimentation 493, 494  
     stratigraphy 494  
     tectonism 506–507, 509, 513–516  
   Mesozoic extension 36  
   Permian, palaeoclimate 38  
   rotation 25  
 Junggar-Balkash Ocean  
   continental arcs 232, 234  
   Kazakhstan evolution 234  
   subduction 23  
 Jurassic  
   Afghan-Tajik Basin, facies patterns 357–407  
   ADB 93, 94, 95, 96, 125, 169, 357–358  
   age and depositional environment 100–102  
   depth-structure maps 104, 106  
   extension 132–133  
   isopach maps 106, 107–108  
   subsidence 125  
 Bukhara-Khiva steps 148–152  
   cross-sections 153–163  
   seismic reflectors 150, 152–153  
   structure and evolution 163–168, 169  
 Kyzylkum region 414–435, 416  
   palaeogeography 432–434  
 Leontiev Graben  
   palynology 342, 343, 344, 345–348  
   palaeoecology 347, 349, 351, 352–354  
   sedimentation 338–354  
   palaeoclimate 38  
   palaeoenvironment 7–8  
   palaeogeography 27, 29, 432–434  
   Uzbekistan 145–171, 357–407, 414–435  
 Jurassic-Early Cretaceous  
   alluvial fan deposits 496–516  
   depositional environment 496  
   depositional evolution  
     Fergana Basin 512–513  
     Junggar Basin 496–509

- Jurassic-Early Cretaceous (*Continued*)  
 North Tarim Basin 509, 512  
 palaeoclimate 353-354, 491-492, 493, 513, 515  
 stratigraphy 494
- Jurassic-Neogene, North Afghan Platform 64-65
- Kaahka Depression 90, 93, 104, 106, 112
- Kabul Block 59, 64, 67, 68, 75, 80, 83, 84
- Kafir complex 71
- Kafirnigan Formation 527
- Kalandar Trough 90, 93, 102, 118
- Kalaymor Trough 115
- Kalayta Formation 444, 445, 457, 458
- Kalaza Formation 492, 493, 494, 495, 500  
 depositional evolution 503, **504**, 510, 513-516, 514  
 palaeoenvironment 515  
 facies **497-498**, 500, 501, 503-506, 508, 509  
 pebble analysis 496  
 tectonism 506-507, 509  
 unconformity 501, 503, 506, 508, 509, 512, 513
- Kamoln Member 526, 527, 530  
 conglomerate composition 545, 558, 559  
 lithofacies assemblages **534**  
 lithology and interpretation 537, 540  
 palaeotransport directions 547, 548
- Kandahar Arc 64, 67, 68
- Kandahar forearc basin 76
- Kandym Formation 94, 100, 149
- Karabair Fault 162
- Karabastausk Formation 339, 340
- Karabekaul Trough 90, 93, 106, 112, 119, 120, 121
- Karabil Formation 94, 95, 102, 105, 106, 360
- Karachauly Formation 245
- Karagunday anticline 316, 327, 328
- Karakata Formation 457, 474
- Karakax Fault 296
- Karakiya Formation 244, 248
- Karakoram Fault 20
- Karakoram-Kohistan Suture Zone 59
- Karakul Rift 119
- Karakul-Mazar belt 69, 72
- Karakum Basin *see* Amu Darya Basin
- Karakum Block 4, 98, 129
- Karakum-Tajik continent 440
- Karamay section 494, 505, 510, 513
- Karanak Complex  
 conglomerate composition 547  
 lithology and interpretation 543  
 palaeotransport directions 547, 549, 558,  
 559-560
- Karanak Formation 526, 527-528  
 lithofacies assemblages **534**  
 northern Tajik Basin 528  
 source rock **554**
- Karasagyr Formation 470, 471
- Karatau Fault 495
- Karatau Range 338  
*see also* Lesser Karatau Range
- Karatau-Talas terrane 3, 4, 338
- Karategin Range 525, 528, 543, 550, **554**, 555, 556
- karst, Middle Tien Shan 237, 238, 239, 255
- Kashaf Rud Formation 79, 128, 405
- Kashaf Rud Rift Basin 65, 405
- Kashagan seamount oil field 263
- Kashgar Yecheng Transfer System 296, 299  
 Pamir indentation 306
- Katawaz Basin 64, 67, 81-82
- Katunaryk Formation 241
- Kazakh continent 3, 4, 27, 35, 273, 411, 439, 442  
 collision with Alai continent 480  
 collision with Tarim Basin 6, 234-235  
 Kyrgyz Middle Tien Shan 231-264, 314  
 palaeoclimate 38  
 planation 29  
 regional tectonics 232-235
- Kebuerte-Kekesu region, metamorphism 200, 223
- Kelameili Range 492, 494, 505, 510, 513
- Kendyktyube Formation 444, 445, 457, 463, 464, 468,  
 469, 470
- Kezilesu Formation 494
- Kezilesu Group 512
- Kezilouyi Formation 299
- Khan Tengri 199
- Khangay batholith 23
- Khash Rod zone 73
- Khingil Series 64, 80
- Khiva-Murgab Lineament 90, 93, 97, 98, 102
- Khiva-Murgab Trough 90, 93, 113, 119
- Khiva-Zaunguz Depression 442
- Khodjaipak Formation 94, 101, 149, 151
- Khost Ophiolite 64, 67, 68, 80, 81
- Khwahan-Eshkamesh Fault 61
- Kimerek 4 borehole 125, 126, 126-127, 156
- Kimerek graben 119, 147, 157, 161
- Kizilkum *see* Kyzylkum
- Kochbulakskaya Formation 492, 511, 512-513
- Kodjagul Formation 249
- Kohistan Arc 78
- Kohistan Block 21, 27, 35
- Kokchetav 24, 234
- Kokshaal Range 296, 440  
 Cenozoic exhumation/deformation 299,  
 305, 306
- Kokshaal segment, South Tien Shan 4, 411, 441
- Koktai Formation 238, 245
- Konar Fault 78
- Kongur Shan Fault 59
- Kopet Dagh Basin 57, 58  
 evolution 10, 127-128  
 subsidence 112, 118
- Kopet Dagh foredeep 414
- Kopet Dagh Range 118, 272, 287
- Korgon Formation 238, 244, 248, 253, 255
- Kotagae Series 64, 80
- Koun Formation 177, 178
- Kourkoureusk Formation 339, 340
- Kuchakki Group 76
- Kudi Block 21
- Kuduksarbatyr Formation 416, 417  
 stratigraphy 421, 422, 424-425, 430
- Kugitang Formation 360, 367, 368, 369, 383, 416  
 carbonates 403
- Kugitang Mountains, Jurassic stratigraphy 359-360  
 sections 361-369
- Kugitang sequence 94, 95, 100-101, 149, 151
- Kugitang Stage  
 palaeogeography 434  
 sedimentation, Kyzylkum 415, 416, 434, 435



- Kuhdara section  
 bivalve analyses 575, **576**, 577  
 lithostratigraphy 569, 570, 572
- Kuljuktai 418, 443
- Kunlun, planation 32
- Kunlun batholith 27
- Kunlun Fault 20
- Kunlun orogenic wedge 27
- Kunlun terrane 273
- Kunlun-Anyemaqen Subduction Zone 26, 27
- Kunlun-Anyemaqen Suture 21, 39
- Kuqa sub-basin 493, 494, 495, 512
- Kurama Range, arc magmatism 247
- Kurram Group 64, 81
- Kushab Formation 94, 101
- Kushan Formation 572
- Kuzigongsu Formation 494, 512
- Kuznetsk Basin 20, 29
- Kynyr Formation 444, 457, 471
- Kyrgyz Middle Tien Shan 198, 233, 234  
 Devonian-Bashkirian passive margin 235–245  
 carbonates 235–236, 238–239, 241, 244–245  
 Givetian-Frasnian facies 235  
 Tournaisian-Bashkirian turbidite basin 245  
 Devonian-Permian evolution 231–264  
 hydrocarbon potential 263–264  
 tectonic history 257, 259, 261–263  
 Pennsylvanian-Asselian convergent margin 245–251,  
 252–253, 262–263
- Kyrgyz North Tien Shan 198, 234  
 Devonian-Carboniferous 245, 250
- Kyrgyz South Tien Shan 4, 198, 199, 234  
 geological mapping and cross-sections 203–206  
 metamorphic evolution, comparison with Chinese STS  
 201, 215, 217, 218–221  
 thrusts 221  
*see also* Chinese South Tien Shan; South Tien Shan  
 fold-thrust-belt
- Kyrgyz Tien Shan, terminology 198, 200
- Kyrgyzstan, Mesozoic planation 30, 33
- Kyzylkum Basin 20  
 Mesozoic extension 36
- Kyzylkum High 8, 411, 414
- Kyzylkum sector 4, 411, 413, 441, 443  
 Cretaceous sedimentation 442–481  
 facies 446–456  
 stratigraphy 456–476  
 geological setting 411, 412, 414, 418  
 Jurassic sedimentation 414–435  
 depositional environment 424–425,  
 429–430, 435  
 facies 417–425, 426–428  
 palaeogeography 432–434
- Kyzylkum suture 441
- Kyzylkum Trough 90, 119
- lacustrine deposits  
 ATB 379, 387, **388**, 390, 395–396, 402  
 Jurassic 493, 495, 496, 498, 500, 509, 510, 511, 513,  
 515–516
- Lagman complex 79
- lagoon deposits  
 Afghan-Tajik Basin 394–395  
 Bukhara-Khiva region 151, 152
- Kyrgyz Middle Tien Shan 235, 241
- Kyzylkum 415
- Late Cimmerian orogenic belt  
 accretion 5, 133–134  
 Central Afghanistan 72–77, 83
- Late Miocene-Early Pliocene, SCB fill 178
- Laulau Formation 457, 471
- Leontiev Graben 337, 338  
 Jurassic sedimentation 338–354, 495  
 palynology 342, **343**, **344**, 345–348  
 palaeoecology 347, 349, 351, 352–354
- Lesser Karatau Range 338
- Lhasa Block 9, 27, 35, 273  
 accretion 19, 36–38, 41, 202, 491–493,  
 514–515  
 igneous intrusions 37–38
- limestone, Cretaceous, Kyzylkum **446**, 454–456
- Litang-Batang Block 26
- lithofacies associations, Fergana Basin 318–325
- lithosphere  
 global models 284, 286  
 mantle density, Central Eurasia 274–275  
 thickness 276, 283, 284, 286, 287
- lithosphere-asthenosphere boundary 272, 274–276,  
 281, 283
- Ljabidshar Formation 526, 528, 543  
 conglomerate composition 547, 555  
 lithofacies assemblages **534**  
 lithology and interpretation 544–545  
 palaeotransport directions 549, 550  
 source rock **554**
- Logar Ophiolite 64, 67, 68, 80, 81
- Logar Valley, succession 75
- Longmen Shan belt, Mesozoic exhumation 37, 41
- Longmu Co-Shanghai Suture 21, 26
- Lower Tochar Formation 572
- Lot Block 35, 77
- Maastrichtian, Kyzylkum 457, 466, 469, 472, 473,  
 474–476, 477, 478
- magmatism  
 arc-related  
 Afghan Orogenic segment 61, 62, 65, 82  
 Kyrgyz MTS 245, 247  
 Mongol-Okhotsk oceanic lithosphere 23
- Sistani suture zone 77–78
- Tien Shan 201–202
- magnetic anomalies  
 Afghan orogenic segment 60, 61  
 Amu Darya Basin 97, 98, 99, 157
- Maimana Step 90, 93, 106, 113
- Main Alai Thrust 59
- Main Boundary Thrust 59
- Main Frontal Thrust 59
- Main Mantle Thrust 59
- Main Pamir Thrust 59
- Main Tien Shan Fault 41  
 palaeogeography 25
- Makran Subduction Zone 59, 77
- Manas section, alluvial deposits 492, 493, 494, 496, 498,  
 499, 500, 501, 507, 508, 510
- mantle density 274–275
- mantle folding buckle, Fergana Basin 331–332
- mantle plume activity, Tarim Basin 201–202

- marl  
 Cretaceous, Kyzylkum **446**, 455, 456  
 Fergana Basin 319
- Mashad-Hindu Kush-Pamir magmatic arc *61*
- Maskhel Basin 1, 57, 58
- Massaget Formation 298, 305, 306, 315, 316, 317, **320**, 321, 322, 331, 332, 571, 572  
 conglomerate composition 324, 325  
 palaeocurrent indicators 323, 330  
 sedimentation 330  
 seismic data 325–328, 330, 331
- Maykop Formation 177, 178
- Meotian Formation 177, 178
- Meso-Tethys Ocean  
 opening 26, 27  
 subduction 9, 492
- Mesozoic  
 accretion 2, 3  
 Bukhara-Khiva region 145–171  
 climate evolution 38–39  
 extension 34–37, 40–41  
 Amu Darya Basin 36, 129, 132–133, 168–171  
 Fergana Basin evolution 328–329  
 geodynamics 5, 19–42  
 tectonic evolution 25, 26–38  
 Tien Shan, evolution and reactivation 201–202
- metamorphism  
 Cimmerian Orogeny 26  
 Farah Basin 73  
 greenschist facies, Atbashi Range 203–206, 208  
 North Afghan Platform 62  
 Nuristan Block 78–79  
 Songpan Garzê Basin 28  
 South Tien Shan 200–201, 203–206, 215–219  
 Upper Cretaceous 34  
 Wakhan region 79
- Metedzhan 2 well 120
- Mian Kuhi Formation 64, 69, 70, 71
- Mid-Cimmerian unconformity 70–72
- Middle Afghanistan Geosuture Zone 57, 69–72, 83
- middle ramp deposits **389**, 390, 393, 396, 397
- Middle Tien Shan 3, 4, 411, 439  
 Devonian-Permian carbonates 6  
 terminology 198, 200  
*see also* Kyrgyz Middle Tien Shan
- migmatization, Atbashi Range 206, 208
- Minara gas field 112
- Minle Basin, extension 36
- Miocene, Tajik Basin 558, 559
- Moldotau Range 233, 241, 257
- Mongol-Okhotsk Ocean 2  
 closure 19, 27, 28, 29, 34, 41–42, 480, 491, 516  
 exhumation 28  
 subduction 23, 28, 34
- Mongol-Okhotsk Suture 21, 29
- Mongolian Block  
 collision with Siberian Craton 27, 29, 34, 39, 41  
 palaeoclimate 38–39  
 palaeogeography 25, 27, 29, 35  
 planation 29
- monsoon, Eocene intensification 581
- Moqor-Tarnak Fault 59, 67, 76
- Mubarek Formation 94, 100, 149
- mud mounds 241, 242, 244
- mudstone-wackestone, Cretaceous, Kyzylkum **446**, 455, 456
- mudstones  
 Cretaceous, Kyzylkum **446**, 451, 454, 462  
 Fergana Basin 318–319, **320**, 321  
 Jurassic, Kyzylkum 421, 422, 423–425, 426–428, 431  
 Kyrgyz MTS 239, 240, 241, 242, 244, 248, 257  
 NE Tajik Basin 533, 537, 538, 542, 544
- Murgab Depression 90, 93, 118, 414
- Murgab Fault 90, 93
- Murghab Basin 65, 66
- Muslim Bagh Ophiolite 64, 67, 77, 80, 81
- Nalbandan zone 70
- nappes, Kabul Block 80
- Narat Fault 24
- Naryn area 233, 235  
 Devonian-Bashkirian deposition 235, 237, 238  
 Mississippian-Pennsylvanian stratigraphy 245, 247, 249, 251, 252–253, 255, 257  
 Tournaisian-Visean strata 241, 242
- Naryntau Range, Gzhelian-Asselian deposits 251
- Neh complex 77
- Nehbandan Fault 59, 78
- Neocimmerian blocks *see* Late Cimmerian orogenic belt
- Neogene  
 NE Tajik Basin 524–525, 526, 528–560  
 lithofacies 531–533  
 sedimentation  
 Amu Darya Basin 94, 95  
 isopach maps 111, 112–113  
 North Afghan Platform 64, 65
- Neoproterozoic, CAOB evolution 4
- Neotethys Ocean 2, 5, 68, 134  
 closure 272, 273  
 opening 9, 27  
 subduction 38, 40, 73, 75–76
- Nijniy Formation 493, 494, 511, 512, 513  
 palaeoenvironment 515
- Nikolaev Line 199, 200
- Nilaw complex 79
- North Afghan High 58, 65, 106
- North Afghan Platform 60  
 Early Cimmerian magmatic arc 66, 67, 68, 69  
 fault blocks 65–66  
 Jurassic-Neogene sediments 64–65  
 sedimentary cover 63–66  
 Variscan basement 60–63
- North Afghan-Tajik Basin 57, 58, 59, 60, 67
- North Altai Range, planation 31
- North Badkhyz Trough 90, 93, 102, 103, 120
- North Caspian Basin 20, 24, 274
- North China Block 21, 24  
 Cimmerian Orogeny 26  
 collision with South China Block 25, 27, 28  
 extension 40  
 palaeogeography 25, 35
- North Indus Basin 20
- North Karabil Trough 90, 93, 102, 103, 120
- North Mary Trough 90, 93, 102, 106, 112, 120, 121
- North Pamir region 59, 78
- North Qiangtang Block 21, 26

- North Tarim Basin  
 alluvial deposition 509, 512  
 depositional evolution 513–516  
 palaeoenvironment 515–516
- North Tien Shan 3–4, 411, 439  
 terminology 198, 200
- North Tien Shan Fault, reactivation 36
- North Tien Shan Ocean, subduction 23
- North Tien Shan Suture 3, 23
- North Totoun section, alluvial deposits 492, 499, 500,  
 501, 503, 507, 509, 510
- Northern Alai Valley Composite section 569
- Nostratabad Fault 59, 78
- Novobod-Garm section 525, 528, 533  
 correlation 557  
 heavy minerals 547  
 lithology and interpretation 543–545, 549  
 palaeodirections 549  
 sedimentary rock 547
- Nuratau Mountains 8, 441, 442  
*see also* South Nuratau
- Nuristan Block 58, 78–79
- Nurobod, lithology and interpretation 525, 543
- Obichingou Valley 525, 527, 528, 532, 539,  
 540, 542
- Obruchev Trough 102, 106, 112, 118, 120, 121, 125
- oil *see* hydrocarbons
- Oka Plateau, planation 30, 31, 32, 40
- Oligocene  
 proto-Paratethys Sea 579  
 Tajik Basin 524–525, 526, 528, 558, 559
- Oligocene-Late Miocene, South Caspian Basin 178
- ophiolites  
 Afghan orogenic segment 64  
 Atbashi Range 201, 203, 204, 205, 222  
 Farah Basin 64, 73  
 Kabul Block 80  
 Sistan suture zone 77  
 South Tien Shan 4, 200  
*see also* Balochistan ophiolite belt
- Orbitolina Beds, Helmand Block 64, 68, 76
- Ordos Basin 20, 36–37
- Ordos Block 273
- Ornach-Nal Fault 59, 77, 82
- Orthoceroids, Visean 244, 248
- Osman gas field 90, 112
- outer ramp deposits 389, 390, 393–394, 396
- packstone-wackestone 239, 241–245, 246, 251
- Pakabulake Formation 299
- Palaeo-Amu Darya River 105, 106, 111, 116–117,  
 118, 185
- Palaeo-Pacific Ocean 9, 23, 41
- palaeoclimate  
 Afghan-Tajik Basin 404–405  
 Mesozoic 38–39, 353–354, 493
- palaeoenvironment 10  
 and sedimentation 7–8, 23  
 Amu Darya Basin 100–101
- Palaeogene, sedimentation  
 Amu Darya Basin 94, 95  
 isopach maps 110–111, 112–113  
 North Afghan Platform 64, 65
- palaeogeography  
 Early Triassic 25  
 Late Carboniferous 25
- palaeosols, Fergana Basin 318, 320, 321
- Palaeotethys Ocean 2, 25  
 accretionary wedge 71  
 closure 5, 26, 27, 72, 132  
 Fergana Basin 329  
 forearc wedge 71  
 subduction zone 62, 68, 69, 130, 441  
 Suture 26, 57, 62, 70, 71, 89, 90, 97, 98, 272
- Palaeozoic  
 accretion 2  
 Late, tectonic setting 23–26  
 Late-Mesozoic, geodynamics 5, 19–42
- Pale Pink Suite 315, 316, 325, 328
- Paleocene  
 ADB, depth-structure map 103, 105, 106  
 palaeogeography 35
- palynology  
 Taskomirsay Formation 342, 343, 344, 345–348  
 dating and palaeoecology 347, 349, 351, 352–354
- Pamir connection 59, 78–80
- Pamir indentation 7, 83, 89, 135, 148, 306, 331, 529
- Pamir Orogen 21, 296, 331, 566–567  
 deformation 553, 556  
 exhumation 567  
 slab rollback subduction 556  
 source of Tajik Basin fill 549–550, 556–559  
 western margin 528  
 exhumation and erosion 545, 550, 553
- Pamir-Alai Basin-Tien Shan junction 296
- Pamir-Alai slab, mantle folding buckle 331
- Pamir-Kunlun Shan overthrusting 480
- Pamir-Mashad Arc 61, 62, 69
- Pamir-Punjab syntaxis 57, 58, 78, 83
- Pangaea supercontinent 168
- Panjab section 358, 359  
 correlation 400  
 facies associations 390, 391, 392, 393–394  
 stratigraphy 361, 366, 368, 373–374
- Panjao Ophiolite Belt 36
- Panjao Suture 21
- Panjaw flysch Series 64, 68, 73, 74
- Panjsher Fault 57, 58, 59, 71
- Panxi Rift 26
- Parapamiris 57, 58, 59, 62, 64, 65
- Paratethys Sea 8, 10  
*see also* proto-Paratethys Sea
- Partial Annealing Zone (PAZ) 21–22  
 TFF 302, 303, 305
- Patom Range 24, 25  
 planation 32
- penplanation, Mesozoic 29, 30, 31, 33–34, 39–40
- Pennsylvanian-Asselian, MTS convergent margin  
 245–251, 256, 258, 262–263
- Permian  
 palaeoclimate 38  
 tectonic setting 23–25
- Peter the First Range 525, 529, 556, 557
- petroleum *see* hydrocarbons
- piggy-back basin  
 Fergana Basin 328  
 Tajik Basin 556

- planation  
 Jurassic-Cretaceous 10, 19, 29, 30, 31, 39–40, 493  
*see also* peneplanation
- Pliensbachian-Toarcian transition 7–8, 349, 351–354
- Pliocene-Pleistocene  
 South Caspian Basin fill 178–179  
 Tajik Basin 558, 560
- plutonism  
 Helmand Block 76  
 Kandahar Basin 76
- Pobeda Massif 199, 203, 206, 207, 208, 223  
 crustal cross-section 220
- Pobeda Thrust 206, 207, 208, 222
- Polizak Formation 526, 528, 551, 553  
 conglomerate composition 545–546, 555  
 heavy mineral composition 546  
 lithofacies assemblages **534**  
 lithology and interpretation 539  
 palaeotransport directions 547, 558, 560  
 source rock **554**
- Pontian Formation 177, 178
- Pre-Alborz deep 193
- Pre-Kopet-Dagh foredeep 90, 93  
 cross-sections 116, 118  
 depth-structure maps 103, 104–105  
 gravity anomalies 98, 99  
 sediment fill 95, 102, 112  
 subsidence 103, 127–128  
 underlying rift 119
- Priamudarya system 119
- Primorsky Range 20, 25
- prodelta deposits, ATB **388**, 390, 391, 392
- Productive Series 177, 178, 194
- Proterozoic, Middle Afghanistan Geosuture 70, 72
- proto-Paratethys Sea 478, 480, 565–583  
 bivalve analyses 573–575, **576**, 577–578  
 palaeoenvironment 579–580  
 impact 581  
 palaeogeography 579  
 retreat 566, 578  
 tectonic/sea-level change controls 580–581  
 stratigraphic correlation 578
- Qaidam Basin 20  
 Mesozoic extension 36
- Qaidam Block, palaeogeography 25, 27, 35
- Qala-e Naw Block 59, 62, 63, 66
- Qiangtang Anticlinorium 34, 37, 41
- Qiangtang Block 9, 21, 25, 27, 35, 131, 273  
 accretion 26, 39, 202  
 Cimmerian Orogeny 26, 39  
 orogenic wedge 27  
 palaeogeography 25, 27, 28, 35  
 Permian rifting 26  
 planation 34  
 underthrusting of Lhasa Block 37, 41
- Qigu Formation 492–496, 505, 508, 512  
 depositional evolution 503, 509, 510, 513, 514  
 palaeoenvironment 515  
 facies **497–498**, 499, 500, 501, **502–503**
- Qilian Shan 20, 21
- Qingshuihe Formation 493, 494, 496, 499–500, 508, 509, 512  
 depositional evolution 503, 509, 510, 514  
 facies **497–498**, 500, 501, 503, **505**
- Qinling orogenic wedge 27
- Raskoh Arc 59, 76–77
- Ratuk ophiolite complex 77
- Rb/Sr geochronology, Mesozoic planation 32
- red beds  
 Amu Darya Basin 93  
 Bukhara-Khiva steps 167–168  
 Middle Tien Shan 234, 261, 314, 315  
 Tajik Basin 524, 526, 540
- Red Grit Series 64, 65, 67, 68
- Red River Fault 20
- reefs  
 Amu Darya Basin 94, 95, 96, 100, 101, 120, 121, 122, 124, 133, 416  
 Badkhyz-Maimana Fault Block 66  
 Bukhara-Khiva steps 149, 151, 166, 167, 415  
 North Afghan Platform 65
- regression  
 Eocene, proto-Paratethys Sea 566, 568–569, 571, 579–583  
 Jurassic  
 Amu Darya Basin 64, 65  
 Kyzylkum 415, 430  
 Palaeogene, Amu Darya Basin 65
- Repetek Fault 90, 93, 97, 98, 106  
 reactivation 135
- Repetek-Kelif zone 90, 93, 106, 112, 118
- Rishtan Formation 316  
 bivalve analyses 573, **576**, 577
- river deposits  
 ATB 369, 379, **388**, 390, 395, 396, 402  
 NE Tajik Basin **534**, 535–545, 554–555, 558, 559
- Rushan Pshart Suture 59, 72, 74
- Safed Khers 78
- Saighan Series 64, 68, 71
- salt *see* evaporites
- salt domes, Amu Darya Basin 93
- Samantepe gas field 120  
 borehole data 100–101
- sandstone  
 Cretaceous, Kyzylkum **446**, 448, 449–454, 458, 460, 461–462  
 Fergana Basin 318–319, **320**, 321  
 Jurassic, Kyzylkum 419, 420–425, 426–427, 431  
 Jurassic-Early Cretaceous  
 Kalaza Formation 496–516  
 Qigu Formation 496  
 Qingshuihe Formation 496  
 NE Tajik Basin 527–528, 530, 533, 535–537, 539, 540–544
- Sandykachi system 120
- Sandzhar Formation 94, 95, 148, 149, 360, 416
- Sandzhar Stage 416  
 palaeogeography 432  
 sedimentation, Kyzylkum 415, 432, 435
- Sangardak section 358, **359**  
 correlation 401  
 stratigraphy 361, 367, 384–385

- Sanglak Formation 572
- Santonian, Kyzylkum 457, 466, 467, 469, 470, 471, 472, 473, 474, 475
- Sarbatyr 443
  - Cretaceous sedimentary facies 463
  - Jurassic sedimentary facies 417–430
- Saritash structure 161
- Sarmatian Formation 177, 178
- Sary Ob Anticline 551
  - growth strata and unconformities 551, 552
- Sary Ob Complex 531, 532, 538
  - conglomerates 556
  - growth strata 551, 553, 559
  - heavy mineral composition 546, 547
  - lithofacies assemblages 534
  - lithology and interpretation 538, 542
  - palaeotransport directions 547, 558
  - source rock 554
  - unconformity 552, 553
- Sary Ob section
  - composition
    - heavy minerals 546
    - sedimentary rock 545–546
  - correlation 557
  - palaeotransport directions 546, 547
- Sary Ob Valley 525, 526, 527, 530, 531
  - growth strata 550, 551, 552, 553
  - lithology and interpretation 536–539, 551
  - unconformities 538, 539, 550, 551, 552, 553
- Sarydiirmen Stage 416
  - palaeogeography 433
  - sedimentation 435
    - Kyzylkum 415, 433
- Scythian Platform 178
- Scytho-Turanian Fault 59
- sea-level change 10, 254, 255, 257
  - Afghan-Tajik Basin 404–405
  - Bajocian 170
  - Cretaceous 457, 464, 476, 477, 478, 480, 481
  - Eocene, proto-Paratethys 567, 580–581
  - Jurassic, Kuduksarbatyr Formation 430
  - see also* drowning events; transgression
- sedimentation
  - Afghan-Tajik Basin 8, 357–407
  - Amu Darya Basin 93–95
    - sediment fill
      - age and depositional environment 100–102
      - maps and cross sections 102–119
  - evolution 6–7, 10, 23
  - Kyzylkum region 8, 411–435
  - North Afghan Platform 63–66
    - and palaeoenvironment 7–8, 23
    - and tectonic evolution 23
- Sefidabeh Basin 77
- Serpukhovian, Kazakhstan 241, 243, 246, 257, 258, 260
- Shache-Yangdaman Fault 296
  - flower structure 299
  - Pamir indentation 306, 307
- shale
  - Kalaza Formation 496
    - southern margin of Kazakhstan 234–263
    - see also* black shale
  - Shalkan section 358, 359, 379
    - correlation 400
      - facies 369, 387, 390, 391, 392, 393, 394
      - stratigraphy 361, 362–366, 368, 403
- Shandalash Range 296, 297, 299
  - AER data 302, 304
  - AFT data 300, 302, 303
- Shargun Mine section 358, 359
  - correlation 401
  - facies associations 369, 379
  - cyclicality 395
  - stratigraphy 361, 367, 368, 369, 382–383
- Shatlyk Formation 112
- Sheberghan Fault Block 58, 59, 62, 63, 65–66, 67
  - barrier reef 65
- Shemshak Group 65, 70, 71, 132, 337
- Shishugou Formation 494, 505
- Shishugou Group 494
- Shurijeh Formation 134
- Shuruk 443
  - Cretaceous succession 444, 457–458, 460, 461, 462
- Shuruk Formation 444, 445, 457, 461
- Shurysay Formation 571, 572
- Shurysay Member 526, 527, 530, 536
  - lithology and interpretation 539–540
  - palaeotransport directions 548
- Shyok Suture 59
- Siberian Craton 21
  - Cimmerian Orogeny 28
  - collision with Mongolian Block 27, 29, 34, 39, 41
  - Mesozoic climate 38
  - Mongol-Okhotsk subduction 23, 29
  - rotation with Mongolian Block 27, 29
- Sibumasu Block 21
  - collision with Indochina Block 26
  - palaeogeography 25, 27, 35
  - Permian rifting 26
- Siliciclastics
  - Afghan Orogenic Segment 73, 75, 79, 81
  - Afghan-Tajik Basin 357–407
  - Amu Darya Basin 93, 95, 96, 107, 124
  - Bukhara-Khiva steps 148, 149, 151, 163, 169
    - seismic reflectors 150, 153
  - Kyzylkum 415
  - Middle Tien Shan 235, 237
  - North Tien Shan 245
- Silk Road 1–2
- 'Silk Road Arc' 62
- siltstone
  - Carboniferous-Lower Permian 70
  - Cretaceous, Kyzylkum 446, 454
  - Tajik Basin 527–528, 536, 537, 539, 541, 543, 544
  - Viscan 244
- Sina Formation 64, 71
- Sistan Ocean, subduction 77
- Sistan Suture Zone 57, 59, 77–78
- slab break off
  - Mongol-Okhotsk oceanic lithosphere 23, 34
  - Palaeotethys Ocean 28
  - South Tien Shan 221
- slab roll-back
  - Mongol-Okhotsk oceanic lithosphere 23
  - Neotethys Ocean 38
  - Palaeo-Pacific 34
  - Palaeotethys Ocean 28, 39

- slab-pull  
 palaeo-Pacific/'Meso-Tethys' subduction 9, 491  
 South Tien Shan 221
- 'soft collision', Mongolia-Siberia 27, 29, 34, 39, 41
- Sogdiysk Group 298, 315, 316, 317, **320**  
 conglomerate composition 323–324  
 palaeocurrent indicators 323  
 seismic data 326, 327, 328
- Solonker Suture 21, 23, 24
- Songpan-Garzê Basin 25–26  
 accretionary wedge 21, 26, 27, 35, 39, 41  
 flysch 27–28, 39, 273  
 Barrovian-type metamorphism 28  
 planation 32, 33  
 Triassic sedimentation 27–28
- Songpan-Garzê Ocean 25, 28
- Sonkul Formation 238, 239, 255
- Sonkul-Turuk Basin 245, 250, 259
- South Altai Range, planation 31, 40
- South Badakhshan region 78
- South Borohoro Range, planation 30
- South Caspian Basin 1, 20, 27, 112, 118, 131, 175–194, 176  
 crustal structure 175–176, 181, 183–184, 185, 188, 189–190, 192, 193  
 depocentres 112, 192–193  
 evolution 10  
 flexural backstripping 180, 181, 182, 185, 186, 190  
 gravity anomaly 179, 180, 181, 184, 188, 191  
 gravity modelling 183–184, 185, 188, 189, 191  
 Mesozoic extension 36, 40  
 opening 177  
 pseudo-wells 186–188, 189, 191  
 seismic profiles 181–189  
 stratigraphy 177–179  
 subsidence and sedimentation 6, 18, 179–194
- South China Block 21  
 Cimmerian Orogeny 26  
 collision with North China Block 25, 28  
 palaeogeography 25, 27, 35
- South Gissar Fault 59
- South Gissar Rift 119
- South Gobi microcontinent 24
- South Iolotan Field 112
- South Kazakh domain, Mesozoic extension 36
- South Nuratau, Cretaceous sedimentation 446–481
- South Pamir Fault 59
- South Qiangtang Block 21, 26
- South Tien Shan fold-and-thrust belt 3, 4, 197–223, 199, 411, 439, 442  
 Carboniferous tectonics, geodynamic model 221–223  
 Cenozoic deformation 199–200  
 crustal-scale cross-sections 6, 219–220  
 deformation timing 220  
 geological mapping and cross-sections 203–206  
 geological setting 200–203, 441–442, 443  
 metamorphic belt 198, 200–201  
 metamorphic evolution 215, 217, 218–223  
 origin 198–199  
 basement 203  
 reactivation 10, 197, 199, 200, 202  
 source of Tajik Basin fill 550, 557, 558, 559–560  
 structure 442  
 subduction polarity 197–198, 220–221
- tectonic history 200–203  
 Carboniferous geodynamic model 221–223  
 terminology 198, 200  
*see also* Alai sector; Kokshaal segment;  
 Chinese South Tien Shan; Kyrgyz South Tien Shan;  
 Kyzylkum sector
- South Tien Shan Ocean, back arc basin 4, 198, 200, 221
- South Tien Shan Suture 3, 4, 198, 200, 439  
*see also* Turkestan Suture
- South Totout section, alluvial deposits 492, 500, 501, 507, 509, 510
- Southwestern Gissar Range 90, 93, 146, 147, 148  
 Mesozoic stratigraphy 96, 148, 152, 162, 168
- Spin Boldak Range 76
- Sredniy Formation 492, 511, 512–513, 512  
 palaeoenvironment 515
- subduction  
 Central Tien Shan Ocean 6  
 Early Cimmerian magmatic arc 66, 68, 69, 130  
 Helmand Block 76  
 Mongol-Okhotsk Ocean 23, 29  
 North Tien Shan Ocean 23  
 Palaeotethys Ocean 27, 63, 68, 168  
 polarity, South Tien Shan 197–198, 220–221  
 Sistan Ocean 77  
 South China-Indochina margins 26  
 Variscan basement 62  
 Waras-Panjaw Ocean 74
- subsidence  
 Amu Darya Basin 5, 89–135, 97  
 curves 126–127  
 flexural 23, 135, 181, 330, 555  
 South Caspian Basin 6, 179–194  
 modelling 180–194  
 tectonic 36, 97, 106, 121, 125, 126–127, 181, 187, 193  
 thermal 6, 28, 121, 128, 133–134, 145, 179, 189, 193, 254, 493
- Sukhotai arc  
 Cimmerian Orogeny 26  
 palaeogeography 25
- Sulaiman Fault Block 67
- Sultan Sandzhar Arch 117, 118
- Sumsar Formation 316, 526, 530, 572  
 bivalve analyses 573, 575, **576**, 577
- Surkhob River 525, 528, 539, 543
- Susamyr Range 233
- Suzak Formation 316  
 bivalve analyses **576**, 577
- swamp deposits, Afghan-Tajik Basin 379, **388**, 390  
 syn-collisional basins, southern margin of Kazakhstan 247, 249, 251, 257, 261
- Syr Darya Basin 2, 440
- Tabylgaty Formation 245, 255
- Tajik Basin 20, 523–560, 524, 525  
 fold-thrust belt deformation 529  
 NE  
 depositional pattern 554–555  
 floodplain deposits 555–556, 560  
 facies analysis 529  
 fluvial complexes 554–555  
 foreland basin evolution 556  
 geology 525  
 lithostratigraphy revision 530–545, 532

- Neogene lithofacies 531–533, 65  
 assemblages and interpretation 533–536  
 lithology and interpretation 536–545  
 palaeogeography 556, 558, 559–560  
 syntectonic sedimentation 528, 545, 550–560  
 composition 545–547  
 palaeotransport 529–530, 547–549, 556  
 provenance 530, **531**, 549–550, **554**, 557  
 timing 556, 557
- northern  
 foreland basin evolution 556  
 sedimentation 528
- Pamir indentation 7, 529  
 rotation 529, 530  
 slab rollback subduction 556  
 stratigraphy 524–528  
 Cenozoic 524–528  
 Mesozoic 524  
 tectonic setting 528–529  
 tectonics, synsedimentary 523, 529, 550–560  
*see also* Afghan-Tajik Basin; North Afghan-Tajik Basin
- Tajik Sea *see* proto-Paratethys Sea
- Talas Range 296, 297, 299  
 AFT data **300**, 302, 304  
 age-elevation relationships 301, 302  
 exhumation 304  
 thermal modelling 302, 304
- Talas-Fergana Fault 2, 3, 4, 7, 20, 199, 201, 295–307, 338, 441  
 AFT thermochronology 300–301  
 age-elevation relationships 301  
 Cenozoic displacement 298–299  
 chronology 305–306  
 exhumation 7, 303–305  
 geological setting 298–300  
 horsetail splays 297, 304, 305  
 Mesozoic extension 41  
 palaeogeography 25, 27, 35  
 Pamir indentation 305–307  
 pull-apart basin 329  
 reactivation 10, 202, 331–332  
 thermal modelling 301–302
- Tamdytau Mountains 413
- Tanguival Formation 148, 149, 360, 393  
 carbonates 403  
 cyclicity 397  
 facies pattern 398  
 sections 361, 364–365, 366, 367, 371, 373, 380–381, 383, 385, 386
- Tanymas-Jinsha suture 59, 71
- Tarim Basin 1, 3, 20, 198, 440  
 arc volcanism 221  
 Eocene regression 568–569  
 Kazakh-Kyrgyz collision 6, 200, 201, 234–235, 493  
 mantle plume activity 201–202  
 Mesozoic extension 36  
 palaeoclimate 38  
 proto-Paratethys Sea 572, 573  
 bivalve analyses 573, 575, 577, 578  
 Eocene transgression/regression 580, 581  
 stratigraphic correlation 578  
 tectonic/sea-level change controls 580  
 sedimentation 8, 567  
 stratigraphy 494  
 TFF prolongation 299  
*see also* North Tarim Basin
- Tarim Block 440  
 rotation 338
- Tarim Sea *see* proto-Paratethys Sea
- Tash Kumyr section 569, 571  
 alluvial deposition 511, 512, 515  
 bivalve analyses 575, **576**, 577  
 conglomerate composition 323–325  
 lithofacies associations 318–325  
 palaeocurrent indicators 323  
 sedimentology and facies analysis 315, 316–317  
 unconformity 316, 321, 322, 332
- Taskomirsay Formation 339  
 carbon isotope analysis 342, 349, 350, 351–354  
 palynology 342, **343**, **344**, 345–348  
 dating and palaeoecology 347, 349, 351, 352–354  
 stratigraphy 340, 341, 342
- Tavildara Complex  
 conglomerate composition 545, 547, 551, 555  
 lithology and interpretation 538–539, 542–543  
 palaeotransport directions 547, 548–549, 558, 559  
 unconformity 552, 553
- Tavildara Formation 526, 527, 528, 531  
 fossils 527  
 lithofacies assemblages **534**  
 source rock **554**
- Tavildara-Obichingou section 525, 530, 542  
 composition  
 heavy minerals 547  
 sedimentary rock 546–547  
 correlation 557  
 lithology and interpretation 539–543, 548  
 palaeodirections 547–549
- Terskey Ocean 200
- Terskey Range 233  
 exhumation 203
- Terskey Suture 3, 4, 200
- Tertiary  
 Baikal Rift System 29, 35, 41  
 deformation 5, 19, 82  
 topographic evolution 19–20
- Tethyside Orogenic Zone 5, 57, 273  
 north 273–274  
 elevation/geoid anomaly 282, 283  
 seismic data 278, **279**, 282, 283
- thermal modelling, TFF 301–302
- Tibet  
 Cimmerian Orogeny 26  
 Early Mesozoic evolution 25, 26–27  
 metamorphism 26
- Tibetan Plateau 20, 273, 287  
 Mesozoic extension 35–36  
 planation 29, 33, 40
- Tien Shan Ocean 2, 3, 198
- Tien Shan Range 1, 2–4, 24, 197, 199, 273, 287, 411, 492, 567–568  
 Cimmerian Orogeny 28  
 evolution 3  
 exhumation 28, 37, 553–554, 568  
 geological setting 493–495  
 Mesozoic extension 36  
 nomenclature 3, 6, 198, 200, 441

- Tien Shan Range (*Continued*)  
 Palaeozoic geology 440  
 planation 29, 30, 32, 33  
 tectonic evolution 8–9, 568  
*see also* Central Tien Shan; Chinese Central Tien Shan;  
 Eastern Tien Shan; Kyrgyz South Tien Shan;  
 Middle Tien Shan; North Tien Shan; South  
 Tien Shan; Western Tien Shan
- Tien Shan Shear Zone 24
- Tirich Mir Boundary Zone 59, 74–75, 83
- Toarcian Oceanic Anoxic Event 8, 352–353, 354
- Tokhumbet Formation 470, 471
- Tournaisian, carbonate platforms, Kyrgyz MTS  
 237, 238, 239, 241, 242, 244–245,  
 248, 255, 260
- Transbaikal basins 19, 25, 27, 29, 35  
 extension 34–35, 40, 41
- transgression  
 Akchagyl 177, 178–179, 194  
 Bajocian 8, 148, 170, 430  
 Afghan-Tajik Basin 399–401, 402  
 Callovian 38, 65  
 Cenozoic 10, 297–298  
 Cretaceous 168, 476  
 proto-Paratethys 568  
 Famennian-Tournaisian 255  
 Jurassic, North Tethys Ocean 36  
 proto-Paratethys Sea 568, 569, 571, 572–573,  
 579–583  
*see also* drowning events; sea-level change
- transpression  
 Afghan orogenic segment 82  
 Talas-Fergana Fault 295, 297
- Triassic  
 Amu Darya Basin 94, 95, 125, 126–127  
 palaeoclimate 38  
 palaeogeography 25  
 sedimentation, North Afghan Platform 63–64  
 tectonic evolution 26–28
- troughs, Amu Darya Basin 119–120
- Tsangpo suture zone 273
- Tugulu Group 493, 494, 505
- Turgur Basin, planation 31
- Turan Platform 5, 57, 59, 61, 89, 145–146, 274, 439  
 basement 60–63  
 collision with Indian Plate 68, 69, 135  
 Early Cimmerian magmatic arc 66, 68, 130  
 formation 129  
 Mesozoic extension 36, 40  
 Palaeotethys subduction zone 62, 130  
 shear zones 25  
 tectonics 61  
 Variscan basement 60–63
- Turan Sea *see* proto-Paratethys Sea
- Turan-South Kazakh platform 439, 441
- turbidites  
 Kyrgyz MTS 237, 238–241, 244, 245, 248,  
 255, 257  
 Kyrgyz North Tien Shan 245, 250
- Turfan Basin 20, 36, 38
- Turgai Strait 480
- Turkestan Formation 316  
 bivalve analyses 573, 576
- Turkestan microcontinent 440
- Turkestan Ocean 200, 314  
 closure 5, 8, 89, 129, 411, 439, 442, 480  
*see also* Central Tien Shan Ocean
- Turkestan Suture 3, 4, 59, 89, 90, 97, 98, 146  
*see also* South Tien Shan Suture
- Turonian, Kyzylkum 457, 463, 464–471
- Tuzkoy Formation 457
- Tyul'kubash Formation 235
- U/Pb geochronology  
 Bangong Nujiang Suture 37  
 Mesozoic planation 32
- Uch-Tobo section 569, 572  
 bivalve analyses 573–575, 576, 577
- Uchadzi Arch 113, 115, 117, 134
- Uchbash-Karshi Flexure Fault Zone 90, 99, 119, 125, 132,  
 147, 154, 161, 164, 165–166, 170
- Uchkuduk Formation 457, 461–462, 463
- Ugam Range 296, 297, 299  
 AFT data 300, 302, 303, 304–305  
 thermal modelling 304–305
- unconformity  
 Cimmerian 70, 71, 106, 132–133, 146  
 Kalaza Formation 501, 503, 505, 506, 508, 509,  
 512, 513  
 Mid-Cimmerian 72, 132–133  
 Oligocene 65  
 Sary Ob Complex 538, 539, 552, 553  
 Sary Ob Valley 550, 551  
 Tash-Kumyr 316, 321, 322, 332
- underplating, magmatic 34
- uplift  
 Jurassic-Cretaceous 29  
 Pamir 553  
 and sedimentation 23  
 Tajik Basin 523, 525  
 Tien Shan 200, 221, 553
- Ural-Turkestan suture 441
- Urtabulak Formation 94, 101, 149, 151
- Urus Formation 457
- Ustyurt Basin 411, 414  
 Jurassic sedimentation 415, 431
- Uzbekistan  
 Bukhara-Khiva region 145–171  
 Cretaceous 442–481  
 Jurassic 431  
 sediments, Kyzylkum 414–435
- Uzunkuduk Formation 457
- Vakhsh Thrust 59, 525, 528, 529, 543, 556, 558, 559
- Valerianov-Beltau-Kurama arc 98
- Valley of the Lakes Basin, planation 31, 32
- Vanch ophiolitic zone 71
- Vandob section 358, 359, 387  
 correlation 400  
 facies associations 369, 387, 390, 391, 392, 393–394  
 cyclicity 395, 396, 397  
 stratigraphy 361, 370–372, 403
- Variscan Orogeny 129  
 Turan Platform basement 60–63
- Vietnam, metamorphism 26
- Vilyui Basin 20
- Visean, Kyrgyz MTS 238–245, 246, 249, 255,  
 257, 260



- volcanism
  - Chagai and Raskoh arcs 76
  - continental arc, Kyrgyz MTS 245, 247
  - Jurassic
    - CAOB 34
    - North Afghan Platform 65
    - Palaeogene, North Afghan Platform 64, 65
    - Sistan suture zone 77–78
    - Triassic, North Afghan Platform 64
- Vuariz section 358, **359**
  - correlation 401
  - facies associations 369, 390, 394–395
  - cyclicality 396
  - stratigraphy 361, 367, 368, 369, 386, 387
- Wakhan region 79–80
- Waras Ophiolite Series 64, 73, 74
- Waras-Panjaw Ocean 68, 72, 83, 133
  - subduction 73, 74, 134
- Waras-Panjaw Suture 67, 68, 72–75, 83
- Waziristan Ophiolite 64, 68, 77, 80, 81
- West Burma Block 21, 27, 35
- West Caspian Fault 192, 193
- West Namangan-1 well 327, 328, 330
  - lithology 315
- West Sayan Ranges 24
  - palaeoenvironment 31
  - planation 30, 31, 40
- West Siberian Basin 20
- West Tarim 494
- Western Siberian Basin, palaeoclimate, Permian 38
- Western Tien Shan 3, 295, 296, 314, 439
  - Cenozoic exhumation 297, 305, 307
  - Cretaceous deformation 297
  - geological setting 297–298, 299
  - palaeoenvironment 314–315
- Wuqia Group 299, 306
- Wusu section, alluvial deposits 492, 496, 499, 505, 507, 508, 510, 513
- Xianshui He Fault 20
  - Cenozoic deformation, AFT thermochronology 22
- Xigaze forearc basin 38
- Xiyu Formation 300
- Xrebet Karatoo Range, planation 30, 33
- Yageliemu Formation 493, 494, 495, 509, 512
- Yaha section, alluvial deposits 492, 499, 500, 511
- Yashlar Field 90, 112
- Yecheng transtensional basin 299–300, 306
- Yidun Basin 26
  - planation 32
- Yidun Block 27
  - palaeogeography 25
- Yili Basin 2, 3
  - planation 33
- Yili volcanic belt 3, 23, 198, 200, 261–262
  - continental arc 3–4
  - rotation 25
- Yili-West Junggar collage 25, 28
- Yushu intra-oceanic arc 27, 28
- Yushu-Batang subduction zone 27
- Yushu-Batang Suture 21
- Zagros orogenic belt 7, 272, 276, 277, 279–280, 287
  - formation 2
- Zaunguz Depression 90, 93, 106, 112
- Zebak-Anjoman Fault 78, 79
- Zeravshan High 414
- Zididara River Valley 536
- Zididara Syncline 538, 551
  - growth strata and unconformities 552
- Zirabulak Mountains 90, 93