

Index

Figures are shown in *italics* and Tables in **bold**

- abandoned channel 269, 327
fill 272, 273–274, 318
- accommodation 135, 206, 242, 244, 274, 330, 350
conditions 82, 83–84, 91–93, 95–96
Kaiparowits Plateau 375–381
Paardeberg Ridge 409
and sediment supply 323–325
- acritarch 44, 51, 55, 56, 81
- age analysis 313, **317**
- age, John Henry Member 354, 376
- algae, freshwater 39, 44, 49, 51
- Allan diagram 21
- allocyclic control 94–98, 100, 233
- allogenic control 305, 320–321, 376
Ness Formation 109, 110, 131
- alluvial fan 151, 305
- alluvial-to-coastal-plain reservoir 109–110, 136
- alluvium 327
- Amantea Basin, Calabria 149–157, 158, **163**
- Ametlla Formation, Spain 11–12, 13
- amplification, tidal 159, 160–161, 166, 208,
244, 265, 291
- analogue studies 2–3, 311, 335
- anoxic conditions 70, **187–190**
laminites 77
- Ar/Ar age 354, 370, 376
- asymmetry in delta formation 141–166
- Australia, NW Shelf, reservoir geometry 59–104
- autocyclic control 95–99, 100, 233
- autogenic control 305, 320–321, 376
Ness Formation 109
- avulsion 2, 306, 307, 314, 315, 321–327, 331
frequency **318**, 327
style 109–110, 126–137
- Azerbaijan, ACG Field 12, 14, 22, 25
- back-arc basin 148
- back-barrier 374
- backwater avulsion 314, 315, 326–327
- backwater length 306–307, 309, 311, 322, 327–330
- Balikpapan Formation 337–343
- Balingian Province, tide-dominated delta system
215–245
data and methodology 219
depositional model 234, 235–239
geological setting 216–219
megasequence correlation 238, 240, 241–242
modern analogue 242–245
sedimentary facies 219–235
- barrier island deposits 265, 366, 367, 371, 372–375
- barrier lagoon facies 222, 232, 235, 239, 241
- base-level control 95, 97
- basin fill, Balingian Province 216
- basin modelling parameters **369**
- bathymetry, Mahakam Delta 345
- bayhead delta 257, **258**, **360**, 367, 373
analysis, Tibbet Canyon 266–279
- beach conditions 46–47, **48–49**
- beach ridge 312, 313, 314, **317**, 325
- bed thickness trend 270, 271, 273–274
- Belmonte Calabro section 149–157, 158, 161, **163**, 165
- Besag's *L* function 113, 115, 116, 134, 136
- bidirectional currents 289, 367, 404, 407
- bioevents 44, 47, 55, 56
- biofacies analysis 44–47, **48–50**, 51–52
- biostratigraphy 346
Dunlin Group 44–52
Knarr Field 39–52
Mahakam Delta 347
Mungaroo Formation 79, 81
Straight Cliffs Formation 354–367
- bioturbation 154, 296, 300, 314, 320, 342, 346
Balingian Province 219, 222–233, 235, 239, 241
Cretaceous, Utah 257, **358**, **360**, 364, 367
and environment 290
Karoo Basin **398**, 402
Knarr Field 39–44, 54
Mungaroo Formation 66, 75–77
Søgne Basin 186, **187–190**, 191–194
- bioturbation index 117–122, 126–129, 292, 294–295
- bitumen 252
- Bolivar coastal field, Venezuela 21, 24
- brackish conditions
Balingian Province 229, 232, 233
Knarr Field 39, **48**, 49, 55, 56
Mungaroo Formation 72–74, 76, 78, 81
Ness Formation 122
Søgne Basin 179, 192, 201, 206, 208
Utah 257, 261, 264, 265, 267, 367, 373
- brackish ichnofacies 290
- braided deposits 233, 235, 242
- breccia, fan delta 152, 153–154
- Brent Field, UK North Sea 110–111, 112–114
- Brent Group 173, 206
- Bryne Formation 173, 180, **187–188**, 198–199
- Buck Hollow 354–365
correlation 377
palaeogeography 371
stratigraphy 355
- bulk density 70, 75, 76, 78, 79, 80, 83
- Calabrian Arc, tidal delta 148–157
- carbonates 394, **400**
- Carpentaria palaeolake 308
- Central Graben 175, 176, 206–208
- channel abandonment 67–68, 69
- channel avulsion 326–327
- channel belt 90, 91, 94, 95, 99–100, 120, 266
Mitchell River 307, 314, 315, 319
facies 320, 321, 326–327, 330, 331
- channel facies, summary 330–331
- channel fill 191–193, 270, 319, 330
- channel flow data 309
- channel sandstone 60, 79
- channel-body dimensions 82, 84–85, 86–87
- channelized bodies, Paardeberg Ridge 369, 403, 404–412

- channelized fluvial sandbody, Ness Formation 109–137
 avulsion style 126–131
 data and methodology 110–117
 facies analysis 117–123
 palaeosol characterization 123–126
 sandbody dimension and distribution 131–136
- channels, shelf edge 402–412
- characterization, paralic reservoirs 1
- chenier ridge 312, 313, **317**, 323, 325
- classification, paralic systems 311, **318**, 373–374
- cleaning-upwards 43, 54, 77
- climate 82, 94–95
 Holocene 308–309
- coal
 Balingian Province 228, 230, 232, 239
 Brent Field 112, 122, **124**, 125, 127
 Mungaroo Formation 69–77, 79, 82
 Søgne basin 174, 176, 191, 193, 194, 200
 Utah 257–264, 270, **357**, 365, 366, 372
- coal mire 374
- coal resource 350
- coal, compaction 379–381
- coaly shale 176
 depositional environment 179–182, 184–189, 191, 193–194
 seismic profile 204
 sequence stratigraphy 195–197, 200–201, 206, 208
- coastal plain deposits **8**, 254, 257, **258**, 262, 263, 279, 350
 Brent Group 110
 lower coastal plain **119**, 135–136
- colour mottling 67–68, 70, 179
- compaction 378–381
 rate of **380**
- conglomerate 230, 231, 232, 242, **398**, 401, 405
 fan delta 153–154, 155
- connectivity 345, 347
 channelized sandbody 109, 136–137
- Cook Formation 35–56
- Coriolis effect 143
- couplet 288, **289**, 298
 thickness 292–296, 300
- crevasse channel 261, 264
- crevasse splay 257, 343
 Mungaroo Formation 68–73, 82, 85, 87
 Ness Formation 122, 127, 128, 136
- cross-stratification, tidal 147–148, 149
 delta front 155–157
- cycad spores 46–47, **48–49**
- data analysis, biofacies 44–47, **48–50**, 51–52
- database, paralic reserves 9–11
- debris apron 157
- decompaction 367–368, **369**
 rate of 376, 381
 thickness **378**
- definition
 estuary/delta 373
 lagoon 373
 net-to-gross ratio 270
 paralic environment 7–9
- delta
 classification 22
 intertidal platform 191–192
 mapping and classification 309–311
 shoal water 173–209
 tidal seaway and straits 141–166
 wave-dominated **359–360**
- delta and megafan, Mitchell River 305–331
 channel avulsion 326–327
 facies model and evolution 320–326
 mapping and stratigraphy 313–320
 mixed-influence system 305–307
 reservoir modelling 327–331
 study area and methods 307–313
- delta front facies 75–76, 219, 220–223, 268–269
- delta plain succession 328, 343
 lower 315, **317**, 318–320
 upper 314–315, 319
- delta platform 173, 192, 239
 river and tidal influence 179, 186
- delta-plain sediments 89–100
 heterolithics 73–75, 79, 98
- density log 65
- Denver Basin 146
- depocentre
 Mitchell megafan 310–314, **318**, 322–327
 Tanqua 394, 395, 404
- depositional controls 375–381
- depositional elements 1–3
- depositional environment 7–9, 22–23, 32, 49, 55
 Balingian Province 234, 235–239
 Brent Field 117–126, 136
 Knarr Field 39, 44
 Mitchell megafan **317**
 Mungaroo Formation 60–79, 91, **101–104**
 Paardeberg Ridge 397–404, 409
 paralic, defined 7–9
 Søgne Basin 173–174, 179–194, 194–195
 tidal strait delta 141–166
 Utah, Cretaceous **258–259**, 279, 354, 368–374
- depositional loci 327, 330
- depositional model 2–4
 Mungaroo 88–94
- desiccation cracks 123
- development strategies 30
- dinoflagellate 44, 51, 54–56, 81
- distal delta-front heterolithics 75–76
- distributary channel 233, 328, 330
 Karoo Basin 407, 409, 412
 Mahakam Delta 336–337, 339–342, 343–347
 Mungaroo Formation 67, 68, 70–72, 85–87
 Utah, Cretaceous **360–361**, 365, 367
- distributive fluvial system 305
- diurnal tidal regime 289, 296
- drainage, North Sea, Jurassic 206, 207
- Drake Formation 36–37
- dunes 27, 43
 tidal 157, 158–159, 161, 166, **188–190**
- Dunlin Group 36–38, 44
- East Shetland Platform/Basin 110, 112
- effective precipitation, Holocene 308, 325, 327
- element complex assemblage 311–313, **318**, 321–327
- element dimension 82–87
- Elwha River Delta 160, 164, 166
- embayment 75, 242–244, 373
 Søgne Basin 174

- Erin Formation 290, 291–292
erosion, Straight Cliffs Formation 378, 379, 381
estuarine environment 2, 8, 229
estuarine fill, Utah Cretaceous 251–279, 365, 367, 372
estuary and shoal water delta, Søgne Basin 173–209
estuary facies model 215
estuary, wave-dominated **360–361**
eustasy 379
eustatic control 60, 95–96, 98–100
eustatic sea-level curve 376, 377
evaporites 176, 177
extension 149, 206, 244
- facies 1–4, 28, 32
facies analysis, Brent Field 117–123, 130
facies and lamination scale 23–29
facies association *see also* element complex
 Balingian Province 219–235
 Belmonte Calabro 153–154
 Brent Field 114, 136
 John Henry Member, Utah 254–263, 354–365
 Karoo Basin 397–404
 Knarr Field 39, 40
 Mungaroo Formation 65–79
 Søgne Field 179–194
facies, paralic 23–29
fan delta, proximal 153–154, 157, 158
faults 20, 378
 basin margin 157
 growth 19
 sealing 11, 12, 21, 23, 30, 32
flood tidal delta **361**
flooding surface 13, 15–17, 176–177, 404
 Balingian Province 219, 220–223, 241
 Base Oxfordian 195
 Mungaroo Formation 64, 65, 80, 81, 93, 98–99
floodplain heterolithics 69–70, 71
floodplain sedimentation 109–137
floodplain, Brent Field 114
fluid flow 1, 2, 25, 28
 and grain size 277, 279
 monitoring 30, **31**
 and mudstone drape 276
fluidization 230, 412
fluvial channel 82, 85–87, 96, 100, **258**, 262
 Balingian Province 225, 230, 231
 bars 65–67
 facies 117–123
 see also under fluvial–tidal deposits
 incision 326
 Mitchell megafan 305, 328
 Søgne Basin 186, 191, 203, 206
 terminology and nomenclature 86
fluvial influence in tidal deposits 287–301
fluvial system 350
 dimensions **90**
fluvial–deltaic system 89, 93–94, 265
 Balingian Province 215–216, 225, 230, 231
 Mungaroo Formation 60–63, 91, 93, 94
fluvial–tidal deposits 243, 330
 channel facies 220–223, 232, 233, 235, 239, 241
 transition zone 242, 287, 289–290, 301
foreland basin 144, 216, 244, 252, 350, 394
forest biofacies 54
forest mire 47, **48–49**
Fraser River Delta 161, **162**, 164, 166
future work 3–4
fuzzy c-means clustering 44–47, **48–50**, 51–52
- gamma-ray log 51, 55, 147, 346
 Balingian Province 219, 220–223, 232–241
 Mungaroo Formation 65–81, 83, 92
 Ness Formation 121, 126–129
 Søgne Basin 180–186
geobody, classification and terminology 85, 86–87
geophysics *see* seismic and wireline log
Georgia Bight 374
geoseismic section, Balingian Province 218
glacial scouring 409
glaciation 160
gliding box algorithm 113, 116
global eustatic highstand 350
global significance, paralic reservoirs 1, 9–11
Gondwana 61, 94
Gorgon Field 81–82, 83, 90–91
grain size 22–27, 29, 30
 bimodality 146, 149
 pseudo well log 267
 trend 236, 252, 264, 270–279
Grand Taman Sari Circuit outcrop 339, 342, 343
Granville Bay 291
gravitational collapse 409, 411
gravity flow *see* hyperpycnites
growth fault 407
Gulf of Carpentaria, delta and megafan 305–331
Gulf of Mexico 144, 145, 166
- Handil field, Indonesia 11, 12, 13, 30
Haystacks Mountain Formation 146–150, **163**, 194
herringbone cross-strata 148, 149
heterogeneity 4, 287
heterolithic strata *see* inclined heterolithic
high resolution stratigraphy, Granville Bay 291–292
highstand delta deposits 144–145, 195–197
highstand systems tract 241
Holocene marine transgression 307–309, 323–325
Horseshoe Canyon Formation 276
Huanghe River, China 307, 327
hummocky cross-stratification 43, 122, 193, 194, 342
 Balingian Province 219, 224–226, 227, 229, 233
 Karoo Basin 395, **399**, 402, 407
 Mungaroo Formation 66, 71–72, 74–77
 paralic sandstone 25, 27, 29
 Utah Cretaceous 354, **357**, **359**, 362, 374
hydrocarbon fields 29, 36
hydrocarbon recovery 9–10, 301
hydrocarbon reserves 251–252, 274, 305
hyper-synchronous condition 160
hyperpycnal flow 77–78, 267, 380
 Karoo Basin **400**, 401–402, 411, 412
hyperpycnites 22, 25, 228, 229
- ichnofabric index 219, 220–223
ichnofacies 117, 120, 122, 165
ichnology 39, 43
 Balingian Province 219, 227–232
 Mungaroo Formation 67, 69, 71–78
 tidal rhythmites 295–301

- inclined heterolithic strata, Mitchell megafan 318, 320, 330–331
- inclined heterolithic strata, Tibbet Canyon, Utah
bayhead delta analysis 266–279
geology and previous work 251–253
stratigraphic analysis 253–266
- indurated sediment 314, 315, **318**, 320, 327
- Ionian crust 148
- isopach map, Søgne Basin 200, 206
- John Henry Member, estuarine fill 252–254, 264–267, 274, 279
facies association 254–263, 267
- John Henry Member, regressive–transgressive cycles 350–382
correlation 374–375
decompaction analysis 367–368, **369**
depositional control 375–381
depositional model 368–374
facies association 354–367
field analysis 352–354
geology 350–352
- Jordbær wells 35–56
- Juan de Fuca Strait, USA 142, *143*, 160, **162**, *164*, 166
- Kaiparowits Plateau, Utah 252, 253–254, 350, *351*
correlation 370, 374–375
- Karoo Basin, mixed-influence delta 393–412
geological setting 394
- Klang Delta, Malacca Seaway *143*, 161, *164*, 166
- Knarr Field, North Sea
database and methodology 39–47
geological setting 35–39
synthesis 47–55
- Kutei Basin 335, *336*
seismic data and core 344–345
- lacunarity 113–117, 131–135, 136
- lag deposit 78, 95, 149, 156, 261, 402
Balingian Province 230, 232, 241
- lagoonal deposits 75, 222, 232, 235, 239
Brent Field *114*, **119**, *120*, 122, 127, 136
- lamination and facies 23–29, 32, 43, 66
- Laramide tectonism 378, 381
- Last Glacial Maximum transgression 142, 165
- layering scheme 12–18, 32
- lignite 290
- liquefaction 230, 411
- lithofacies, Mungaroo Formation **101–104**
- lithological heterogeneity 4
- lithostratigraphy, N. Carnarvon Basin 62
- lobate body **361**
shelf edge *369*, *403*, 406, 412
- longshore drift 326, 350, 372
- lowstand delta 144–148
- lowstand deposits 197
- lowstand systems tract 241
- Lupar Embayment 242–244
- Mahakam Delta, transgressive sequence
modern delta 335–337, 338
palaeodelta 337–343
reservoir characterization 345–347
subsurface succession 344–345
- transgressive sandstones 343–344
- Makassar Strait *336*
- Malacca Seaway *143*
- Mandal High 175–179, *196*, *200*, 206, 208
- mangrove facies 239, 242, 244, 245
- mangrove taxa **48–49**
- mangrove/overbank facies 225, *231*, 232, 233
- Maracaibo, Venezuela 21, *24*
- marine transgression, Holocene 307–308, *309*, 323–325
- marker beds 11, *13*
- marsh conditions 46–47
- mass flow *152*, 154, *158*, 165
- maximum flooding surface 91, 197
Knarr Field 36–38, 43, 47, 49, 53, 54–56
- meander belt evolution 276
- meandering river 330
- megafan, Mitchell River 305–331
development *310*
dimension 314
- megasequence, offshore Sarawak 236–238, 239–242
- Messina Strait *143*, 148, **162–163**, 164
- micropalaeontology 44
identifying transgressive shoreline 347
- Mid-Cimmerian tectonic phase 206
- Mississippi Delta 84, 98, 215–216
- Mitchell River, delta and megafan 305–331
- mixed influence delta 305–331, 335–347
- modern analogue 305, 335
seaway and strait deltas 142, *143*
tide-dominated delta 229, 237–238, 242–245
transgressive sequence 335–338
- monsoon 308–309, **318**, 327, 330, 375
- moon, synodic month 288, 289
- mouth bar 70–72, 154–155, *158*, 192, 194, 372
Balingian Province 225, 226, 229–230, 233, 242
Karoo Basin 402, 406, 411, 412
Mahakan Delta 345, 347
Mitchell River *306*, 323, 326
- mud compaction 380, 381
- mud drape 23–25, 27, 146, 164, 338, 343
Balingian Province 228, 229, 230, *231*, 232
and fluid flow 276
Mungaroo Formation 71, 74, 75, 77
Søgne Basin **187**, 191–194
Tibbet Canyon, Utah 255, 257, **258**, 263, 267, 274, 279
- mud flocculation 245
- mudstone facies **400**
- mudstone fraction trend 276
- Mungaroo, NW Australia reservoir geometry 59–104
depositional control 94–99
depositional environment **101–104**
depositional model 88–94
element dimensions 82–85
facies 65–79
geological setting 61–63
methods and data 63, *64*
seismic analysis 85–88
well log correlation 79–82
- Nassau depocentre *310*, 313–314, **318**, 322, *324*, *325*, 326
- neap tide 289
- Ness Formation, coastal plain reservoir 109–137
data and methodology 110–117
geology and stratigraphy 110, *112–114*

- net-to-gross ratio *114, 132, 133, 174*
 defined 270
 Mangaroo Formation 65, 67, 79, 81–82, 85
 in depositional model 91, 93, 95, 98–100
 Tibbet Canyon 267, 270–274, 276, 277
- neutron porosity log 65, 70, 75, 76, 78, 79, 80, 83
- Niger delta 19, 21–22
- non-channelized sandbody 120–122
- North Sea, Brent Field 109–137
- North Sea, Jurassic tidal estuary 173–209
- North West Shelf, Australia 60, 61
- Northern Carnarvon Basin 60–63, 91, 96, 99
- Norwegian continental shelf 35, 36
- numerical models 4
- O'Brien Spring Sandstone *145, 146–150, 161, 163*
- offshore facies 219, 224, 227, 236–242
- Oficina field 21, 23
- oil and gas reserves 9–10
- oil field, Balingian Province 219
- oil production 110
- oil sand 252
- oil wells 35
- optically stimulated luminescence age *312, 313, 316, 317, 320, 322, 324, 325*
- organic laminae 290
- organic material 296, 299
- overbank deposits 110, 225, 231–233
- overbank mudstone 79, 82, 84
- Paardeberg Ridge 394, 395–396, 403–409, 412
- palaeochannel *see* channel
- palaeoclimate 61
- palaeocoastline 219
- palaeocurrent
 Paardeberg Ridge 395, 397, 404, 405, 407, 408, 412
 Straight Cliffs Formation 354
 Tibbet Canyon 253–257, 261, 263
 tidal delta 143–146, 149, 153–157, 161–166
- palaeoecology, Knarr Field **48–49**
- palaeoenvironment
 cluster analysis 45–47, 50, 51, 52
 seasonal deposits 287–301
- palaeogeography
 Balingian Province 218
 Brent Group 111
 Buck Hollow 371
 Calabrian Arc 151
 Haystacks Mountain Formation 150
 Knarr Field 38–39
 Mitchell River megafan 307, 322, 323
 North Sea 174–175, 207
 Søgne Basin 201, 202–205, 207
 tidal delta 157
 Western Interior Seaway 145
- palaeoshelf angle 91
- palaeoshore, age *312, 325*
- palaeosol 232
 analysis 110
 coastal plain 137
 delta plain facies 68–71, 75, 76, 79, 94
 delta platform 176, 179, 186, 196
 type *130, 131–135*
- palaeosol maturity 120–126
- palaeosol maturity index 117, **118–119**, *126–129*
- palynology 22, 32, 354
 Mangaroo Formation 64, 79, 81
 quantitative 44–47
- paralic reservoir, overview 1, 7–32
 depositional environment 7–9
 development 30
 facies 23–29
 fields and reservoirs 11–18
 global importance 9–11
 monitoring 30, **31**
 sandbody 18–23
- passive margin delta 144
- peat, compaction **380, 381**
- pedogenesis 195, 197
- Pereriv ACG field, Azerbaijan 12, 14, 22, 25
- permeability 23–29, 252, 301
- permeability and bioturbation 287
- photograph panels
 Belmonte Calabro *152, 154–156*
 Mahakam Delta 341
 O'Brien Spring Sandstone *147–149*
 Paardeberg Ridge 396, 401, 403, 405, 408, 410
 palaeochannel 320
 Straight Cliffs Formation 353, 362–363, 365–366
 Tibbet Canyon *260–262, 268–269*
- plant taxa **48–49**
- plate tectonic events, Australia 62
- Po Delta 161, *164, 166*
- point bar 278, 345, 347
 grain size 275
- pollen **48–49, 51, 338**
 cluster analysis 45–47
- porcellanite 290
- porosity–permeability 63, 64
- pressure data 136
- pressure depletion 137
- pressure measurements 12–15, 30, 31
- probability distribution 116
- prodelta facies 76–78, 224, 257, 396, 406
- prodelta mudstone 245
- prodelta–bay facies 226, 228–229
- prodelta–offshore transition 402, 404
- prograding shelf margin 412
- provenance data, Straight Cliffs Formation 354
- pyrite 68–70, 76, 78, 123, **124**
- quantitative data analysis 279, 301
- Rajang Delta 242–244
- ravinement *151, 220, 235, 244, 265, 266*
 John Henry Formation, Utah 353, 363, 368, 370, 372–373, 375
- regressive depositional system 305
- regressive element complex assemblage set *310, 311–313, 321–326*
- regressive–transgressive cycle 38, 55, 96, 368–374
- regressive–transgressive delta, Søgne Basin 144, 174, 176, 179–197
- reserves, paralic 9–11
- reservoir 301
 bayhead delta 270–274, 276
 Brent Field 110, *111, 112*

- reservoir (*Continued*)
 Kutei Basin 335
 North Sea 173
- reservoir characterization 1, 110, 134, 136, 252, 267, 345–347
- reservoir characterization, Mungaroo Formation 59–104
 depositional model 88–99
 facies associations 65–79
 geological setting 61–63
 interpretation limitations 99–100
 lithofacies **101–104**
 methodology 63, 65
 reservoir dimensions 82–85
 seismic attribute analysis 85–88
 well log correlation 79–82
- reservoir depletion 11, 15, 32
- reservoir element dimensions 82–85
- reservoir modelling 84–85, 134, 136, 328
- reservoir properties 29
- reservoir volume 347
- rhizolith 366, 367
- rhythmite 229, 231, 232
 tidal 288, 291, 300, 301
- rifting, North Sea 175–176, 177, 206, 208
- rip-up clast 42
- Ripley's *K* function 116, 117
- ripple lamination 23, 27, 29, 147, 314, 318
 Balingian Province 227–229, 232
 Paardeberg Ridge 395, **399–400**, 401–402, 404–407
 Søgne Basin 181, 186–194
 Utah, Cretaceous 255, **258–259**, 261–263, 267, 362
- river channel avulsion 2
- river profile, Mitchell 309
- root 179, **187**, 191, 193–195, **258**, 263, 314
 rootlets 67–73, 231, 232
 trace 120, 122, **124**, 195, 197
- root-mean-square amplitude (RMS) 85, 88–89
- sabkha 312, 325, 326
- sag basin 61, 94
- saline wedge 289
- salinity 76, 122, 192, 290, 299, 320
- salt diapir 176, 178, 200, 203, 206
- salt high 196, 198–199
- salt tectonics 174, 196, 201, 206
- sandbanks 158–159, 161, 164–165
- sandbody, dimension and distribution 110, 111, 131–136
 measurements 82–87, 113–117
- sandbody, paralic reservoir 18–23
- Sandnes Formation 173–209
 well log/correlation 180, 198–199
- Sarawak Basin 217
- sea-level change 241–242, 301, 375
 Holocene 323, 324, 326–327
 rate 307–308
- sea-level, shelf edge 409
- season, rainy 299–300
- seasonal fluvial influence in tidal deposits 287–301
 bioturbation and environment 290
 fluvial–tidal transition zone 289–290
 methodology 291–295
 sedimentology and ichnology 295–301
 tidal cycles 287–289
- seasonally tidal influence 330
- seaways, tidal deltas 141–166
- sedimentary basins, NW Australia 61
- sedimentary structures 294
 Paardeberg Ridge 395, **398–400**
 tidal influence 148, 149
- sedimentation rate 376, **378**
- sedimentology 21–29
 Balingian Province 219–235
 and ichnology in tidal rhythmites 295–301
 John Henry Member 267, 276
 Knarr Field 39–44
 Mahakam Delta 336–337, 342
 Mitchell River delta 316, 322
 Mungaroo Formation 65–79, **101–104**
 Straight Cliffs Formation 354–367, 376, **378**
 tidal seaways 157–160, **162–163**, 186–194
- seismic attribute analysis 85–88, 90
- seismic data 179
- seismic isoslices 64, 65
- seismic profile
 Kutei Basin 344–345
 Mahakam Delta 344
 Søgne Basin 204–205
- seismic volume, N Carnarvon Basin 63
- sensitivity analysis 379
- sequence boundary 195, 396, 409, 412
- sequence stratigraphy 2–3, 65, 91, 93, 95, 98
 Balingian Province 215, 217, 220–223, 236–238, 239–242
 high resolution 15–17, 32
 Knarr Field 35, 36, 38
 Ness Formation 109–113, 126, 134–135
 North Sea 176, 177
 Søgne Basin 179, 180, 195–201
 Straight Cliffs Formation 349–356, 368–374
 testing model 60
 Tibbet Canyon 254, 265
- Sevier tectonism 377
- shale gas/oil reservoirs 4
- shark's tooth **360**, 365, 367
- sheet sandstone 79
- shelf edge delta, mixed influence 393–412
 data and methods 394–395
 depositional elements 404–406
 facies analysis 395–404
 stratigraphy and processes 406–412
- shelf edge rollover 409
 accretion and progradation 411–412
- shoal water delta, North Sea 173–209
- shoreface deposits 44, 55
 Balingian Province 220–222, 224–226, 227–228, 235
 Utah, Cretaceous 253, **359**, 371
 John Henry Formation 350–352, 362, 364, 367, 373–375
- shoreface–prodelta 402
- shoreface–shelf delta 404
- shoreline classification 251
- shoreline sandstone 343, 345
- shoreline to shelf system 44, 54
- siderite 68–70, 76, 78, 123, **124**, 228
- siltstone facies 194
- simulation model 24–25, 28
- sinuosity 84–85, 87, 96, 100, 134

- sinusoidal modelling 295, **299**
 slickenside, pedogenic 70, 232
 slope to shelf transition deposits 395
 smectite 67
 soft sediment deformation 76, 122, **187**, 228, 262, 364
 Karoo Basin 404–407, 409, 411, 412
 mouth bar/delta front 154–156
 Søgne Basin, Jurassic delta/estuary 173–209
 Bryne and Sandnes formations 176–178
 facies association 179–194
 geological setting 175–176
 sonic log 65, 70, 75, 76, 78, 79, 83
 spectral analysis 295, 298, 299
 spontaneous potential log 346
 spore **48–49**, 55
 cluster analysis 46–47
 spring tide 289
 Stadion Utama Kaltim outcrop 338–339, 340–341
 statistical analysis 136
 couplets 301
 estuarine fill 270–274
 tidal rhythmites 292, 295
 statistical and observational data 287
 statistical methods, spatial 113–117, 136
 sensitivity 117
 storey-level analysis 270, 271, 275, 278
 storm activity 43, 71, 74, 78
 storm event 166, 193, 227, 229, 364, 367
 storm wave base 76, 122, 147, 407
 Straight Cliffs Formation 252, 253–254, 350–353
 straits, tidal delta 141–166
 stratigraphy
 Knarr Field 36–38
 Mitchell River delta 311, 313
 stream gradient profile 60
 subduction 148, 394
 Farallon plate 252, 350
 submarine fan system 404
 subsidence 242, 243, 244
 foreland basin 252
 rate, in Kutei Basin 336–337, 339
 rate, in Straight Cliffs Formation 376–378, 381
 Søgne Basin 206, 208
 sulphur 123, 257, **258**
 Sundaland 216
 swaley cross-stratification 43, 342, 354, **357**, **359**, 362–363, 374, **399**
 swamp **48–49**
 swash bar 224, 226, 228, 235
 syneresis cracks 72, 74–77, 122, **187**, 228, 230
 synodic month 288, 289

 Tampen Spur 35–36
 Tanqua depocentre 394, 395, 404
 taxa, Knarr Field **48–49**, **50**
 tectonic control, Søgne Basin 201, 206, 208
 tectonic control, tidal delta 148–149, 158–159
 tectonic uplift 243
 tectonics and accommodation 378, 381
 tectonics, NW Australia 62
 tempestite 78
 terminal distributary channels 267, 269
 Tethyan Sea 206

 theoretical studies 3
 thickness, Kaiparowits Plateau 381
 compacted **380**
 decompacted 368, **369**, **370**, **378**
 thickness, sandbody 82, 84–87, **90**, 99, 113, 132
 Tibet Canyon, Utah
 estuarine evolution 263–265
 estuarine fill, 245–279
 outcrop image 266, 268–269
 tidal bar 161, 192, 195, 301
 Balingian Province 225, 226, 229, 233, 235, 239, 242
 Utah, Cretaceous 257, 261, 263–265, **361**, 366, 371, 372
 tidal channel complex 38–43, 44, 49, 53, 54
 tidal channel deposits 257, **258–259**, **361**, 366
 tidal cycles and rhythmic bedding 287–289
 tidal deposits, seasonal influence 287–301, 330
 tidal estuary, Søgne Basin 173–209
 tidal facies 350–351
 tidal indicators 193, 231
 tidal platform, North Sea 207, 208
 tidal seaways and strait deltas 141–166
 Calabrian Arc 148–157
 diagnostic features 157–160, 161–166
 modern analogues 160–166
 Western Interior Seaway, USA 144–148
 tide-dominated delta 215–245
 channel facies 232
 delta front facies 233–235
 tide-influenced systems 2, **8**, 16, 17
 channel facies 67, 225, 230–232, 307
 delta plain, mouth bar, crevasse 71, 73, 75
 facies and lamination 23–29
 time-lapse satellite imagery 30
 time-series analysis 287, 296, 298, **299**
 time-space variability/accommodation 349–382
 topography, age 326
 trace fossils 22, 146, 149
 Balingian Province 226–229, 231, 232
 John Henry Formation 354–362, 364–367
 Knarr Field 39–44
 Mahakam Delta 337–338
 Mitchell River 314, 318, 320
 Ness Formation 120–122
 Søgne Basin **187–190**, 191, 192–194, 201
 Tibbet Canyon 255, 257, **258–259**, 263, 267
 tidal deposits 290, 292–294, 296, 299
 low diversity 290
 transgression, Holocene 307–308, 323
 transgression, Last Glacial Maximum 142, 165
 transgressive coastline 164
 transgressive deposits 78, 193, 197, 349
 John Henry Formation 352
 transgressive estuary 192–193
 transgressive shoreline 215, 243, 345, 347
 transgressive succession
 Calabria 149, 152, 157
 Mahakam Delta 335–347
 transgressive systems tract 241
 transgressive–regressive fill 251, 263–265, 279, 346
 transport mechanism 29
 Triassic river system 61

- Trinidad 290, 291–292
 reservoirs 287
 turbidites 394, **400**, 404, 407, 409, 410, 412
- U/Pb age 376
 uncertainty in interpretation 99
 uncertainty in reservoir modelling 134, 136
 unconformity, base Cretaceous 178
 upper coastal plain 117–122, 131, 134–136
 Utah Bight 350, 374
- Venezuelan (Eastern) Basin 290, 292
 vertical proportion curves 270, 271, 276, 278, 279
 Viking Graben 175, 176, 194, 206, 207, 208
 volume, reservoir 347
 volume, sandstone backfill 344
- washover fan **360**, 365, 367, 371, 372
 water table 89, 122, 123, 125, 179
 waterflood simulation model 11–12, 13
 wave influence 144, 147, 263
 wave-dominated coastline 374
 wave-dominated estuary **360–361**
- wave-dominated shore
 facies 220–222, 235, 239, 241, 243, **359**
 Knarr Field 35–56
- well log correlation 79–82
 Balingian Province 238, 240
 Søgne Basin 198–199
- wells 36
 Brent Field 110, 111, 113, 130
 Northern Carnarvon Basin 63
 Søgne Basin 174
- Western Interior Seaway, USA 252, 350, 373–375
 case studies 144–148, 159, 166
 sedimentation rate **378**
- wireline log and core 80, 83, 147, 219, 220–223, 239
 3D modelling 60–100
 methodology 63–65
 Balingian Province 236–238, 240
 Brent Field 110–111, 121, 126–129
 Mahakam Delta 346, 347
 Mungaroo Formation 66, 68–75, 77–78, 80–83
 Søgne Basin 179, 180–186
- zonation 176, 177