

Index

- accretion/collision 3, 7, 51, 68–70, 71
Achiltibuie 5
actinolite 40, 43
agmatitic gneiss 12
Airigh na Cloiche 48
albite 45, 58
almandine–amphibolite facies 51
aluminium 16, 35, 51
Am Feur-loch 13, 33, 36
amphibolite-facies metamorphism 3–7, 16, 18–19, 23, 51, 52
amphibolites
 in Ard gneiss 38, 39, 45, 56, 61
 dykes 3, 21–27
 Loch Maree Group 38–42, 44
 Scourian/Inverian 12–13, 14, 18
 sheets 3, 7, 21, 29, 45
An Ard 45
An Dun 45
An Groban 39
andesine 39
ankerite 43
anorthosite 5
apatite 12, 24, 29, 31, 35, 36, 39, 45, 47
aplite 47
Archaean basement gneisses 3, 11–19, 29, 44, 51, 62, 67, 71
Ard gneiss 3, 7, 45–47, 71
 amphibolite sheets in 38, 39, 45, 56, 61
 and Laxfordian 7, 45, 51, 52, 56, 61, 62, 68–70
 meta-limestones in 33
 schistose semipelite bands in 29, 31
Ard Ialltaig 12, 14, 17, 18, 58, 67
Assynt 6, 16, 25, 67
Auchtercairn 36
Aundrary basite (amphibolite) 29, 36, 38–42, 43, 58
- Badcallian 3, 6, 8, 67
Baltica 1, 68, 70–71
banded-iron-formation (BIF) 7, 32, 33, 34–35, 43, 44
 and Laxfordian 51, 52, 54
banding and foliation, Scourian/Inverian 6, 13, 16–17, 18, 22, 23,
 54–55, 67, *see also* foliation
basaltic origin 14, 41–42, 44
 and hydrothermal alteration 37–38, 41–42, 44
biogenic origin 38, 44
biotite
 in Archaean gneisses 8, 11–12, 13
 in Ard gneisses 45, 46, 47
 in granite sheets 47
 in LMG 29, 31, 35, 39, 43, 52, 58
 in Scourie dykes 24, 25
biotite–muscovite semipelites 5
bornite 43
brecciation 36, 51, 52–54, 59–60, 62, 65, 69
bronzite–picrite dykes 7
Buainichean gneiss 29
- calcareous chloritic schist 52
calcic plagioclase 16, 18, 39, 51
calcite, in LMG 29, 33, 34, 35, 39, 43, 45
Canisp shear zone 6, 7
carbonates, Loch Maree Group 32, 33–34, 35, 38, 44
Carnmore 7
Carnmore antiform 47, 57, 70
cataclastic rocks 35, 51, 52, 58–62, 70, *see also* brecciation
- Central Region 3, 6, 7–8, 9
 Scourian gneisses 4–6, 67
 Scourie dykes 7, 25–27, 68
chalcocite 43
chalcopyrite 42, 43
chamosite 35
Charlestown schist 29–32, 35, 38, 40, 46, 56
chert 35
chlorite
 in Archaean gneisses 12
 in Ard gneisses 45, 46
 green 29, 34, 45
 in LMG 29, 33, 34, 35, 36, 39, 40, 43, 58
chloritic schists 35–36, 38, 43, 52
chronology *see* geochronology; structural chronology
clinopyroxene 5, 18, 23, 24
Cloiche marble belt 29, 34, 36, 52
 amphibolites in 36, 38
 gneisses in 29, 36, 45, 56, 57
 sulphide deposits in 43
Coille Airidh na Cloiche 33, 36
collisional origin *see* accretion/collision
copper-bearing sulphide deposits 42–43
Creag Bhan crush belt 29, 33, 34, 36, 58, 60, 62, 70
Creag Mheall Beag 52
Creag Mhor Thollaidh
 and Laxfordian 55–56, 60, 61
 Scourian and Inverian structures 17–18, 55
 Scourie dykes 21, 22, 25, 47, 51
Creag Mhor Thollaidh gneisses 12, 13, 47, 67
Creag Mhor Thollaidh granite sheets 47
crustal history 6–7, 14, 27, 31–32, 44, 67–9, 71
- diopside 33
diorite 6, 13, 14, 67, 71
dolomitic marble 33–34
Druim na Fearnna 43
Druim Ruadh 45
Drumbeg 5
Dubh Loch 29, 29, 45, 65
dunite 5
- ‘early basic’ amphibolites 5, 12–13
‘epidiorites’ 24–25
epidote
 in Archaean gneisses 12, 13, 18
 in Laxfordian intrusives 45, 46, 47
 in LMG 24, 29, 36, 51
 in Scourie dykes 24
 Tollie antiform 58
Eu anomalies 14, 31
exhalative origin 38, 43, 44
- faults 17, 29, 39, 62–5, 70
Flowerdale 33, 35
Flowerdale crush belt 52–54, 58, 60
Flowerdale fault 29, 39, 62, 65
Flowerdale House 29
Flowerdale Mains 30
Flowerdale marble belt 29, 33–34, 35–36, 52
Flowerdale schist 29–32, 38, 40, 44
Flowerdale valley 34, 40, 52–54
flyscht 68

- folding
 Ard gneisses and amphibolites 45, 56
 Creag Mhor Thollaidh 17–18, 55–56
 Flowerdale valley 52–54
 late Laxfordian 57–61, 70
 Loch Braigh Horrisdale 16–17, 22
 Mill na Claise fold 33, 39, 45, 52, 57, 58
- foliation
 Ard gneisses 45
 Loch Maree Group 29, 38–40, 52, 58
see also banding and foliation
- fuchsite 35
- gabbroic rocks 14, 23–24, 68
- Gairloch Hotel 29
- Gairloch Pier 45, 47
- Gairloch shear zone 8, 23, 51, 56–57, 58, 60, 62, 70
- Gairloch supracrustal belt 17, 52–54, 60
- Gairloch synform 58, 70
- Gairloch–Kinlochewe Road 43, 52
- galena 43
- garnet–biotite schist 31, 36–38
- garnet–grunerite schist 34
- garnet
 in Ialltaig gneiss 14, 18
 in LMG 29, 31, 34, 35, 43, 52
 in Scourie dykes 23, 24
- geochemistry
 amphibolites 14, 40–41
 banded-iron-formation (BIF) 34–35
 garnet–biotite schist 36–38
 Laxfordian intrusives 47, 48
 LMG carbonates 34
 quartz–chlorite schists 36
 quartzo–feldspathic gneisses 13–14
 Scourie dykes 25–27
 semipelites 31–32
- geochronology 3
 Inverian 6–7
 Laxfordian intrusives 47, 48–49, 51, 62, 70
 Loch Maree Group 7–8, 31–32, 44
 Scourie dykes 5, 7, 9, 14, 67
- goethite 35
- gold 42, 43
- gossans 43
- granites 7–8, 47
- granitic migmatite 7
- granitoid orthogneisses 3
- granitoid pegmatites 47–49, 51, 62, 70, 71
- granodioritic gneisses 4, 7, 11–12, 13, 14, 67, 68, 71
- granulite-facies metamorphism 5, 6, 16, 18
- graphitic pelites 7, 32, 33, 35, 38, 44
- greenalite 35
- Greenland 1, 70–71
- greenschist 8, 18, 45, 51, 56, 57, 60, 62, 70
- Grenville-age movements 8, 62, 65
- greywacke-type sediments 31, 36, 38, 44, 68
- Gruinard Bay 4, 6–7, 16, 52, 67
- Gruinard Bay amphibolites 14
- Gruinard Bay gneisses 13–14
- Gruinard River 56, 67
- grunerite 34, 35, 54
- haematite 24, 39
- harzburgitic mantle material 27
- hornblende gneisses 12, 14
- hornblende schists 35, 38–42, 43
- hornblende 5, 8, 12, 16, 18
 in banded-iron-formation 35
- in Laxford intrusives 47
 in LMG 36, 38, 39, 40, 52
 in Scourie dykes 23, 24, 25
- ‘hornblende-metagabbro suite’ 14
- hydrothermal alteration 37–38, 41–42, 44
- Ialltaig *see* Ard Ialltaig
- ilmenite 24, 39
- intraplate setting 1, 42
- Inverian 3, 4, 6–7, 16–18, 23, 51, 67
 nomenclature 8–9, 16
 and Scourie dykes 7, 16, 21–22, 23, 67–68
- iron *see* banded-iron-formation (BIF); pyrite; sulphide deposits
- island-arc systems 42, 44, 69
- Kerry Falls 35
- Kerry Road ore deposit 43, 65
- Kerrysdale 29, 40
- Kerrysdale basite (amphibolite) 29, 33, 35, 36, 38–42, 54
 sulphide deposits in 42–3
- Kerrysdale schist 29, 33, 35
- Langavat shear zone, South Harris 8
- Lapland–Kola belt 1, 70–71
- large-ion-lithophile (LIL) elements 27, 31, 41
- Laurentia 1, 68, 70–71
- Laxford shear zone 6
- Laxfordian 3, 6, 7–8, 14, 19, 51–65
 dating 7–8, 51, 68
 early 7–8, 16, 45, 47, 51–57, 61–62, 68–70, 71
 intrusive rocks 45–49
 late 8, 16, 18, 45, 57–58, 62, 70, 71
 nomenclature 8–9
 and Scourie dykes 21, 22, 23, 25, 51
- ‘Laxfordianized gneisses’ 7–8
- Leth-chreige crush belt 12, 22, 55, 58, 60, 61
- Letterewe synform 57, 70
- lineation 17–18, 23, 38, 45, *see also* foliation
- LMG *see* Loch Maree Group
- Loch Arich Mhic Criadh 25
- Loch Bad a’Creamh 58
- Loch Bad an Sgalaig 29, 33, 38, 62, 65
- Loch Braigh Horrisdale 12, 16–17, 21–22, 25, 52, 61, 67
- Loch Broom 69
- Loch nam Buainichean 24, 58
- Loch Druim na Fearnna 33
- Loch Kerry 38, 39, 45
- Loch Laraig 12
- Loch Laxford 6, 8
- Loch Maree 12, 16, 22, 23, 51, 51, 65, 70
- Loch Maree Fault 65
- Loch Maree Group (LMG) 3, 4, 7, 29–44, 48
 and Laxfordian 32, 36, 51, 56, 61–62, 65, 68–70, 71
- Loch Tollie 47, 49
- Lochan Dubh nam Biast 65
- Lochan Dubh nan Cailleach 45
- magmatic arc 3, 44, 68, 71
- magnetite 24, 34, 35, 39, 43, *see also* banded-iron-formation
- ‘main amphibolite suite’ 14
- malachite 43
- mantle material 27, 44, 68
- mapping history of study area 3
- marbles, Loch Maree Group 32, 33–34, 38, 44, 51
- marcasite 43
- Meall an Doirean 12, 47
- Meall an Spardain 47
- Meall Aundrary 39
- Meall Fuaraidh 39

- Meall na h'Inginn 40
 meta-dolostones and meta-limestones 33–34
 metabasalts 42, 44
 metabasic ('early basic') amphibolites 5, 12–13
 metadiorite gneisses 17, 23
 metadolerite 25
 metagabbroic gneisses 12, 14
 metamorphic events 6, 7–8; *see also* 'Badcallian'; 'Inverian';
 Laxfordian; Scourian
 metasediments 3, 4, 5, 7, 29–35, 38, 44
 micas 11–12, 29, 33, 35, 52, *see also* muscovite
 microcline 12, 45, 47, 49, 58
 microgranite 47, 70
 mid-ocean ridge basalts (MORB) 14, 42
 migmatite 7
 Mill na Claise basite (amphibolite) 29, 33, 35, 36, 38–42
 Mill na Claise crush belt 58
 Mill na Claise fold 33, 39, 45, 52, 57, 58
 Mill na Claise gneiss 29, 45, 46, 58
 Mullach nan Cadhaichean 12, 25
 muscovite 5, 12
 Laxfordian intrusives 45, 46, 47, 49, 58
 Loch Maree Group 29, 31, 35, 36
 mylonites and protomylonites 18, 35–36, 47, 51, 52–54, 57, 59–60
 myrmekitic texture 58
- Nagssugtoqidian belt 1, 70–71
 Nb anomaly 27, 41, 47
 New Quebec orogen 1, 71
 nomenclature 3, 7, 8–9, 14, 16
 norite dykes 7
 North Atlantic region 1–3, 70–71
 Northern Region 3, 7–8
- oceanic origin 6, 14, 27, 42, 44, 68–69
 oligoclase 12, 29
 olivine 12
 olivine–gabbro dykes 7
 olivine–tholeiitic amphibolites 14
 orthopyroxene 5, 18
 Outer Hebrides 4, 8
- PAAS *see* post-Archaean argillaceous sediments
 palaeomagnetic reconstruction, Baltica–Laurentia 1, 68, 70–71
 Palaeoproterozoic belts, North Atlantic 1–3, 70–71
 pegmatites
 Badcallian 6
 Laxfordian 47–49, 51, 62, 70, 71
 Scourian 5, 16, 18
 pelitic metasediments *see* graphitic pelites
 peridotite 5
 perthite 5
 petrography
 granodioritic gneisses 4, 11–12
 Laxfordian intrusives 45–48
 LMG amphibolites 38–40
 Scourie dyke swarm 23–25
 tonalitic gneisses 11–12
 phlogopite 27, 34
 phyllosilicates 31
 picrite dykes, Assynt 25
 plagioclase
 in Laxford intrusives 45, 46, 47, 49
 in LMG 29, 31, 36, 39, 40, 52
 in microgranite sheets 47
 in Scourian 13, 18
 in Scourie dykes 23, 24, 25
 Poolewe 65
 post-Archaean argillaceous sediments (PAAS) 31–32, 44
 pseudotachylite 51, 58, 59–60, 62, 65
 pyrite 29, 35, 39, 42, 43
 pyrophyllite 58, 60
 pyroxene 5, 12, 18
 pyrrhotite 42, 43
- quartz–carbonate schist 42–43
 quartz–chlorite schist 35–36
 quartz–dolerite dykes 7
 quartz–perthite pegmatites 5
 quartz–plagioclase–biotite semipelitic schist 29–32
 quartzites 34, 35, 36, 52
 quartzo–feldspathic gneisses 5, 11–14, 17
- Raasay 4
 rare earth element (REE) analyses 6, 14
 amphibolites (LMG) 41, 42, 44
 Ard gneisses 47
 garnet–biotite schist 36–37
 Scourie dykes 26, 27, 42
 semipelites (LMG) 31–32
 Rhinns complex, Islay 71
 ripidolite 35
 Rona 4
 Ruadh Mheallan 16, 67
 Rubh Aird an Anail, Loch Maree 12, 23
- sandstone dykes 65
 scapolite 18, 24
 Scourian 3, 6, 8–9, 11–19
 Scourian gneisses 3, 4–6, 11–16, 67
 Scourie 6, 67
 Scourie dyke swarm 3, 7, 16, 21–27
 dating 5, 7, 9, 14, 67–68
 and Laxfordian intrusives 45, 47
 nomenclature 8–9
 shear zones in 51–52
 strain markers 21, 25
 structural chronology 14–16, 51, 61
 Scouriemore 5
 semipelites 7, 29–32, 44, 68
 serpentized olivine 12
 shear zones 8, 51, 58–61, 62, 67, 70
 Ard Ialltaig 17, 18, 58
 Flowerdale valley 52
 Inverian 17, 18
 Langavat, South Harris 8
 in Scourie dykes 51–52
 Shieldaig 17, 21, 60
 Shieldaig dykes 26–27
 Shieldaig Farm 65
 Shieldaig gneiss 13, 29, 56
 Shieldaig Lodge 12, 21, 33, 45, 48
 Shieldaig marble belt 33, 48, 60
 Sidhean Mor dykes 23, 24, 25
 Sidhean Mor gneiss 13
 Sidhean Mor quartz–chlorite schists 36
 Sidhean Mor sulphide deposit 43
 silica 34, 35, 36, 44
 siliceous schist 52, 54
 silver 43
 skarn rocks 34
 South Harris 4, 8, 51
 Southern Region 3–4, 6, 7–9, 16, 67
 spessartite 34
 sphalerite 42, 43
 sphene 12, 24
 stilpnomelane 58, 60
 Stoer Group 65

- structural chronology 3–8, 14–16, 67–68, 70, *see also* Laxfordian
 subduction 27, 44, 68–69
 sulphide deposits 35, 38, 42–43, 44
- talc 43
 Teangadh Buidhe Mhor 43
 terminology *see* nomenclature
 terrane model 3
 tholeiites 14, 26, 27, 40
 titanite 13, 24, 36, 39, 45, 47
 Tollie antiform 8, 12, 13, 14, 47–48
 and Laxfordian 8, 47, 54–55, 56, 57–58, 61, 70
 microgranite sheets in 47
 Tollie dykes 21, 22–23, 25, 26, 54, 56, 57
 Tollie Farm Fault 17, 65
 Tollie gneisses 12, 13, 14, 17–18, 56
 tonalitic gneisses 4, 5, 6, 7, 11–14, 67, 68, 71
 Torngat orogen 1, 71
 Torr an Easain crush belt 54, 58, 60
 Torridon 7, 8, 16, 21, 52, 55, 67
 Torridon antiform 8, 57
 Torridon (Diabaig) shear zone 56
- Torridon Group 65
 tourmaline 29, 31, 35, 36, 43
 trace elements
 amphibolites 40
 banded-iron-formation 35
 carbonates (LMG) 34
 garnet–biotite schist 36
 quartz–chlorite schist 36
 Scourie dykes 25–27
 semipelites 31–32
 ‘transitional’ schists 46–47
 tremolite 33, 40
 trondhjemites 4, 6, 47
- underplating 27, 67
- volcaniclastic origin 38, 42, 44
- zeolite facies assemblages 70
 zinc 43