

INDEX TO VOLUME XXIII*

- Actinolite, Wolds sands, 302.
 Airedale, terraces, 112.
 Aldborough, 126.
 Algæ, Carboniferous, 138.
 Alston Moor, 236.
 Altimetric curve, Cleveland, 313.
 Analyses (chemical), Middle Permian Marls, 285; Upper Magnesian Limestone, 298.
 Analyses (mineralogical), sandstones, Millstone Grit, Yeadon, 144; Wolds sands, 302.
 Anatase, Millstone Grit, 150; Wolds sands, 304.
 Andalusite, Skiddaw, 212; Wolds sands, 303.
 Andesites, Borrowdale, 133, 217.
 Angiosperms, Jurassic, 6.
Anthracoceas glabrum, 322 et seq; *discooides*, 328.
 Anticline, Skipton, 30, 127; Simon-seat, 319.
 Apatite, Millstone Grit, 150.
Araucarites, 6.
 Arkengarthdale, 252.
 Arnside, 141.
 Ashgillian, 64, 134.
 Augite, Wolds sands, 303.
 Austwick Flags, 63.
 Aysgarth Falls, 10.
 Ayton, 62.

Baiera, 5, 65.
 Bain, river diversion, 12.
 Balance sheet, Yorkshire Geological Society, 1933-34, 38; 1934-35, 67; 1935-36, 121; 1936-37, 201.
 Banks Gill, 129.
 Bank Top, 62.
 Barents Sea, sequence of drifts, 258.
 BARKER, W. R., on Barnsley, 130.
 Barnsley, 130.
 Barytes, Wolds sands, 304.
 Basement boulder clay, 126.
 Basement Grit, Durham, 238; Washburn, 319.
 Beach deposits, Vale of York, 109.
 Beacon Hill, 126.
 Beamsley anticline, 338.
 Berwick Limestone, 129.
Beyrichoceras spp., 25.

Beyrichoceras zone (B), 25, *hoderense* subzone, 25.
 Bibliography, Yorkshire Geology, 1934, 35; 1935, 143; 1936, 254; 1937, 315.
 Bingley, 202.
 Biotite, Millstone Grit, 150.
 Birk Gill Shales, 322.
 BISAT, W. S., on Hornsea, 125.
 Bishopdale, river development, 16.
 Black Combe, 132.
 BLACK, M., see J. E. Hemingway.
 Blea Wyke series, 65.
 Borings, Snail Green, Bradford, 157.
 Borrowdale volcanics, 132, 208, 217.
 Botany Ridge, Yoredale succession, 236 and Pl. xiii; Limestone, 244.
 Boulder Clay, High Level, Vale of York, 54; Low Level, Vale of York, 54; Purple, 59, 125; Holderness, 125, 258; Basement, 126.
 Bowland (Bolland) Shales, 27, 30, 66, 129, 323.
 Bradfield, 63.
 Bradley, 130.
 Brayton Barff, 104.
 Breccias, limestone, 128; Tideman's, 129.
 Brimham Grits, Washburn, 319, 335.
 Brockram, 140.
 BROMEHEAD, C. N. (and C. E. Fox) on Bank Top and Hipperholme, 62.
 Brookite, Millstone Grit, 150.
 Browgill Beds, 135.
 BUTTERFIELD, J. A., on analyses of sandstones from the Millstone Grits at Yeadon, Yorkshire, 144.
 Bytownite phenocrysts, 218.

 Calcite cement of Millstone Grit, 147.
 Calderdale terraces, 122.
 Caldew through-hollow, 216 and Pl. xii A.
 Caledonian folds, 208, 211.
Carbonicola, lenicurvata, type locality, 202; *retrotracta*, 131.
 Carboniferous Limestone, Pendle, 25; Skipton, 30, 127; Settle and Ribblesdale, 63; zones, 63, 137; Hodbarrow, 136; faunas, 138;

* Compiled by R. G. S. Hudson, J. E. Hemingway and Miss J. N. Airey.

- Carboniferous Limestone—*continued*
 Humphrey Head, 140; Silverdale and Arnside, 141; Miller's Dale, Derbyshire, 179; Greenhow, 323.
 Carlisle plain, 172.
 Carrock Fell, 208; map, 209; erosional platforms, 171.
 CARRÜTHERS, R. G., *on* Alston Moor to Botany and Tanhill; an adventure in stratigraphy, 236.
 Castleford, 65.
 Cayton Gill beds, 206, 319.
Caytonia, 6.
 Cement of sandstone, Millstone Grit, 147, 345.
 Chalk gravel, 305.
 CHARLESWORTH, A., *in mem.* J. W. Stather.
 Charnwood axis, 43.
 Chemical analyses, Middle Permian Marls, 285; Upper Magnesian Limestone, 298.
 Cherty limestone, Carboniferous, 180.
 Chlorite, Millstone Grit, 150; Wolds sands, 304.
Chonetes carinata, 79.
 Cleveland, dyke, 311; structure and physiography, 305.
 Climatic cycle, quaternary, 257.
 Coalcleugh, Yoredale succession, 237 and Pl. xiii; coal, 237; shell-bed, 240.
 Coalfield, south-east Pennine, 39; Yorkshire etc., concealed, 41.
 Colliery, Prince of Wales, 125; Parkhill, 206.
 Colsterdale Limestone, 321, 339.
 Conglomerate, limestone, 128; Conis-ton Limestone, 134; basement Carboniferous, 136; Permian, 204, 288.
 Conifers, Jurassic, 6.
Coniopteris hymenophylloides, 3.
 Coniston, Limestone, 132, and Pl. vii; Grits, 134; unconformity, 134.
 Contemporaneous erosion, Skipton, 30, 127; Carboniferous Limestone, Derbyshire, 185.
 Contemporaneous folding, Miller's Dale region, 178.
 Cook's Study, 125.
 Coombe rock, 106.
 COPE, F. W., *on* some features in the D₁—D₂ limestones of the Miller's Dale region, Derbyshire, 179; *on* *Daviesiella carinata* (Garwood), 79.
 Corals, Carboniferous, 91.
 Cordierite, Skiddaw, 212.
 Coverdale, development of drainage, 14.
 Cowden Glen inter-glacial beds, 262.
 Cowling, 66.
 Crag Lime, 240.
 Craven Lowlands, 30.
Cravenoceras, leion, 33; *nitidum*, 322; *holmesi*, 328; *subplicatum*, 328.
Cryptophyllum, Carboniferous coral, 91.
Cryptophyllum enorme, sp. n. 99.
 Culm facies, 30.
Cyathaxonia, septal notation, 70.
 Cycads, 4.
 DALTON, A. C., *on* Scunthorpe, 205.
Daviesiella carinata, structure and zonal position, 79.
 DENNIS, W. H., *on* Prince of Wales Colliery, 125.
 Derbyshire, D₁—D₂ limestones, Miller's Dale, 178.
 Diabase, Carrock Fell, 214.
 Dicotyledons, 7.
Dictyophyllum, 3.
Dictyozamites, 4.
Didymograptus zones, 208.
 Dimlington, 126 and Pl. vi.
 Dinantian, Skipton, 30.
 Dolomite cement, Millstone Grit, 147, 346.
 Dolomitization, 139.
 Drab boulder clay, 125.
 Dragonby, 206.
 Drainage, Cleveland, 309; Wensleydale, 10.
 Draughton, 32; limestone, 32, 128; shales, 129.
 Drumlins, Wensleydale, 11.
 Drygill Shales, 210.
 Dykes, Carrock Fell, 211.
 Eastby Limestone, 30.
 East Carlton Grit, 144.
 EASTWOOD, T., *on* Whicham and Millom Park, 132; *on* Hodbarrow, 136; *on* Burlington Slate Quarries, 140.
 Edge Marine Band, 130.
 EDWARDS, W., *on* West Heslerton and Knapton, 62; *on* Pontefract and Castleford, 65; *on* a Pleistocene strand line in the Vale of York, 103; *on* Otley, 206.
 Elland Flags, 62.
 Embsay Limestone, 30, 128.
 Emergence, quaternary, 257.
Emmonsia, 32; limestone, 33; sub zone, 25.

- Enstatite, Wolds sands, 303.
 Epidote, Wolds sands, 304.
Equisetites columnaris, 2.
Eretmophyllum, 5.
 Erosional platforms, high level, in Cumberland and Furness, 159.
 Erratics, High Level boulder clay, 54; Low Level Boulder Clay, 54; Shap Granite, 132; Borrowdale ash, 287.
 Escrick moraine, 54, 104.
 Estuarine series, floras, 1.
Eumorphoceras bisulcatum band, 66, 130, 206, 327; *pseudobilingue*, 33, 64, 129.
 Everthorpe, gravels, 111.
 Ewden, 63.
 Eycott Hill, 208, 217.
 Fairystones, Burdale, 305.
 Fancarl Crag, Millstone Grit, 323.
 Fault-scarp, Middle Craven, 64.
 FEARNSIDES, W. G., on the framework of the south-east Pennine coalfield, 39; on Ewden and Bradfield, 63; (and R. G. S Hudson) on Settle and district, 63.
 Felltop Limestone, 237 et seq.
 Fennell, C. W., in *mem.*, 61.
 Ferns, Estuarine Series, 2.
 Field Meeting Reports, Bank Top and Hipperholme, 62; West Hesterton and Knapton, 62; Hackness, Forge Valley and Ayton, 62; Ewden and Bradfield, 63; Settle, 63; Ravenscar, 65; Pontefract and Castleford, 65; Lothersdale and Cowling, 66; Leeds, 66; Prince of Wales Colliery, 125; Cook's Study and Holme, 125; Hornsea, 125; Skipton Anticline, 127; Barnsley, 130; Furness, 132; Whicham and Millom Park, 132; Torver and Coniston, 134; Hodbarrow, Burlington and Humphrey Head, 136; Silverdale and Arnside, 141; Bingley, 202; Rotherham, 203; Scunthorpe, 205; Otley, 206; Normanton, 206; Penrith, 208.
 Firestone Sill, 239.
 Floras, Jurassic, 1.
 Fluorite, Millstone Grit, 150.
 Folding, Draughton, 130.
 Follifoot Grits, 323.
 Forge Valley, 62.
 Forsyth, David, in *mem.*, 37.
 Fossil sandstone, 250.
 Fox, C. E., see C. N. Bromehead.
 Fox-holes Cave, 64.
 Frodingham, Lias, 205.
 Furness, 132; erosional platforms, 164.
 Gabbro, Carrock Fell, 210, 213.
 Garland Edge sandstone, 251.
 Garnet, Millstone Grit, 150; Wolds sands, 302.
Gastrioceras cancellatum band, 202.
 Gate-up Limestone, 321.
Ginkgoites, 5.
 Glaciation, Upper Wensleydale and district, 22; eastern side of Vale of York, 54; Black Combe, 132; Bingley, 202; Otley, 206.
 Goldsborough, Basement Grit, 246.
Goniatites, spp. 25, 33, 129.
 Goniatites, zonal, 322, 336.
 Grainsgill Beck, 213.
 Granophyre, Carrock Fell, 210.
 Grassington Grit, Washburn, 319, 324.
 Gravels, Vale of York, 54, 104.
 Great Limestone, 241.
 Great Pockstones Grit, 324.
 Great Scar Limestone, 323.
 Greensand floras, 7.
 Grindstone, 238.
Gristhorpia, 6.
 Grit, Sils, 240.
 Guiseley Grit, 144.
 Hackness, 62.
 Hæmatite, Hodbarrow, 136; origin, 137.
 Haigh Moor Coal, 207.
 HALE, W. J., on Normanton, 206.
 Halton monocline, 141.
 Halton Shales-with-Limestone, 128.
 Hambleton Hough, 104.
 Hambleton Quarry, 32, 129.
 Harden Grit and Shale Group, 323.
 Hardrow Force, 11; Beck, glacial diversion, 11.
 HARRISON, K., on the Glaciation of the eastern side of the Vale of York, 54.
 Haw Bank Limestone, 30, 127.
 Hawes Water, 142.
 Hearne Beck, 11.
 Hearne Beck Limestone, 339.
 Heavy minerals, Millstone Grit, 149; sands, Yorkshire Wolds, 301.
 HEMINGWAY, J. E. (and M. Black), on Ravenscar, 65.
 Heugh Gill, 129.
 Hexacoralla, septal notation, 76.
 High Hill, Settle, 64 and Pl. i.
 Hipperholme, 62.

- Hippopotamus*, Leeds, 113; Sewerby, 259.
- Historical Geology, The Pennine axis and S.E. Yorks. coalfield, 39.
- Hodbarrow, 136.
- HOLLINGWORTH, S. E., on Carrock Fell and adjoining areas, 208; on high level erosional platforms in Cumberland and Furness, 159.
- Holme, 125.
- Holme-on-Spalding Moor, 110.
- HOLMES, J., on Lothersdale and Cowling, 66.
- Homoceras beyrichianum*, 331; *smithi*, 337; *undulatum*, 333.
- Hoodstorth, Millstone Grit, 333.
- Hornsea, 125.
- Hornfels, Skiddaw, 212 and Pl. xii B.
- Horton Flags, 63 and Pls. i and ii.
- HUDSON, R. G. S., on the development and septal notation of the *Zoantharia Rugosa* (Tetracoralla), 68; on the Lower Carboniferous Corals, *Rhopalolasma* gen. nov. and *Cryptophyllum*, Carr, 79; on Humphrey Head and Rougholme, 140; on Silverdale and Arnside, 141; on the Millstone Grit succession of the Simonseat Anticline, Yorkshire, 319; (and H. C. Versey), on a mid-Carboniferous unconformity in the Skipton anticline, 30; (and G. H. Mitchell), on the Skipton Anticline, 127; see W. G. Fearnside.
- HUGHES, D. R., on Robin Hood, Leeds, 66.
- Humber Gap, 310.
- Humphrey Head, 140.
- Hyalostelia*, 206.
- Hypersthene, Wolds sands, 303.
- Ilmenite, Millstone Grit, 150.
- Intake House, 128.
- Interglacial periods, discussion, 262.
- Iron Oxides, Millstone Grit, 150.
- Ironstone, Liassic, 205.
- JOHNS, COSMO, on the Quaternary climatic cycle, 257.
- Jurassic floras, 1.
- Kellingley-Snaith ridge, 104.
- Kendall, P. F., in mem., 197 and Pl. X.
- Kettlepot Coal, 249.
- Kinderscout Grit, 144; 319.
- KING, W. R. B., on the Upper Wensleydale River system, 10.
- Kirmington, 116, 257.
- Knacton Shell-Beds, 238.
- Knapton, 62.
- Knaresborough Forest, 320.
- Kyanite, Wolds sands, 301.
- Lad Gill, Tanhill, 249, 341.
- Lake District, erosional platforms, 159; Carrock Fell, 208.
- Landslips, Chalk, 62; Ewden, 63.
- Laughton, Magnesian Limestone, 204.
- Lava flow, Miller's Dale, 179.
- Lavas, Borrowdale, 217.
- Leeds, Robin Hood, 66.
- Leucoxene, Millstone Grit, 154.
- Lias, Scunthorpe, 205.
- Lime-plate, Yoredales, 240.
- Limestone-breccia, 32.
- Lindrick Common, Magnesian Limestone, 204.
- Listracanthus, 131.
- Lithostrotion arachnoideum* subzone, 25.
- Little Limestone, 241.
- Loess, Asia, 275.
- Lothersdale, 66.
- Lough-Willoughby axis, 47.
- Lunds, 10.
- Lune Valley, Yoredale succession, 243 and Pl. xiii.
- MACKINTOSH, A. H. G., on Rotherham, 203; on notable features in the middle Permian marls of South Yorkshire and North Nottingham, 282.
- Magnesian Limestone, 65; 203; gravels of, 106.
- Magnesite cement, Millstone Grit, 147, 345.
- Magnetite, Millstone Grit, 150.
- Mansfield Marine Band, 66, 131.
- Manvers Main Brick Pit, 131.
- Marattiopsis*, 2.
- Marine bands, Millstone Grit, 319.
- Market Weighton axis, 46.
- Marls, Middle Permian, 204, 282.
- Mearley Clough, 26.
- Mechanical composition of Millstone Grit sandstone, 144.
- Mell Fell Conglomerate, 210.
- Merocanites appianatus*, 25.
- Metamorphism, Skiddaw, 212.
- Miller's Dale, Derbyshire, D₁—D₂ limestones, 178; Miller's Dale Beds, 180.
- Mill Gill, origin of, 20.
- Millom Park, 132.

- Millstone Grit, 125; Analyses of sandstones at Yeadon, Yorkshire, 144; Durham succession, 236; Simonseat succession, 319; marine bands, 319; pebbles, 323.
- Mirk Fell ganister, 248; limestone, 249.
- MITCHELL, G. H., *see* R. G. S. Hudson.
- Monadnock, Cleveland, 307.
- Monazite, Millstone Grit, 150; in Wolds sands, 304.
- Monocline, Silverdale, 141.
- Monograptus*, spp. 134, 135.
- Moraines, Vale of York, 54; Escrick, 104.
- Mossdale, river development, 10.
- Muscovite, Millstone Grit, 150.
- Namurian, Skipton, 30; Simonseat, 319.
- Nar Hill Sandstone, 326.
- Nassauian orogeny, 30.
- Natural science, 220.
- Netherby Clough, 125.
- Nettleber sandstone, 32, 130.
- Newer Drifts, 116.
- NICHOLAS, T. C., *on* Torver and Coniston, 134.
- Nidderdale, Shales, 321; Millstone Grit, 322, 338.
- Non-sequence, Bowland Shales, 28.
- Normanton, 206.
- North Carlton, Middle Permian Marls, 296.
- North Cave, Gravels, 111.
- North-Central Province, Carboniferous, 320.
- Norwegian Channel, 268.
- Older Drift, 110.
- One hundred foot beach, 109.
- Orionastraea indivisa*, Toft Gate, 323.
- Osmington Oolite, 62.
- Otley, 206.
- Parkhill Colliery, 206.
- PARKINSON, DONALD, *on* the upper limit of the *Beyrichoceras* zone in the Pendle Hill area, 25.
- Peak Fault, 65.
- Peat-bed, Skipsea, 126.
- Pebble beds in Permian Middle Marls, 282.
- Pendle Hill, 25; map, 27.
- Pendleside Grit, 26.
- Pendleside Limestone, 25, 66.
- Peneplanes, E. Yorkshire, 305.
- Pennines, structure of, 39.
- Penrith, 208.
- Permo-Trias junction, North Notts., 299.
- Physiography, Wensleydale, 10; Vale of York, 54, 103; Morecambe Bay, 141; Lake District, 159; East Yorkshire, 305.
- Plants, Jurassic, 1.
- Pleistocene strand line, Vale of York, 103; Chronology, Yorkshire, 115.
- Pterophyllum*, septal notation, 97.
- Pluvial periods, quaternary, 273.
- Pockstones Moor, 319; Grits, 324.
- Pontefract, 65.
- Posidonomya* (*Posidonia*), 26, 33, 129; (P) zones, 25, 32.
- Pristcliffe Beds, Miller's Dale, 182.
- Projected profiles, Cumberland and Furness, 159; East Yorkshire, 305.
- Pyrite in Millstone Grit, Yeadon, 150.
- Quaternary climatic cycle, 257.
- Raised beaches, Sewerby, 259; Scotland, 262.
- Ramsden Clough, 125.
- Ravenscar, 65.
- Ravensholme Limestone, 25.
- Reddish syncline, 320.
- Redmire Falls, 10.
- Red Scar Grit, 325.
- Reefs, Jurassic, 62.
- Rejuvenation, R. Ure, 17.
- Reticuloceras* bands, 125; *reticulatum*, 335.
- Rhopaloid septum, coral, 71.
- Rhopalolasma*, Carboniferous coral, 91.
- Rhopalolasma sympecta*, sp. n. 95 and Pl. iv.
- Rhopalolasma tachyblastum*, sp. n., 95 and Pl. iv.
- Ribblesdale folds, 42, 320.
- River development, Upper Wensleydale, 10; Lake District, 176.
- River profile, Ure and tributaries, 17.
- Robin Hood Quarry, 66.
- Rochard Dike marine bands, 328.
- Rogans Seat, 247.
- Rookhope, Yoredale succession, 239 and Pl. xiii; shell-beds, 238.
- Rotherham, 203.
- Rougholme, 140.
- Rules, Yorkshire Geological Society, 122.
- Rutile, Millstone Grit, 150; Wolds Sands, 302.

- Saccaminopsis* sp. nov., 180.
 Sands, glacial, Pl. xi; Wolds, 302;
 Vale of Pickering, 62; Permian,
 65; Cleveland, 312.
 Sandstones, mechanical compo-
 sition, Millstone Grit, 144.
 Saxonian movements, 309.
 School geology, 219.
 Septal development and notation of
 Tetracoralla, 68.
 Settle, 63.
 SEWARD, A. C., *on* notes on Jurassic
 floras, 1.
 Sewerby, pre-glacial beach, 259.
 Shales-with-Limestone, 30, 66.
 Shell bed, Washburn, 319.
 Shell-marls, 142.
 Shunner Fell limestones, 339.
 Siderite cement, Millstone Grit, 147,
 346.
 Sillimanite, Wolds sands, 304.
 Silverdale, monocline, 141.
 Simonseat anticline, 319.
 Skelgill Beds, 134.
 Skerries, Middle Permian, 292.
 Skibeden Shales, 128.
 Skiddaw, slates, 208; granite, 210.
 Skipsea, 126.
 Skipton anticline, 30, 127, 320.
 Skirlington, 126.
 Skyreholme anticline, 323.
 Slates, Skiddaw, 132, 208.
 SLINGER, F. C., *see* W. P. Winter.
 Snail Green boring, Bradford, 157.
 Speeton Shell bed, 260, 305.
 Sphene, Millstone Grit, 150.
 Stairfoot Brickyard, 131.
 Stather, J. W., *in mem.*, 317 and Pl.
 xvi.
 Station Quarry Beds, Miller's Dale
 (Carboniferous Limestone), 180.
 Stauroilite, Wolds Sands, 304.
 Stile End Beds, 134.
 Strandline gravels, Vale of York,
 103; oscillations, 257.
 Structure, Miller's Dale region, 193.
 Submergence, Vale of York, 109;
 quaternary, 257.
 Sudetic orogeny, 30.
 Swaledale, north-west, Yoredale
 succession, 247, and Pl. xiii.
 Swinhope, Yoredale succession, 239
 and Pl. xiii.
Tachylasma, Permian coral, 93.
Taeniopteris, 4.
 Tanhill Moor, 236, 247, 339; coal,
 249; grits, 247, 341.
 Teaching, School geology, 219.
 Teesdale, north, Yoredale succession,
 240 and Pl. xiii.
 TEMPLEMAN, A., *on* the Carboni-
 ferous of Hodbarrow, 137.
 Ten-Fathom grit, 251.
 Terraces, Vale of York, 104; Aire-
 dale, 112; Calderdale, 112.
 Tertiary, platforms in Lake District,
 175; history of East Yorkshire,
 302.
 Tetracoralla, septal notation, 68.
 Thalweg of Ure and tributaries, 17.
Thinnfeldia, 5.
 Thixendale, sand pipes in Chalk, 302.
 Toadstone, Miller's Dale, 178.
 Topaz, Millstone Grit, 150.
 Topographic development, Wen-
 sleydale, 10; Vale of York, 54, 103;
 Lake District, 159; East York-
 shire, 305.
 Torver, 134.
 Tourmaline, Millstone Grit, 150;
 Wolds Sands, 302.
 Towton gravels, 106.
 Transgressions, Yoredales, 239; beds,
 238 et seq.
 Trias, North Nottingham, 298.
 Trowbarrow, 141.
 Tufa, 206.
 Tuffs, Miller's Dale, 186; Borrow-
 dale, 133.
 Twenty-five foot Drifts, 104.
 Unconformity, mid-Carboniferous,
 30; Lower Bowland Shales, 34;
 Coniston Limestone, 134; Mill-
 stone Grit, 238.
 Vale of York, glaciation of eastern
 side, 54; Pleistocene strand line,
 103.
 Valley-bottom profile, Wensleydale,
 17.
 VERSEY, H. C., *in mem.*, P. F.
 Kendall, 197; bibliography, 1934,
 35; 1935, 143; 1936, 254; 1937,
 315; *on* the Tertiary history of E.
 Yorkshire, 302; *see* R. G. S.
 Hudson.
 Victoria Cave, 64 and Pl. ii.
 Warping, Cleveland peneplane, 310.
 Washburn, Millstone Grit, 319; Grit
 and Shale Group, 323.
 Wash-outs, 206.
 Water-Crag Grit, 250.
 Weardale, 237 et seq.
 Wensleydale (upper) river system, 10.
 West Heslerton, 62.

- Wharfe axis, 44.
Wheelam Rock, 32, 130.
Whicham, 132.
Williamsonia, 4.
Wilson, J. E., *in mem.*, 61.
WILSON, V., *on* Hackness and Forge Valley, 62.
WINFIELD, L., *on* Cook's Study and Holme.
WINTER, W. P., *on* Geology in schools, 219; (and F. C. Slinger), *on* Bingley, 202.
Withernsea, 126.
Wold peneplane, 305.
Wolfram veins, Skiddaw, 215.
- Yard Sike limestone, 245.
- Yeadon, Analyses of Sandstones, Millstone Grit, 144.
Yoredale, river system, 10; upper succession, 236; Limestones, 323.
Yorkshire Coalfield, framework of, 39.
Yorkshire Geological Society, Accounts, 1933-34, 38; 1934-35, 67; 1935-36, 121; 1936-37, 201; Annual Report, 1934, 37; 1935, 60; 1936, 119; 1937, 199; Field Meetings, 1935, 62; 1936, 125; 1937, 202; List of Members, 350; Rules, 122.
- Zircon, Millstone Grit, 150; Wolds sands, 302.
Zoantharia Rugosa, 68.
Zones, goniatite, 25, 33, 330.