

## INDEX TO VOLUME 51

- General Index  
 Boreholes  
 Chronostratigraphy  
 Lithostratigraphy  
 Localities  
 Minerals  
 New Taxa
- GENERAL INDEX**
- aquifers, Permo-Triassic 349–366  
 acritarchs 145–146  
 aeromagnetism, Moorby Microgranite 338–339  
 Aire Valley Fault Zone 88, 100  
 alluvial sedimentation, River Swale 317–327  
 ammonites, Oxfordian, North Yorkshire 33–43, 251–258  
 ammonoids, marine bands 106–109  
 Annual Report for 1995 75–79  
 Annual Report for 1996 259–264  
 apatite fission track analysis 173  
 arachnid, Carboniferous, Lancashire and Belgium 23–31  
 Askrigg Block 84, 122  
 Avalon Platform, Newfoundland 149  
 BAINES, Sir F. 272  
 BARRY, C., architect 266  
 bathymetry, Pennine Basin 99  
 biostratigraphy  
 Marsdenian, Pennines 83  
 Ordovician, Cumbria 9–21  
 Silurian 3–4  
 brachiopod, Lower Carboniferous 229–234  
 building stone, Houses of Parliament 265–272  
 Caledonian granitoids 333–336  
 Cheviot Massif 297  
 Cleveland Basin 251  
 COATES, P. M., Moore medallist 262  
 conodonts, Dent Group, Cumbria 9–21  
 corals  
 Palaeozoic 177–208  
 Silurian 1–8  
 Craven Inliers 347  
 cyclic sedimentation, Millstone Grit 81, 84  
 DE LA BECHE, Sir H., Commissioner 266, 271  
 decantation flutings 169  
 Denholm Clough Fault Zone 88, 100  
 depocentre, Silesian 309  
 DICKENS, C. 271  
 dinoflagellate cysts  
 Cretaceous 45, 52, 55  
 Holocene 65–73  
 Kimmeridge Clay 235–243  
 from Touraine 53
- English Coastal Water 72  
 erosion, intraformational in Snape Sandstone 42  
 erosional unconformity, Kinderscoutian 106  
 eustasy, Pennine Basin 98–99, 154, 291  
 faulting, Pennine Basin 87–88, 106–109, 302, 303  
 Fearnside's Prize 78  
 flooding surfaces, Namurian 104, 112  
 foraminifera  
 Cleveland Basin 367–372  
 South Ferriby 49–51  
 gamma-ray spectrometry  
 Kinderscoutian 103–114  
 Westphalian 307–316  
 geochemistry, Moorby Microgranite 331–336  
 geophysics, Moorby Microgranite 337–339  
 glaciation, southern hemisphere 154  
 glacier, Wharfedale 115  
 graptolites, Australia 209–227  
 green facies 141, 143, 149, 158  
 ground-penetrating radar 318, 321, 326  
 groundwater chemistry 360–364  
 heavy metal analysis 321–323, 326  
 highstands 99, 129, 137, 154, 290  
 Houses of Parliament, building stone 265–272  
 hydrogeochemistry 359–364  
 hydrostratigraphy 350–359  
 Vale of Eden 349–366  
 igneous dyke complex, north Derbyshire 245–249  
 karst surfaces, Jurassic sandstones 167–172  
 localities, Marsdenian 138–139  
 Lower Kinderscout Delta 273–296  
 lowstand deposits 57, 99, 129, 137, 305  
 marine bands  
 Pennine Basin 84, 103–114, 123, 155  
 Westphalian 307–316  
 metalliferous mining, Northern Pennine orefield 317, 321, 326  
 microgranite, Moorby 329–342  
 Moore medal 78, 262  
 Morley–Campsall Fault Zone 88  
 Münster Basin, Germany 53, 57  
 MURCHISON, Sir R.I. 271  
 neodymium isotopes 343–347  
 North Sea lithofacies 55  
 Northumberland Basin 297, 300  
 ophiolite, Ballantrae 346  
 ostracods, Fell Sandstone Group 297–306  
 Ouse Basin 317, 323  
 palaeoceanography, Cenomanian-Turonian boundary 56  
 palaeocurrents
- Elland Flags 94  
 Rough Rock 89, 92  
 palaeoecology, Craven Reef Belt 233  
 palaeontology  
*Amoeboceras* 35–40  
 Asbian brachiopod 229–234  
 Carboniferous arachnid 23–31  
 Carboniferous ostracods 297–306  
 Cretaceous dinoflagellate cysts 52–54  
 Cretaceous foraminifera 49, 367–372  
 Holocene dinoflagellate cysts 65–73  
 Ordovician conodonts 16–19  
 Palaeozoic corals 177–208  
 Silurian coral 1–8  
 Silurian graptolites, Australia 209–227  
 Welton Chalk Formation 60–61  
 palynology  
 Kinderscoutian 103, 105–106, 108  
 Lower Coal Measures 161–162  
 Welton Chalk 51–54  
 Yeadonian 145–146  
 palynomorphs  
 Devonian 146  
 Langsettian 161  
 Namurian 105  
 Oslo Graben 149  
 St George's Land 147, 148, 149  
 Yeadonian 141–151  
 Pennine Basin, tectonics 84, 100, 291  
 Phillips Medal 261  
 provenance  
 Lower Coal Measures 153–166  
 Millstone Grit 84, 149, 164  
 PUGIN, A.W. N., architect 266  
 quarries, locations 267  
 radiometric dates, Carboniferous 84  
 Rb-Sr dating, Moorby Microgranite 336, 340  
 rhythmites 123–124, 373–374  
 river terraces 319–321, 326  
 ROWE, J. P., Fearnside's Prize 78  
 rugose coral, Silurian 1–8  
 SCOTT, G., architect 272  
 Scottish Coastal Water 72  
 sea-level changes  
 Cretaceous 56–57  
 Namurian 127, 154, 290  
 sediment compaction 99–100, 173  
 sedimentation  
 Brahmaputra River 280, 281, 284  
 Carboniferous, Pennine Basin 99  
 Cretaceous 59  
 sequence stratigraphy 81, 84, 99  
 Fell Sandstone 303–305  
 high resolution 127–140  
 Kinderscoutian 104  
 Lower Kinderscout Delta 273–296  
 Rough Rock 99  
 Skiddaw and Manx Groups, comparison 343–347

SMITH, C. H., Commissioner 266, 271  
 SMITH, W., Commissioner 266  
 Society Activities, 1995 75–79  
 Society Activities, 1996 259–264  
 solution pits 169  
 solution runnels 169  
 SOPER, N. J., Sorby medallist 77  
 Sorby Medal 77  
 South Craven Fault 88  
 stone decay, Houses of Parliament 271  
 stratigraphy  
   Carboniferous, Bradford 88–90  
   Kimmeridgian 241  
   Lower Coal measures 155  
   Welton Chalk Formation 45–64  
 stratigraphy and sedimentology,  
   Bradford 87–101  
 stream sediment analysis 318–319  
 streamwater quality 364  
 structural evolution, post-Triassic  
   173–175  
 subsidence, Silesian 309  
 Th/K ratios 104–112  
 Th/U ratios 104–112, 315  
 thermal alteration  
   conodonts 15  
   palynomorphs 147  
 tidal laminites 123–124, 373–374  
 trigonotarbid 23, 29  
 turbidites, Lower Kinderscout Delta 273  
 U-Pb zircon dating, Moorby  
   Microgranite 336, 340  
 unconformity, Devensian/Flandrian  
   boundary 72  
 Uranium, in marine bands 307–316  
 vibrocore, offshore NE England 65  
 volcanism  
   Manx Group 347  
   undersea 59  
 Wash 338  
 WESTOLL, T. S., Obituary 80  
 WILSON, A. A., Phillips medallist 261  
 WRIGHT, J. P., Moore medallist 78

## BOREHOLES

54-02/97 67  
 Ainstable 358  
 Aire Valley 89  
 Alnwick 297, 298–300  
 Beacon Edge 358  
 Bowscar 358  
 Bradford Beck 90  
 Bradup 115–25, 373–374  
 Brougham 358  
 Claxby No. 1, 329, 331  
 Cliburn 358  
 Cliburn 3A 358  
 Cotehill 358  
 Dam Head 124  
 Eakring 146, 341  
 East Brownrigg 358  
 Edenhall 358  
 Espland Hill 358

Fairhill 358  
 Fairweather Green 139  
 Farnham 124  
 Gamblesby 358  
 Great Musgrave 358  
 Hag Farm 115–25, 373–374  
 Hilton 355  
 Horsforth 88, 139  
 Kirkby Stephen 358  
 Moorby 329  
 Newtown, Whaley Bridge 144–5  
 Nord Vue 358  
 North Creake 340  
 Ousby Moor 358  
 Penrith 358  
 Rombald's Moor 139  
 Skiriwith 358  
 Staffield 358  
 Stonehaugh 302  
 T/B/4 248  
 T/B/21 (Tunstead) 246, 248  
 West Newton Grange 33, 42  
 Yeadon 139

## CHRONOSTRATIGRAPHY

Carboniferous  
   Asbian 229–234, 245–249  
   Late, Bradford 87–101  
   Lower 297–306  
   Lower Coal Measures 153–166  
   Namurian, Pennine Basin 103–114,  
     115–125, 273–296  
   Silesian, Pennines 81–86, 309  
   Westphalian 23, 25, 307–316  
   Westphalian/Namurian boundary 308  
 Cretaceous  
   Cenomanian, Turonian 367–372  
   eastern England 45  
 Holocene, River Swale 317–327  
 Jurassic  
   Kimmeridgian 235–243  
   Middle Oxfordian 251  
   Ravenscar Group 167–172  
   Upper Oxfordian 33–43  
 Ordovician  
   microgranite 329–342  
   Rawtheyan 9–21  
   Permian 349–366  
   Magnesian Limestone 265–272  
   post-Triassic, north-west England  
     173–175  
 Silurian  
   Llandovery-Wenlock 1–8  
   Ludlow 209–227  
 Triassic 349–366

## LITHOSTRATIGRAPHY

(newly defined names in bold type)

9 ft Coal Seam 23  
 36 Yard Coal 89, 94  
 48 Yard Rock 90, 94, 158, 160, 163  
 80 Yard Rock 90, 163

**Addingham Edge Grit** 83, 88, 116, 118,  
 120, 123  
 Alston Group 354  
 Alum Crag Grit 137  
 Amaliae Marine Band 90  
 Anston Stone 266, 268, 270  
*Anthracoceras* marine band 142  
 Armathwaite Dyke 356, 359  
 Ashgill Formation 12, 15  
 Ashover Grit 266  
 Barnby Hills Shale 209  
 Barron's Pike Sandstone 302  
 Bearing Grit 84  
 Better Bed Coal 90, 154, 158, 163  
 Bilinguites bilinguis (R<sub>2b1</sub>) Marine Band  
   129, 130, 132, 133, 136, 138  
 Bilinguites bilinguis (R<sub>2b2</sub>) Marine Band  
   88, 129, 130, 132, 133, 137, 138, 139  
 Bilinguites bilinguis (R<sub>2b3</sub>) Marine Band  
   89, 99, 130, 132, 137, 138, 139  
 Bilinguites gracilis (R<sub>2a1</sub>) Marine Band  
   88, 91, 106, 116, 121–3, 130, 135,  
   137–9  
 Bilinguites metabilinguis (R<sub>2b4</sub>) Marine  
   Band 89  
 Bilinguites metabilinguis (R<sub>2b5</sub>) Marine  
   Band 89  
 Birstall Rock 158–160, 164  
 Black Band 46, 47, 48, 51, 53, 54, 55, 57  
 Blackstone Edge Sandstones 108  
 Bolsover Moor Stone 266, 268, 269  
 Borrowdale Volcanic Group 10, 333, 336  
 Brennand Grit 84  
 Bridge Creek Limestone Member 52  
 Brockram 355  
 Broughton Moor Formation 12, 15  
 Browgill Formation 10  
 Butterly Coal 277  
 Butterly Marine Band 83, 88, 121, 123,  
   277, 290  
 Cadeby Formation 265, 266, 269  
 Caister Sandstone 309  
 Calder Sandstone 173  
 Cancelloceras cancellatum Marine Band  
   88, 89, 144, 145  
 Cancelloceras Cumbriense Marine Band  
   142, 143, 144, 145  
 Carboniferous Limestone 354  
 Catlow Sandstone 90  
 Cementstone Group 297, 302  
 Chalk Group 45, 51, 55  
 Chee Tor Rock 246, 247, 248  
 Chilmark Stone 272  
 Clavellata Beds 41  
 Clifton Rock 155, 158, 163  
 Clipsham Stone 272  
 Coal Measures 24, 81, 83, 98  
 Coniston Limestone 10  
 Coral Rag 42  
 Corallian Group 251  
 Coralliferous Group 2, 3  
 Craven Inliers 347  
 Crawshaw Sandstone 84  
 Cuga Burga Volcanics 210

- Darley Dale Stone 266, 272  
 Denshaw Horizon 132, 125, 136  
 Dent Group 10, 12, 15, 16  
 Dibhole Coal 90, 98  
 Dyneley Knoll Flags 90  
 East Carlton Grit 83, 88, 131, 136, 137  
 Eden Shales 355-356  
 Elland Flags 90, 94, 95, 96, 100, 153, 155, 159, 160, 162  
 Ennerdale Granophyre 333, 336, 341  
 Eskdale Granodiorite 333, 336  
 Fell Sandstone Group 297-306  
 Ferriby Chalk Formation 47  
 Garn Fadryn intrusion 340  
 Glyn Formation 15  
 Greenhorn Formation 53  
 Greenmoor Rock 85, 90, 96, 97, 99, 141, 147, 153, 154, 155, 159, 162, 164-165  
 Grenoside Sandstone 90, 98, 153, 155, 158, 160, 163  
 Greta Grit 135  
 Grindslow Shales 83, 109, 110, 273, 277, 283, 284, 286-290, 293  
 Guiseley Grit 88  
 Halesowen Formation 85  
 Hambleton Oolite 253  
 Hard Bed Coal 94  
 Hard Bed Marine Band 155  
 Harvey Marine Band 300  
 Haslingden Flags 85, 99, 134, 141, 142, 149  
 Honley Marine Band 155  
**Howels Head Flags** 131, 136, 137  
 Huddersfield White Rock 88  
 Hudsonoceras proteus Marine Band 106  
 Hunstanton Formation 367, 369-371  
 Ingleton Group 347  
 Keighley Bluestone 83, 88, 91, 100, 133  
 Keisley Limestone 12  
 Kentmere Member 12  
 Kinderscout Grit 103, 109, 121, 123, 129, 130, 137, *see also* Lower Kinderscout Grit, Upper Kinderscout Grit  
 Kirk Stile Formation 344, 346  
 Kirkley Bank Formation 12  
 Langley Marine Band 90  
 Listeri Marine Band 89, 94, 98, 155  
 Lonan Flags 344, 346  
 Longnor Sandstones 108  
 Lower Border Group 297, 302  
 Lower Chalk 46  
 Lower Coal Measures 89, 153-166  
 Lower Haslingden Flags 89, 143  
 Lower Kinderscout Grit 83, 88, 273, 277-279, 281-286, 288, 293  
 Lower Visby Marl, Gotland 3  
 Loweswater Formation 344  
 Lumholm Member 10, 15  
 Magnesian Limestone 265  
 Malton Oolite 42  
 Mam Tor Sandstone 273, 274, 291  
 Mansfield White Stone 268, 270  
 Manx Group 343-347  
 Maughold Banded Group 344, 346, 347  
 Meadow Farm Marine Band 89  
 Melbourne Rock 46, 53, 57  
 Middle Border Group 297, 302  
 Miller's Dale Lavas 245, 246  
 Millstone Grit Group 81, 89, 98, 115, 123, 127, 153, 162, 163, 273, 283, 354  
 Moorby Microgranite 329-342  
 Mountain Limestone Group 300  
 Mull Dyke Swarm 356  
 Mumbil Group 209  
 Narragal Limestone 210  
 Newbridge Beds 33, 35, 40  
 Old Lawrence Rock 90  
 Orton Group 354  
 Owd Bett's Horizon 133  
 Peel volcanic rocks 346  
 Pendle Grit 84  
 Penrith Sandstone 349, 354-355  
 Plenus Marls 46, 47, 52, 56  
 Portland Stone 266, 268  
 Preston Grit 251  
**Pule Hill Grit** 83, 88, 89, 91, 99, 100, 129, 133, 135, 137  
 Ravenstonedale Group 354  
 Readycon Dean Flags 83, 129, 131, 132, 134, 136  
**Readycon Dean Formation** 83, 130  
 Readycon Dean Shale 130, 136  
 Red Chalk 367, 369-371  
 Red Cliff Hole Member 370  
 Redcar Farm Sandstone 83, 88, 91, 92  
 Reticuloceras coreticulatum ( $R_{1c4}$ ) Marine Band 88, 90, 99, 106, 108, 109, 117, 121, 122, 123  
 Reticuloceras reticulatum Marine Band 106, 109  
 Reticuloceras reticulatum ( $R_{1c1}$ ) Marine Band 123  
 Reticuloceras reticulatum ( $R_{1c2}$ ) Marine Band 119, 120  
 Reticuloceras reticulatum ( $R_{1c3}$ ) Marine Band 119, 120  
 Reticuloceras stubblefieldi Marine Band 108, 109  
 Rhiwlas Limestone 15  
 Rishworth Shales 132, 133, 136  
 Roaches Grit 84, 279  
 Rough Rock 137, 141, 143, 291  
 Rough Rock Flags 83, 89, 92, 99, 100, 141-143, 149  
 St Bees Sandstone 173, 349, 356  
 Sand Rock Coal 143  
 Scotland Flags 83, 129, 133, 134, 135, 136  
 Scremerston Coal Group 297, 305  
 Shale Grit 109, 110, 111, 273, 274, 286, 291, 293  
 Shap pluton 335, 340  
 Shertcliffe Coal 160, 164  
 Sherwood Sandstone 173  
 Silkstone Rock 154  
 Skiddaw Group 343-347  
 Skiddaw pluton 335, 340  
 Skomer Volcanic Group 2  
 Slaty Crag Sandstone 302  
 Snape Sandstone 40, 42  
 Soft Bed Flags 155, 158, 163  
 Spaunton Sandstone 33, 35, 40  
 Stancliffe Sandstone 272  
 Stanningley Rock 89, 94, 99, 100, 158, 160, 163  
 Steetley Stone 266  
 Steeton Moor Sandstone 83, 88, 90  
 Subcrenatum Marine Band 88, 89, 143  
 Summer House Sandstone 83, 88  
 Tarn Moor Formation 343, 346  
 Thick Stone 159  
 Threlkeld Microgranite 333  
 Todmorden Shales 135, 136, 137  
 Tonge's Marine Band 90  
 Trencherbone Seam 25  
 Trout Beck Member 12  
 Underset Grit 84  
 Upper Calcareous Grit Formation 33, 42  
 Upper Cambeck Beds 302  
 Upper Haslingden Flags 83, 89, 143  
 Upper Kinderscout Grit 83, 88, 108, 283  
 Vanderbeckei Marine Band 309  
 Vik Formation, Norway 4  
 Wallace Shales 210  
 Watch Hill Formation 346  
 Weardale Granite 335  
 Welton Chalk Formation 45, 51, 55  
 Wensleydale Granite 333, 336, 340  
 White Limestone Formation 12  
 Wigan seams 25  
**Woodhouse Flags** 83, 88, 91, 92, 100

## LOCALITIES

- Alnmouth 72  
 Alnwick 297, 303  
 Ampleforth 35  
 Anston Quarries 268  
 Antonstow 302  
 Appleby 354, 356  
 Armathwaite 355  
 Ballantrae 346  
 Bamford Edge 280, 281, 285  
 Bare Clough 135  
 Barkers Crag 167  
 Belah Scar 355  
 Bewcastle 297, 302  
 Bigby 48  
 Bishop Wilton 49  
 Black Combe 344, 346  
 Blackden Brook 109, 112, 286, 288, 289  
 Blake Brook 108  
 Bleakedgate Moor 130  
 Bolsover Moor 266  
 Bolton Road 94  
 Bolton Woods Quarry 95-96, 99, 100, 155  
 Boston, Lincolnshire 338  
 Bradford 83, 87-101  
 Brompton-on-Swale 319  
 Brough 354  
 Buckton Vale Quarry 281, 283, 284

- Butter Haw Hill 233  
 Butterly Clough 278, 279, 283  
 Buxton 245  
 Buxton Bridge 245–247  
 Caister 49  
 Castleshaw Moor 132  
 Catterick 317  
 Charlestown, Ireland 4  
 Chesterfield Canal 268  
 Cowm Reservoir 144  
 Crimsworth Dean 106  
 Crowden Great Brook 131  
 Crowden Little Brook 277, 283  
 Cuckoo Park Farm 89, 92–94, 100  
 Deanhead Beck 134  
 Derby Delph 281, 285  
 Derwent Edge 280  
 Dimples Quarry 91–92  
 Dry Clough 132, 133  
 Durdle Door 52  
 Earl Crag 88  
 East Knappton 48, 49  
 Flixton 48, 54  
 Golden Hill Quarry 235, 241  
 Great Rocks Dale 246, 248  
 Green's Clough 144  
 Guiseley Gap 115  
 Hackness Outlier 35  
 Harret's Linn 302, 303  
 Hartley Ground, Lake District 10, 12, 15, 16  
 Haworth 83, 88, 91  
 Helmsley 33  
 Heyden Brook 133, 277  
 Hoff Quarry 355  
 Holmfirth 129  
 Horncastle 329  
 Horton Bank 90, 96–98, 99, 155  
 Howdale Quarry 35  
 Huddersfield 83, 87, 90, 100, 129, 134  
 Humber Gap 323  
 Ilkley 115  
 Keighley 89, 130, 131  
 Kinderscout Edge 281, 284  
 Kinderscout Plateau 277  
 Kirkby Stephen 355  
 Kirkby Thore 356, 360  
 Laysthorpe Quarry 33, 35, 39, 40, 42  
 Lemmington 297  
 Louth 49  
 Lulworth 53  
 Mansfield Woodhouse 266, 268, 271  
 Market Weighton 49  
 Marloes Sands, Wales 2  
 Marsden 88  
 Meltham 121  
 Nether Tor 281, 289  
 Newbridge Quarry 35, 37, 39, 40  
 Newton Hall 35  
 Nunnington Quarry 35, 39, 42  
 Ogden Clough 277  
 Orphan Knoll, Labrador Sea 149  
 Oswaldkirk 33, 35  
 Penistone Hill Country Park 91–92  
 Pickering 33  
 Ponden Clough 90, 133, 135  
 Pueblo, California 53  
 Red Banks Quarry 356  
 Ripponden Valley 130, 135  
 Rishworth Moor 132  
 River Eden 359  
 Rombalds Moor 88, 115  
 Rose Clough 277  
 Rossendale 129, 130, 134, 291  
 Sabden Brook 83, 130, 135, 285  
 Saddleworth Moor 277  
 Snape Hill 35, 42  
 South Ferriby Quarry 45, 47, 49, 54, 370, 371  
 South Thoresby 48  
 Sowerby Bridge 130, 135  
 Spaunton Moor Quarry 40, 42  
 Speeton 47, 367  
 Stable Clough 277  
 Staffin, Skye 40  
 Stanbury 88  
 Standedge 278  
 Stebden Hill 233  
 Torside Clough 277, 283, 288, 289  
 Treak Cliff 234  
 Tunstead Quarry 245, 246  
 Welton 49  
 Wessenden Head 131  
 Westhoughton, Lancashire 24, 25  
 Weymouth 251  
 Whita Delta 302  
 Whitby 72  
 Woodhouse Quarry 89  
 Wrose Hill 94
- MINERALS**
- anhydrite 355  
 apatite 153, 158, 164, 331  
 biotite 331  
 calcite 27  
 carbonate 329, 340  
 chalcopyrite 329  
 chlorite 158, 331, 339, 340  
 chrome spinel 158, 159, 160, 164  
 dolomite 355  
 galena 317, 321, 329  
 garnet 153, 158, 164  
 goethite 329, 331  
 gypsum 355  
 illite 121  
 kaolinite 27, 121, 158, 329, 330, 339  
 mica 157, 158, 330, 331, 339  
 monazite 153, 158, 160, 164  
 pyrite 121, 329  
 rutile 153, 158, 164  
 sericite 158  
 siderite 97  
 smectite 51, 121  
 sulphides 340  
 tourmaline 153, 158, 164  
 zircon 153, 158, 164
- NEW TAXA**  
 (all new species unless stated otherwise)
- Acanthograptus aculeatus neureaensis* subsp. nov. 218  
*Amoeboceras newtonense* 35  
*Cardioceras (Subvertebriceras) yedmandalensis* 255  
*Circulodinium copei* 235  
*Coremagraptus kalfusi praekalfusi* subsp. nov. 219  
*Dictyonema delicatulum barnbyensis* subsp. nov. 216  
*D. goepperti krafti* subsp. nov. 216  
*D. sherrardae mumbilensis* subsp. nov. 215  
*Egregiograptus* gen. nov. 222  
*E. egregius byrnesianum* subsp. nov. 222  
*Linograptus posthumus introversus* subsp. nov. 223  
*Nebenothyris rhachis* 231  
*Prolinograptus* gen. nov. 225  
*P. packhami* 226  
*Ptilograptus discurrens sherrardae* subsp. nov. 219  
*Rhynchodiniopsis martonense* 239  
*Senoniasphaera clavelli* 236  
*Stelechocladia struszi* 218  
*S. talenti* 217  
*Thallograptus acanthicus vandenbergi* subsp. nov. 218  
*T. cooperi* 219  
*Trichodinium piaseckii* 239

# Instruction to authors

The *Proceedings of the Yorkshire Geological Society* is a biannual publication that caters for original research papers on all aspects of geology. Emphasis is placed on (i) papers relating to the geology of the north of England (but including aspects of more than local interest) and (ii) papers of general geological interest. Papers should be between 3000 and 15 000 words in length, including references (a full printed page consists of c. 1000 words). Longer contributions should not be submitted without prior consultation with the Editors. Review papers are normally published by invitation only, but ideas for a review paper may be submitted to the Editors for assessment by the Publications Committee.

## 1. SUBMISSION OF PAPERS

Papers are welcome from Society members and non-members alike. They are accepted on the understanding that they have not been published elsewhere and authors are asked to assign copyright to the Yorkshire Geological Society. *Three complete copies* of papers should be submitted to the Editors, **Proceedings of the Yorkshire Geological Society, Geological Society Publishing House, Unit 7, Brassmill Enterprise Centre, Brassmill Lane, Bath BA1 3JN, UK.** The *Proceedings* is now set from disk and authors should consult the 'Notes for electronic text preparation' available from the Production Editor. Authors may also find it helpful to consult the Royal Society's booklet, *General Notes on the Preparation of Scientific Papers* (revised edn, 1974).

Typescripts should be in their final form, and should be arranged according to the layout used in the latest issue of the *Proceedings*. Typescripts that deviate excessively from the standard layout will be returned to the authors for modification. Copies of all illustrations should be at anticipated final publication size and of sufficient quality to allow proper assessment of their composition and reproducibility. Copies of half-tones *must* be photographic prints not photocopies. One set of camera-ready photographic prints of all line drawings should be submitted with the revised manuscript; these should be at final publication size (see 2.6). Originals of line drawings will be requested only in exceptional circumstances. Referees are appointed to assess the papers, and the author will be informed of the decisions reached. In multi-authored works, correspondence will be with the first-named author unless otherwise arranged. Proofs will be sent directly to the author who must read and correct them, returning them to the Editors. Prompt attention to proofs is essential.

## 2. PREPARATION OF PAPERS

### 2.1. Typescripts

Typescripts should be double-spaced throughout (including references and figure captions), with each page numbered serially; A4 size is preferred. The typescripts should be arranged as follows:

1. Title, which should be concise yet informative.
2. Name(s) and full postal address(es) of author(s).
3. Summary. This should not exceed 250 words, and should be a self-contained summary of the main achievements of the paper (without references) and not a mere statement of the scope and contents of the paper.
4. Main text. This should be organized according to the system of headings described in section 2.2.
5. Appendices, if necessary.
6. References (see section 2.5).
7. Tables, each on a separate sheet, together with its caption.
8. List of figure captions.

### 2.2. Headings

Four grades of headings are normally used in the *Proceedings*:

#### 1. FIRST-ORDER HEADING

**1.1. Second-order heading.** Text follows on next line.

**1.1.1. Third-order heading.** Text follows on next line.

**Fourth-order heading.** Text follows on same line.

In certain circumstances (e.g. where there are frequent short sections) it may be decided to vary this arrangement. The introductory section should not be numbered: the heading 'Introduction' may, for clarity, be used on the typescript, although it will not be used in the printed paper. The first line of the first paragraph following each heading should begin at the left-hand margin (no indent).

### 2.3. Systematic palaeontology

The layout for palaeontological systematics should follow the conventions adopted by the Palaeontographical Society. Examples of house style may be found in Volume 49, part 4.

### 2.4. Systematic lithostratigraphy

Any new lithostratigraphic terms should be rigorously defined to conform to the various codes for lithostratigraphic nomenclature. Examples of house style may be found in previous volumes (from Vol. 45 onwards), e.g. Vol. 48, pp. 124–136, 389–390, 447–452.

### 2.5. References

All references cited in text and captions must appear in the list, and vice versa. The accuracy of references is the responsibility of the authors. Within the text, the citation should be name and date: Young & Bird (1822) or (Young & Bird 1822) depending on context. Where the reference has three or more authors, the text citation should be first-named author *et al.* Periodical titles should be quoted in full, and follow the wording on the title sheet. Where indication of the country or region of origin would assist in the identification of the periodical, additional wording should be included in parentheses, using Roman characters: e.g. *Nature* (London); *Journal of the Geological Society* (London). Accents should be included in all foreign book and serial titles. Postgraduate theses are treated as published books.

ARKELL, W. J. 1933. *The Jurassic System in Great Britain*. Clarendon, Oxford.

BLACK, M. 1934. Sedimentation of the Aalenian rocks of Yorkshire. *Proceedings of the Yorkshire Geological Society*, **22**, 265–279.

DUNHAM, K. C. 1974. Epigenetic minerals. In: RAYNER, D. H. & HEMINGWAY, J. E. (eds) *The Geology and Mineral Resources of Yorkshire*. Yorkshire Geological Society Occasional Publication, **2**, 293–308 (or, if the source of the book is quoted more than twice: In: RAYNER, D. H. & HEMINGWAY, J. E. (eds) *q.v.*, 293–308.)

FOX-STRANGWAYS, C. & BARROW, G. 1882. *The Geology of the Country between Whitby and Scarborough* (2nd edition). Geological Survey Memoir, England and Wales, Sheets 35, 44.

GEORGE, T. N. 1969. British Dinantian stratigraphy. In: *Compte Rendu du 6<sup>me</sup> Congrès International de Stratigraphie et de Géologie du Carbonifère. Sheffield 1967, Volume 1*, 193–218.

HARRIS, A. L., HOLLAND, C. H. & LEAKE, B. E. (eds) 1979. *The Caledonides of the British Isles – Reviewed*. Geological Society, London, Special Publications, **8**.

TROTTER, F. M. & HOLLINGWORTH, S. E. 1928. The Alston Block. *Geological Magazine*, **65**, 433–448.

### 2.6. Illustrations

Illustrations should be prepared to column width of 85 mm, intermediate width 110 mm (printed with caption in 50 mm-wide block alongside) or page width of 176 mm. The printed page height is 250 mm. The caption will be placed beneath a full-page illustration and the height of the latter should be reduced accordingly. Authors proposing to include coloured figures are advised to consult the Editors; these are very expensive to produce and authors may be asked to bear the costs.

Lettering should be no less than 1 mm high after reduction. Half-tone illustrations should be high-quality glossy prints with good contrast. Magnification should be indicated by means of a scale bar on the photograph or, if this is not possible, in the figure caption. All half-tone illustrations are referred to as Figures, not Plates. In composite illustrations the individual photographs should be labelled 1, 2, 3, etc. or A, B, C, etc. Where possible, labels should be on the photographs, not in the space between.

### 3. OFFPRINTS

25 free offprints per paper are provided; additional copies may be purchased and should be ordered at page proof stage.

**Acknowledgement.** Some figures published in the *Proceedings* display the National Grid, taken from the Ordnance Survey map with the permission of the Controller of Her Majesty's Stationery Office.

# PROCEEDINGS OF THE Yorkshire Geological Society

VOLUME 51

PART 4

NOVEMBER 1997

## CONTENTS

	<i>page</i>
<b>G. K. Lott and C. Richardson</b> Yorkshire stone for building the Houses of Parliament (1839–c. 1852)	265
<b>G. J. Hampson</b> A sequence stratigraphic model for deposition of the Lower Kinderscout Delta, an Upper Carboniferous turbidite-fronted delta	273
<b>B. R. Turner, C. Dewey and C. E. Fordham</b> Marine ostracods in the lower Carboniferous fluviatile Fell Sandstone Group: evidence for base level change and marine flooding of the central graben, Northumberland Basin	297
<b>P. T. O'Mara and B. R. Turner</b> Westphalian B marine bands and their subsurface recognition using gamma-ray spectrometry	307
<b>M. P. Taylor and M. G. Macklin</b> Holocene alluvial sedimentation and valley floor development: the River Swale, Catterick, North Yorkshire, UK	317
<b>T. C. Pharaoh, J. M. Allsop, D. W. Holliday, R. J. Merriman, G. S. Kimbell, C. C. Rundle, T. S. Brewer, S. R. Noble and C. J. Evans</b> The Moorby Microgranite: a deformed high level intrusion of Ordovician age in the concealed Caledonian basement of Lincolnshire	329
<b>P. Strong and J. A. Evans</b> A comparison of the Skiddaw and Manx groups (English Lake District and Isle of Man) using neodymium isotopes	343
<b>P. L. Younger and C. A. Milne</b> Hydrostratigraphy and hydrogeochemistry of the Vale of Eden, Cumbria, UK	349
<b>S. F. Mitchell and C. J. Veltkamp</b> <i>Schackoina moliniensis</i> Reichel from the Lower Cenomanian of north-east England and its stratigraphical significance	367
<b>Discussion of 'Kinderscoutian and Marsdenian successions in the Bradup and Hag Farm boreholes, near Ilkley, West Yorkshire'</b> <i>Proceedings</i> , Vol. 51, part 2, pp. 115–125, 1996	373
Index to Volume 51	375

---

Abstracted and/or indexed in *Current Contents*, *GeoArchive*, *Geobase*, *GeoRef*, *Geological Abstracts*, *Mineralogical Abstracts*, *Research Alert* and *Science Citation Index Expanded (SCIE)*

Typeset by Type Study, Scarborough, North Yorkshire YO13 0HG

Printed on acid-free paper at Henry Ling Ltd., The Dorset Press, Dorchester, Dorset DT1 1HD, UK

