

Scottish Journal of Geology

The primary aim of the Journal is to publish papers relevant to the geology of Scotland and adjacent areas including the surrounding seas. Papers of general or specialist interest as well as short communications, letters to the editor, and discussions of earlier papers are welcome, together with reviews and thematic sets publishing the results of relevant meetings and conferences. All contributions must be original. Contributions should not normally exceed 12 journal pages; shorter papers are likely to be published more rapidly. 'Short Communications' of up to four pages need not be preceded by a 'synopsis'. Discussions of papers that appear in the *Journal* are invited and will be published quickly. Review papers are welcome, but authors contemplating submitting these should, at an early stage, contact the editorial board to discuss content, suitability and possible date of publication.

Instructions for contributors

Detailed instructions for contributors are published in the *Scottish Journal of Geology* Volume 37, Part 1, pp. 39–43. Intending authors must ensure that the format of their contributions complies with these instructions, as this will enable processing of the contributions with the minimum possible delay. Please note that periodical titles are now printed in full.

More information, including contents of recent issues can be found on the Journal's WWW page:

<http://www.geolsoc.org.uk>

Discs: Discs of word-processed papers will be requested by the editor when the paper is accepted. Do not send the disc until requested to do so. Further details are available from the Staff Editor.

All correspondence, typescripts and proofs should be addressed to The Editors, Scottish Journal of Geology, c/o Geological Society Publishing House, Unit 7, Brassmill Enterprise Centre, Brassmill Lane, Bath BA1 3JN.

Copies of the instructions can be obtained by writing to The Editors, Scottish Journal of Geology, c/o British Geological Survey, Murchison House, West Mains Road, Edinburgh EH9 3LA.

Back issues

Certain back numbers of the *Transactions of the Edinburgh Geological Society*, *Transactions of the Geological Society of Glasgow* and *Scottish Journal of Geology* are still available. A list of the prices and parts may be had on application to the secretaries of the Societies.

Book reviews

As space permits, the *Journal* will publish independent reviews of printed works that have a clear relevance to the geology of Scotland.

INDEX

Volume 38, 2002

Authors

- ARKLEY, S. 93–111
ARMSTRONG, H. A. 69–82
ASPEN, P. 83–92
BARRON, H. F. 69–82
BROOK, M. S. 15–20
CANDELA, Y. 65–67
CHEENEY, R. F. 1–3
CLARK, N. D. L. 83–92
CORRANCE, H. 83–92
DAVIES, S. M. 21–30
DOBBYN, K. 21–30
DONALDSON, C. H. 55–61
EMELEUS, C. H. 55–61
EVANS, J. A. 143–153
FLOYD, J. D. 69–82
GELDMACHER, J. 55–61
GOLLEDGE, N. 126–135
HAMILL, B. 137–141
HENNI, P. H. O. 113–125
HILL, P. G. 21–30
HOLLOWAY, L. K. 41–54
LOWE, J. J. 21–30
MACKIE, E. A. V. 21–30
MONAGHAN, A. 93–111
MUSSON, R. M. W. 113–125
PEACOCK, J. D. 31–40, 41–54
SMITH, D. E. 41–54
SMITH, R. 93–111
STEPHENSON, M. 93–111
STONE, P. 143–153
TINGQING, L. 69–82
TIPPETT, J. M. 15–20
TROLL, V. R. 55–61
TURNERY, C. S. M. 21–30
WILLIAMS, M. 93–111
WILSON, P. 5–13
WOOD, A. M. 41–54

Subjects

- 1979 earthquake, Carlisle 113–125
Ardnamurchan Igneous Centre, crustal contamination, granulitic facies and Moine schists 55–61
Arran, Triassic, *Chirotherium barthii* 83–92
Auchenhew Beds, Scythian (L. Triassic) age 83–92
Avalonia, margin of Iapetus Ocean, Nd studies 143–153
Ayrshire, Ballagan Formation, biostratigraphy and palaeoenvironments 93–111
Ballagan Formation, CM Biozone assemblage 93–111
Bardahessiagh Formation, constraints on age 65–67
brachiopods, County Tyrone, Bardahessiagh Formation, and constraints on age 65–67
Cairngorm Mountains, glaci-tectonic deformation of proglacial lake sediments 126–135
Carlisle, felt effects of 1979 earthquake 113–125
Chirotherium barthii, Triassic, west Arran 83–92
Cleish Hills, Georgeton burn, igneous rocks 137–141
conodonts, Crawford Group, Southern Uplands 69–82
Crawford Group, Southern Uplands 69–82
deglaciated valley slopes, strength–equilibrium envelope 15–20
Devensian (Late) Glacial Maximum, Cairngorm Mountains, glaciolacustrine sediments 126–135
dinosaurs, *Chirotherium barthii*, Triassic, west Arran 83–92
earthquake, Carlisle 113–125
English Lake District
rock mass strength (RMS) classification 15–20
Skiddaw Group, Nd isotope studies 143–153
Firth of Forth
and Firth of Tay, macrofauna of Windermere Interstadial 31–40
Windermere Interstadial, marine sequence, environmental and RSL interpretations 41–54
glaciolacustrine sediments, Cairngorm Mountains 126–135
Gleann Einich, Cairngorm Mountains, glaciolacustrine sediments 126–135
Heads of Ayr, Vis,an/Tournaisian palynomorph Biozone 93–111
Hebridean Terrane, crustal contamination
Lewisian amphibolite facies 55–61
Moine schists, and granulitic facies 55–61

- Holocene coastal dunes, South Erradale, Wester Ross 5–13
- Iapetus Ocean, rifting on Avalonian margin, Nd studies of Ordovician sediment provenance 143–153
- igneous rocks, lavas vs intrusions, Cleish Hills 137–141
- Ireland (Northern), age for Bardahessiagh Formation 65–67
- Kirkton Formation, Crawford Group 69–82
- Lapworth, Charles, Birmingham collection, mylonites 1–3
- last glacial–interglacial transition (LGIT), basaltic microtephra sequences 21–30
- Lewisian amphibolite facies, crustal contamination, Rum Igneous Centre 55–61
- Loch Leven area, Cleish Hills, Georgeton burn igneous rocks 137–141
- Loch Lomond Stadial
 asaltic microtephra in LGIT 21–30
 indermere Interstadial marine sequence, Forth valley 41–54
- macrofauna, and palaeoenvironment, marine strata of Windermere Interstadial age 31–40
- magnetic separation, basaltic microtephra in LGIT sediment sequences 21–30
- Moine schists, and granulitic facies, crustal contamination, Ardnamurchan Igneous Centre 55–61
 mylonites, Lapworth's Birmingham collection 1–3
- Nd isotopes, Ordovician sediment provenance, Iapetus Ocean margin 143–153
- Northern Ireland, age for Bardahessiagh Formation 65–67
- Nuculana pernula*, marine strata of Windermere Interstadial age 31–40
- Ordovician sediment provenance, Nd isotope characteristics, Skiddaw Group 143–153
- Pb-isotope ratios, Ardnamurchan and Rum Igneous Centres 55–61
- podzolisation rates, Holocene dunes, Wester Ross 5–13
- Pomeroy, County Tyrone, Bardahessiagh Formation 65–67
- Raven Gill Formation, Crawford Group 69–82
- Rum Igneous Centre, crustal contamination, Lewisian amphibolite facies 55–61
- sea level (RSL)
 and coastal dune systems 5–13
 marine sequences, western Forth valley 41–54
- Selby's rock mass strength (RMS) classification, strength–equilibrium envelope 15–20
- Skiddaw Group, Nd isotope characteristics, Ordovician sediment provenance 143–153
- Skye, basaltic microtephra in LGIT, Vedde Ash marker 21–30
- Southern Uplands, Crawford Group, conodont biostratigraphy 69–82
- Tay, Firth of 31–40
- tetrapods, *Chirotherium barthii*, Triassic, west Arran 83–92
- Tyrone, Bardahessiagh Formation age, brachiopods 65–67
- Vedde Ash marker, Younger Dryas, Skye, basaltic microtephra in LGIT 21–30
- Viséan/Tournaisian palynomorph Biozone, Heads of Ayr 93–111
- Wester Ross, South Erradale, Holocene coastal dunes 5–13
- Windermere Interstadial
 eastern firths, macrofauna and palaeoenvironment 31–40
 marine sequence, environmental and RSL interpretations 41–54
- Yoldiella lenticula*, marine strata of Windermere Interstadial age 31–40