

Index

References to figures and tables are given in *italics*

- Abu Musa salt piercement 140, *141*, 146
aggrading and prograding overburden (halokinesis modelling) 243–257
 diapir formation 251, 253–4
 differential loading 255, 256
 faulting 253, 255–6
 methodology 245–9
 salt structures 248–55
 thrusting 256
Agha Jari Formation 135, 136, 146
Airy isostasy 114
Al Salif diapir 23–34, 37, 38
 deformation fabrics in salt 27–9
 deformation in overburden *31*, 33–4
 geological setting 26, 27
 overburden
 environmental interpretation 32
 stratigraphy 30–2
 unconformity 27, 30–1
 rate of uplift 32
 seismic profile 25
 stratigraphic setting 23–7
Alpine–Himalayan mountain chain 89
Ambrizette Spur 153
Angola–Zaire Basins
 burial history curves *168–9*, 170, 171, 172
 segmentation based on burial curves 170–1, 172
 seismic interpretations 157, 159–64
 stratigraphy *156*
 structural provinces 157, *159–63*, 164, *165*, 172
 subsidence rates 171, 172
 tectonic history 156–7, *158*
 transfer faults 170–1
Angulocellaria sp. 135
anisotropy 9, 245, 246
antithetic and synthetic faults 117, 261, 264
Ara Formation (Hormuz Salt Series equivalent) 130, 134, 135, 140, 145, 147
 conditions of deposition 136
Arabian Plate *106*, 129, 130, *130*, 131
Arabian Platform 132
 pre-orogenic diapirs 95
 salt structures initiation 95
Arabian Trend 95, 131, 132, 137, *137*, 144, 147
Arendsee salt dome 209, 225
Asmari Limestone 135, 142, 146, 147
Asmari–Chel Salt Basin (Persian Gulf) 135
Aulitic Trend 131, 147
Auslosen salt dome 206, 209, 223, 225

Bachoon diapir and namakier *93*, *94*, 97, 99
backstripping *113*, 114
Bacton Group 194, 197, *197*
Bakhtiari Conglomerate 99, 135, 136, 144, 146
Balsareny potash mine 65, 67, 68, 69, 72, 73
Bannu syntaxis 89
Barbastro Formation 66
basement fault displacement (D) 176, 188, *189*
basement heat flow 275
basement/cover fault systems 176
 in basin inversion 198–9
 detachment on salt layer 175, 177, 183
 detachment shared between multiple faults 188–9
 displacement discrepancies 177, 189
 effects of variation in basement fault displacement 188
 effects of variation in salt thickness 199
 stratigraphic 177, 182–3
 tectonically-induced 183, 185–8
 geometry of propagation through salt layer 175
 hard and soft linkage *176*, *186*
 ramp-flat trajectories 176, 188, 194–6, *194*
 seismic profiles *178*, *185*, *191*, *193*, *194*
 in viscous-brittle multilayers 194, 196–7
basin inversion 188, 189, 198, *199*
Bass Basin 170
Beuda Formation 66
Billingham Anhydrite 82, 84, 86, 87, 88
Billingham Anhydrite Mine 82
boudinage
 of anhydrite beds in Boulby Halite 85, 85
 in evaporite detachment level (Cardona Formation) 72–3, 73, 74, 75
 extension calculated 18, 20
 of intercalated non-halite beds 5–6, 28, 29
 in Klodawa diapir 13–15, 16, 17, 18, 20
 see also extension
Boulby Halite 77–88
 boudinage of anhydrite beds 85, 85
 deformation history 87
 depositional environment 80
 disparity of structures above and below 82
 faults 83–4
 flow-breccias 83, 85, 86, 88
 flow-lineated gneissic halite sheets 77, 84–7, 88
 act as glide-planes for undeformed halite lenses 86, 88
 crystal deformation 77, 84, 87
 estimated thinning effects 77, 87
 as locus for decoupling 87
 vertical distribution within Boulby Halite 84–5
 folds *81*, 83, 86, 87
 and faults in underlying formations 77, 82, 86, 87
 halite dissolution 81–2, 87
 halokinesis mechanisms 83–7
 driven by differential confining pressures 86, 87–8
 Honeycomb Rock 78, 79, 85
 pervasive recrystallisation 83, 86
 petrology 80
 schematic section 84
 stratigraphy 78
 tension fractures 83–4
 thickness variations 79, 80
 patterns of 81–2
 top and bottom surface contours 80
 Boulby Mine 80, 85, 86, 87
 Boulby Potash 87
 brines increase flow rate of salt 61, 98, 137–8
 Bu Hasa–Kidan Anticlinal Uplift (Persian Gulf Basin) 132

- Burgan–Wafra–Juraybi'at–Khurais Uplift (Persian Gulf Basin) 132, 133
- Butabul–Zauliyat Rise (Persian Gulf Basin) 132
- Cabanasses potash mine 65, 67, 68, 72, 73, 74
- Calatayud Basin 49, 55–7
 lithostratigraphy 51
 Miocene tectonic history 56–7
 palaeogeographic map 57
 schematic evolution 60
 see also hydration diapirism; Madrid Basin
- Campos Basin 170, 171
- cap-rocks 41, 135, 147
- Cardona Formation detachment horizon 65–76
 deformation gradient 75
 facies distribution 67
 lithostratigraphy 66–7
 location and regional geology 66
 macrostructures 67–8
 structures within detachment level 68–75
 boudinage 72–3, 74
 folds 69–70, 73, 74
 shear zones 71–2, 74
 sterils 73, 74
 thrusts 74–5
- Catalan Potash Basin 67
- Central Arabian Arch 134
- Central Arabian Graben System 134
- Central Basin (Persian Gulf Basin) 133
- Central Graben (North Sea) 4, 185, 187, 197, 198
 evolution revealed by section restoration 111, 115, 123, 124, 126
- Central North Sea
 extension in overburden 123–4
 section restoration 111, 112, 114–15
 sequential evolution of 124–7, 125
 uniformity of diapir heights 117, 118–23, 121, 122
- Chah Benu diapir 102, 103
- Channel Basin 187, 188, 189, 193, 194, 196, 198
- Chela Sandstone 157
- chevron folds 260
- climatic change triggers hydration diapirism 50, 59, 61
- Cloudina sp. 135
- collapse dolines 53, 53, 56, 57
- collapse grabens 275
- conversion of oil to gas 278, 280, 284
- counter-regional faulting (model) 255, 257, 259–64
 experimental materials 261
 fracture patterns in overburden 261–2, 262, 263
 methodology 261
 pillow geometry 262
 prograding sediment wedges 261–2
 seismic profile 263
- counter-regional normal faults 260, 264
 developed in model 261–2
- Dammam Dome 137, 143, 146, 147
- Danish Central Graben 275, 284, 197
 geological cross-section 12
- Danish–Polish Trough 11
- Dannenburg salt dome 205–6
- Dead Sea Basin 41
- Dead Sea fluctuations 44–6
- Dead Sea Transform Fault 131
- decompaction 112, 113, 114, 126
- delamination in cover sequence 197, 197
- delta progradation, in modelling differential loading 265–6, 267–8
- desiccation polygons in rock salt 16, 16, 18, 18
- Desu Formation 136
- diapir height uniformity in Central North Sea 117, 118–23
 explained by attenuation model 122–3, 122
- diapir-related fold and fracture modelling
 diapiric ballooning 235–6, 236, 237, 240
 diapiric growth rate 232, 240
 differential loading 236, 240
 effects of overburden thickness 232
 experimental materials 227–9, 230–2
 extension driven by loading 237–8, 240
 fracture patterns in overburden 227, 234–5, 236, 237–8, 240
 methodologies 227–32
 pillow geometries 232–3, 232
 and associated diapirs 234, 235, 236, 238
 pillow width related to overburden thickness 234
 primary rim synclines 227, 232–3, 236, 238, 240
 prograding sediment wedges 236, 240
 ratio of diapir and rim syncline diameters 233
 salt rollers 238, 238
 salt welds 238, 240
 scaling 229
 secondary rim synclines 227, 233, 236, 240
 thrusting 236, 237, 240
 withdrawal basins 233
 see also diapirism; overburden deformation; salt deformation; salt pillows
- diapirism
 active 6–8, 27, 33, 38, 183
 attenuation model 122–4, 122
 in Central North Sea 123, 124
 diapiric growth rates (experimental) 230, 231
 effects of overburden conditions 4, 291–301
 formed by salt withdrawal 124
 physical modelling 9, 227–41, 251, 253–4, 260–3
 reactive 182–3, 197, 238
 in raft tectonics 154, 157, 164
 role of buoyancy forces 6–8, 37, 136, 183, 186, 197
 in Central Graben 124, 126
 uplift rates 6–7, 44–6
 Al Salif diapir 32, 34, 38
 Gorleben salt dome 218, 220, 221, 223, 224–6
 see also diapirs; namakiers; salt piercements; salt pillows
- diapirism in brittle-viscous overburden (numerical modelling) 5, 291–301
 bedding and velocity field evolution 295, 300
 coupling viscous and visco-elasto-plastic simulations 293–9
 Deborah numbers 296, 299
 diapir growth sensitive to overburden rheology 291
 differential stress values 297
 erosion and redeposition over diapir 292, 293, 299–300
 estimation of rheological behaviour 292–3
 external tectonic stresses 291
 faulting produced by high stress concentrations 300
 high viscosity contrast between salt and overburden 4, 292, 293, 300
 pressure-solution creep 291, 293

- diapirism in brittle-viscous overburden (numerical modelling)–*cont'd*
 strength of sediments and buoyant salt diapir 292, 293
- diapirs 161, 164–5, 197–8, 203
 alignments 140
 amount of uplift above datum 37, 37
 collapse of overburden into dissolution cavities 29
 in Dead Sea Basin 41
 effect of advancing Zagros front 99
 faulting in overburden 8, 31, 33, 234–5, 236
 filling cavities formed by offset Zagros anticlines 93–4
 location in extensional environment 177, 199
 passive (pseudo-diapirs) 124
 schematic velocity fields 6
 spacing 5, 144–5
 strain rates 2–3
 in Zagros fold-diapir festoon 94
 see also Al Salif diapir; diapirism; Sedom diapir
- Dibba Transform Fault 131
- differential loading 237, 243, 291
 in analogue modelling 255, 256
 association with growth faulting 255
 centralises uplift of hydration diapirism 61
 essential for secondary sheet formation 256
 trigger for halokinesis 49
 see also aggrading and prograding overburden
- differential loading of a mobile substrate (numerical modelling) 265–73
 delta progradation 265–6, 267–8
 effect of variations in initial substrate thickness 269
 halokinesis not dependent on density inversions 272
 migrating depocentres 271–2
 mobile layer viscosity 269–70
 model results 268–72
 sediment transport distance 270, 270
 variables incorporated in model 265
- disharmonic folding 140–3, 142, 146
- displacement ratio (Dr) 176, 176, 186, 188, 199
 effects of variation in basement fault displacement (D)
 188
- dissolution of halite 8, 117, 118, 121, 123, 126, 146
 in Boulby Halite 81–2, 87
 cause of overburden collapse 29
 cause of structural inversion 140, 141
 subaerial and submarine 32
- Dizful Embayment (Persian Gulf Basin) 133
- Dömitz salt dome 206, 209, 223, 225
- Dorset Halite Formation 188, 189, 193, 194
- downbuilding 121, 122, 123, 124, 125, 126, 197
 in modelling 229
- Dowsing Fault Zone (DFZ) 177, 178, 182, 188, 196, 199
 Flamborough Disturbance 194, 196
- Dowşing Graben System (DOGS) 182, 199
- drag folds in shear zones 72, 72, 74
- drape folds 95, 96
- Drawehn salt structure 204
- Dukhan anticline 137, 138, 143, 144, 146
- East Midlands Shelf 177, 178, 182
- Eastern Platform 111, 115, 126, 127
 section restoration 117–18
- El Guix anticline 66, 68, 74
 cross-section 68
 mesoscopic anticline traces 69
- En Nala Axis Uplift (Persian Gulf Basin) 132, 133
- erosional unloading as trigger for halokinesis 49
- Erthraean Trend 131
- evaporite mounds see salt pillows
- extension
 calculated from boudinage 18, 20
 dominant over diapir roofs 8
 driven by loading (modelling) 237–8, 240
 gravity gliding 183, 191
 initiates diapirism 130, 236–7, 238
 in overburden 36, 123–4
 in raft tectonics 157, 159, 160, 164, 166, 172
 thick-skinned tectonics 191, 193
 thin-skinned tectonics 126, 164, 166
- extensional faulting
 Al Salif diapir 27
 basement 124–5, 130, 132, 136, 147
 basement to cover 175–200
 diapir crest 127
 in overburden 33, 38, 124, 127, 127
 produced by active upbuilding 37
 in prograding models 253, 255
 role in diapiric evolution 227, 234–6, 238
 trigger for halokinesis 136
- external heat sources 276
 trigger for halokinesis 49
- Faeroe Basin 170
- Fahud Salt Basin 133
- Fars Group 99
- Fars platform 93, 106
- fault trends in Persian Gulf 131
- faults
 antithetic and synthetic 117, 261, 264
 associated with Boulby Halite 83–4, 77, 82, 86, 87
 counter-regional 253, 255, 257, 259–64
 displacement on basement faults 176, 188, 189
 displacement ratio 188
 growth 33, 115, 117, 126, 255, 271, 272, 275
 in modelling 253, 255–7, 259–64, 262, 263
 in overburden 8, 31, 33, 36, 145, 234–5, 236
 reverse 236, 260
 thrusts 36, 53, 74–5, 236, 256
 transfer 170–1
 trigger for halokinesis 136, 138–9
 see also under individual fault names
 see also basement/cover fault systems; Dowsing Fault Zone; extensional faulting; listric faulting; wrench faulting
- Flamborough Disturbance 194, 196, 196
- folds 36, 69–70, 74, 260
 Al Salif diapir 27–9, 28
 below salt layer 77, 82, 86, 87
 changes with increasing deformation 75–6
 chevron 155
 detachment 69–70, 74, 143
 disharmonic 140–3, 142, 146
 drag folds in shear zones 72, 72, 74
 drapes 95, 96
 evaporite detachment level 69–71, 69, 70, 71, 74–6
 associated with shear zones 71–2, 71
 enveloping surface analysis 70, 74
 isoclinal in diapirs 16, 17, 18, 20
 modelling geometries 227–41
 parasitic 15, 16, 17, 27

- folds—*cont'd*
 in salt layer (Boulby) 81, 83, 86, 87
 sheath 5, 18, 20
 Forth Approaches Basin 183, 183, 185–8
 fracture patterns in overburden over diapirs 7, 31, 227, 261

 Gachsaran Formation (Lower Fars Series) 130, 135, 136, 142, 144, 146, 147
 Gaivota Basin 154, 172
 Galaxea fascicularis 31
 GECO–PRAKLA GWA88 seismic survey 153, 157
 Gifhorn fault system 203
 Gippsland Basin 170
 Gondwana 95, 100, 105, 107
 Gorleben salt dome 203–26
 delineation of salt source area 209, 218, 219, 223
 epeirogenic subsidence 218, 220
 determination of 209, 224
 error analysis 224–5
 evolution of 206
 isopach maps 209, 215, 216, 217
 palaeostructure 206, 207
 peripheral sinks see peripheral sinks
 precursor salt pillow 203, 206, 207, 222, 223, 225
 rate of salt dome uplift and salt flow 218, 220, 221, 223, 224–6
 salt budget 223–4
 sediment compaction 224–5
 seismic profiles 207–9, 208, 210, 224
 structural history of region 204–6
 structure 206, 211, 212, 213, 214
 regional 203–4, 204
 structure contour map compilation 207–9, 211
 Zechstein salt layer
 halokinetic movements reconstructed 225
 primary thickness of 223
 grabens 154, 157, 164–5, 194, 235
 Green Canyon salt structures 253
 growth faults 33, 115, 117, 126, 275
 Gülden–Braudel salt dome 203, 204, 205, 209
 Gulf of Aden Rift 131

 Hadramaut–Dhofar Arch 134
 Hail–Rutbah–Mosul Arch (Persian Gulf Basin) 132, 133
 Haimna Group 140
 halokinesis 53, 124, 189, 203, 209, 218
 ability to lift dense inclusions 98
 in Boulby Halite 83–7
 creep rate enhanced by influx of brines 61, 98, 137–8
 density inversion (buoyancy instability) not required 272
 driving forces
 buoyancy instability 6–8, 123, 124, 183, 186, 197
 differential confining pressures 86, 87–8
 differential loading (numerical model) 265–72
 prograding and aggrading overburden (analogue model) 243–257
 flow patterns 1–3
 from salt pillow to diapir 8, 207
 mechanisms 136–43
 Persian Gulf Basin 136–47
 salt mobility 137–8
 triggers
 differential confining pressures 86, 87–8
 extensional and wrench faulting 136
 hydration of anhydrite 58–60, 61
 thickness of overburden 8, 49
 undeformed lenses carried by shear zones 1, 20, 86, 88
 water-assisted dynamic recrystallisation 98
 Zechstein salt layer 255
 see also salt deformation; salt welds
 Hazar–Kashmir syntaxis 89, 90
 heat flux 276, 278–9, 289–90
 heat transfer (conductive and convective) 276
 Heide–Siemen salt dome 205–6, 209, 225
 Hewett Shelf 177, 178
 Hormuz Island salt piercement 134, 146, 147
 Hormuz lithofacies
 displayed in extruded salt 91, 100–4, 102
 early cyclic sequence 101
 igneous activity in relation to 103
 igneous and metamorphic inclusions 101, 102, 103
 late sequence 101–2
 Hormuz Salt Series (Ara Formation equivalent) 91, 130, 134–6, 136–40, 143–4, 147
 Hormuz salt structures
 extrusions 93, 94, 95–6, 96, 97
 relative topographic heights 98, 99
 initiated by local effects of Neo-Tethys subduction 100
 Hormuz-type salt sequences 103–4
 Hugf Group 135, 147
 Hugf–Haushi Uplift (Persian Gulf Basin) 132
 hydration of anhydrite to gypsum 50, 53, 56, 59, 60, 61
 as trigger for salt pillow uplift 58–60, 61
 hydration diapirism 49–61
 Calatayud Basin 49, 55–7
 Madrid Basin 49–55, 57–61
 three-stage evolution of 59–61
 hydrocarbon potential 290
 below overhangs 236
 below salt sheets 257, 284

 igneous activity 103, 106, 276
 incipient Qatar syntaxis 89, 90, 91, 91, 106, 106, 107
 isoclinal folding in diapirs 16, 17, 18, 20
 isostatic compensation 112, 113, 114
 Izbica–Kujawska–Kłodawa–Leczycza salt ridge 11

 Jabal al Milh diapir 23, 27, 34–6, 38
 active extension in overburden 36
 overburden 35–6
 regional setting and structure 34–5
 stratigraphic setting 23–7
 Jaeren High 188
 Jaham–Ma'aqala–Wariah Uplift (Persian Gulf Basin) 132
 Jebel-el-Sanan diapir 103
 Jehani salt piercement 134
 Jilh Formation 135, 136

 karst system of Sedom diapir 41
 Kashmir Himalaya 89, 90
 Kazerun fault zone 92, 93–4, 93, 99, 101
 Kazerun–Mangarak Fault 136
 Kazerun–Qatar lineament 90, 92, 95, 106
 Khufaisah–Mubayhis Uplift (Persian Gulf Basin) 132
 Kłodawa salt diapir 11–20
 geological setting 11–13
 kinematic analysis methods 13–18
 lithological map 14

- Klödawa salt diapir**—*cont'd*
 lithostratigraphy 13
 location map 12
 small-scale structures 13–18
 strain and lithology 18–20, 19
- Kuh-e-Angaru salt piercement** 102, 140, 146, 147
- Kuh-e-Gach namakier** 93, 94, 96, 101
- Kuh-e-Jahani namakier** 93, 94, 96, 97
 inclusions 101, 103
 salt lithofacies distribution 101, 102
- Kuh-e-Namak (Dashti) namakier** 93, 96, 97, 98
 rate of uplift 144
- Kuh-e-Namak (Feroosabad) namakier** 93, 96, 97
- Kuh-e-Namak salt piercement** 143, 144, 146
- Kwanza Basin** 153–4, 157, 160–3, 164–5, 170, 171, 172
- Lali Ambal salt piercement** 130, 135
- Lalun Formation** 134, 135, 144
- lineations**
 crenulation 71
 stretching 29, 29, 35
- listric faults** 8, 33, 154, 157, 188
 in Central North Sea 115, 117, 126
- lithospheric keys** 100, 104
- Loeme Evaporites** 157
- Louann salt** 101, 243, 246
- Lower Congo Basin** 153, 157, 159, 164, 171
- Lower Fars Series (Gachsaran Formation)** 130, 135, 136, 142, 144, 146, 147
- Lulu salt structure** 275, 284, 289
- Lunda Ridge** 153
- Lüneburg salt dome** 203
- Machar diapiric structure** 198
- Madrid Basin** 49–55, 57–61
 deformation features within evaporites 53
 geological map 50
 lithostratigraphy 51–3, 51
 Miocene tectonic history 53–4
 palaeogeographic map 56
 reactivated uplift 61
 regional faulting 53
 schematic evolution 58, 60
 see also hydration diapirism
- Main Zagros Reverse Fault** 129, 130, 131, 132, 133, 136
- Main Zagros Thrust** 92
- Makran wedge** 90
- Mangarak fault zone** 92, 93–4, 93, 94, 99, 101–2, 106
 namakiers along fault zone 96, 99, 101
- Mangarak–Marzuk lineament** 90, 92, 95, 106
- Marib–Shabwa Basin (Persian Gulf Basin)** 132, 135
- Masirah Transform Fault** 131
- Matti Uplift (Persian Gulf Basin)** 132
- Mayombe metamorphic system** 153
- Medan diapiric structure** 198
- Mercia Mudstone Group** 193
- Mesopotamian foreland basin** 92
- microlaminates (modelling material)** 245, 246, 247
- Mid-North Sea High** 187
- Middle Halite** 80
- Mishan Formation** 99, 135, 136, 142
- Mishqafaim Cave (Sedom diapir)** 41, 43, 44, 46
- modelling**
 analogue
 counter-regional faulting 259–64
 experimental materials 9, 227–9, 230–2, 245, 247, 261
 fold and fracture geometries 227–241
 halokinesis driven by aggrading and prograding overburden 243–57
 methodologies 227–32, 228, 245–9, 261
 scaling 229, 245–6, 246
- numerical**
 diapirism in brittle-viscous overburden 9, 291–301
 differential loading of mobile substrate 265–73
 thermal regimes 275–90
- Montrose-Forties High** 115
- Mosul syntaxis** 89, 94
- Mount Sedom** see Sedom diapir
- Mushash Anticlinal Uplift (Persian Gulf Basin)** 132
- Nahaidan Anticlinal Uplift (Persian Gulf Basin)** 132
- Najd strike-slip faults** 104, 105, 106, 106
- namakiers (salt glaciers)** 23, 38, 139, 140, 140, 146, 147
 distributed along fault zones 92, 96, 99, 101
 flow as ductile fluid 98
 internal structures 96, 96
 inverted stratigraphy 101
 in Zagros mountains 92, 95–6, 97
- Neo-Tethys** 90, 92, 95, 100, 105, 107
- North Caspian depression** 275, 289
- North Sea Basin** 80, 177, 177, 182, 198
- North Sea Zechstein Basin** 4
- Northern Gulf Salt Basin** 133
- Norwegian–Danish Basin** 4, 126, 188, 189
- oil fields**
 Abu Hadriyah 137
 Abu Sa' fah 137
 Agha Jari 142, 142, 146
 Alif 147
 Amal South 140, 146
 Bab 146
 Bahrain 146
 Bu Hasa 146
 distribution map 91
 Dukhan 137, 146, 147
 Ghasha 91, 95
 Ghawar 137, 148
 Greater Burgan 137, 145, 146
 Jana 146
 Jawb 130
 Karan 137
 Khafji 146, 147
 Khursaniyah 137
 Kirkuk 142
 Marmul 146, 147
 Masjid-i Sulaiman 142, 142, 146
 Mubarak 140, 146, 147
 Raudhatain 146
 Rumaila 137
 Shabwa 147
 Simsim 140, 146, 147
 Umm Shaif 146
 Yibal 146
 Zakum 91, 95
 Zubair 137

- oil and gas fields in periclinal drape folds over pillows 96
oil generation initiation 278, 284
oil window 284, 289
Oman ophiolite-radiolarite complex 134
Oman syntaxis 89, 94–5, 106
orogenic fold filling 143, 143, 146
Otway Basin 170
overburden deformation 8, 291
 Al Salif diapir 31, 33–4
 below namakier 23, 35–6, 35, 36, 38
 collapse into dissolution cavities 29
 in downbuilding model 229, 232–5
 extension 36, 123–4
 extensional faulting 33, 38, 124, 127, 127
 folding and thrusting 35–6
 fracture patterns 7, 31, 261–2, 262, 263
 in analogue models 227, 234–5, 237–8, 240
 visco-elastic 5, 9
overpressure 275, 279, 288, 289
- Palaeo-Tethys 100, 104, 105, 106, 106
palaeobathymetric profiles 114
palaeokarsts 49, 53, 53, 55, 56, 57, 61
Palmyra Fold Belt 134
Pan–African basement 103, 104, 106
Pannonian Basin 170
Parag salt piercement 144
parasitic folds 15, 16, 17, 27
peripheral sinks 203, 207, 209, 218, 223, 225
 method of estimating sediment volumes 207–18
 structural analysis 220, 221, 224
 see also rim synclines
Persian Gulf Basin salt tectonics 129–48
 diapirs initiated by basement extension 130
 geological cross-section 131
 gravity maps 137, 137
 halokinesis mechanisms 136–43
 hydrocarbon source rocks 147
 location of main diapirs 129
 megastructures 131–34
 oil abundance 146–7
 reservoir rocks 147
 salt accumulation and burial 136
 salt basin locations 133
 stratigraphy 134–6, 134
 structural trends 130
 tectonostratigraphic groups 135–6
 tectonostratigraphic provinces 132, 137
Pinda Formation 157, 171
porosity retention 279, 289
Potwar Plateau 89, 90, 95
Poxwell pericline 188
pre-rafts 154–5, 157, 159
prograding sediment wedges 157, 164, 260–1, 262, 264
 essential for secondary sheets 257
 in modelling 236, 244–5, 261–2, 265
Proto-Tethys (aborted palaeo-ocean) 91, 104–7, 105, 106–7, 106
 favourable site for hydrocarbon generation 107
 rifting and riffling 104, 106–7
Protosphaerium spp. 135
pseudo-diapirs 123
Purbeck Fault 187, 188
- Qatar Arch 130, 132, 133
Qatar syntaxis (incipient) 89, 90, 91, 91, 106, 106, 107
Quenguela Graben 154, 172
Quetta syntaxis 89, 90
Qusaiba Shale 147
radial gravitational gliding 171–2, 171
radioactive decay 276
radiocarbon dating 31–2, 43–4
raft tectonics 153–5, 157, 171–2, 185–6, 191–3
 accommodation of thin-skinned extension 164, 166
 contractional provinces 161, 162, 163, 164, 165, 172
 extensional provinces 157, 159, 160, 164, 172
 lateral variations in pattern 164–5, 167, 170
 in thick-skinned system 193
rafts 153, 154–5, 157, 160, 164, 165
 allochthonous 20, 29, 197
 within diapir neck 29
Rambow salt dome 209, 218
Ras Musandam Uplift (Persian Gulf Basin) 132, 133
Ravar Formation 136
relay zones 187, 188
reverse faults 260
Ridgeway Fault 187, 188
riffling 95, 100, 104, 105, 106, 107
 definition of term 100
rim synclines and anticlines 140, 141, 146, 147, 207, 209
 in analogue models 232–3
 associated sediments 203, 209, 276, 278
 in numerical models 275, 283, 289
 secondary 227, 233, 236, 240
 see also peripheral sinks
Riyadh Group 135
Roer Valley Graben 170
rollovers 188
Rosche–Thondorf salt structure 203, 204, 205
Röt Halite Member 197, 197
Rotliegend basement (Central North Sea) 124
Rotten Marl 82
Roxana namakier 93, 94, 96
Roxby Formation 78
Rub'al Khali Depression (Persian Gulf Basin) 134
Rumaila–Minagish Uplift (Persian Gulf Basin) 132
Rus Formation 135
- Sab'atayn Formation 135, 147
salt deformation
 boudinage 28, 72–3, 74
 crystal fabric 1, 2, 29, 29, 77, 84, 87
 in detachment levels 65
 folding 16, 17, 18, 20, 27, 28, 69–70, 74
 lineations 29, 29, 35, 71
 mechanisms 1, 2, 3
 in namakiers 76, 76
 planar foliation 29
 shear zones 71–2, 74
 sterils 73, 74
 strain rates 6
 strain related to lithology 13, 18–19, 19
salt domes 146
 over basement fault intersects 137
 radial fault pattern 145, 234–5, 235
 rate of uprise 203
salt extrusions see namakiers
salt flow rate
 equation 37
 increased in presence of brines 61, 98, 137–8

- salt glaciers see namakiers
- salt layers
 definition of thickness 193–4
 flow patterns 1–4
 minimum thickness for halokinesis 136, 144
 multiple non-halite intercalations 5–6, 193–7
 schematic velocity profiles 7
 variation in thickness
 due to buoyancy instabilities 183, 186
 due to gravity gliding extension 183
 from passive infill of contractional folds 185
 stratigraphic 177, 182–3
- salt piercements 4, 136, 139–40, 139, 140, 143, 144, 146
 see also namakiers
- salt pillows 4, 95, 185, 146, 187
 alignment distorted by Zagros shortening 95
 initiation triggers 49
 precursor of Gorleben salt dome 203, 206, 207, 222, 223
 spacing 5, 144–5
 triggered by hydration of anhydrite to gypsum 58–60, 61
 uplift before start of overburden sedimentation 57–8
 see also diapir-related fold and fracture modelling
- salt plugs see salt domes
- Salt Range (Pakistan) 95, 103
- salt redistribution see halokinesis
- salt rollers 153, 157, 238, 243
- salt sheets 279, 289, 243
 emplacement 244
 segmentation 243, 253, 255, 256
 thermal history 283–9
 thermal patterns around 279–83
- salt sills 197, 243
- salt stocks see salt domes
- salt structures 203–6
 depth of burial 275
 geometry 275
 initiation 100
 by regional extension 236–7
 by riffling 95, 100, 104, 105, 106, 107
 rate of growth 143–4, 147
 spacing 5, 144–5
 see also diapirs; salt pillows
- salt swells 164–5
- salt tectonics (Persian Gulf Basin) 129–48
- salt walls 146, 164, 198, 238
- salt welds 8, 99, 115, 125, 126, 127, 155, 188
 in model simulations 238, 240, 254, 256
- Saltholme Fault 82
- Sanandaj–Sirjan imbricate zone (Zagros orogen) 92, 94, 100, 101, 103, 104, 107
- Santos Basin 170, 171, 259–60, 264
- Sarvestan fault zone 91, 92, 93, 94
- sea-level variations in differential loading models 265
- Seaham Formation 78, 82, 86, 87, 88
- secondary gypsum 53, 56, 60
- section restoration
 application to Central North Sea sections 115–18, 116, 118
 methodology 111–12, 113, 114–15, 118
 salt layer free to change geometry 114, 118
 uniform diapir heights revealed 117, 118–23, 121, 122
- sediments, thermal history around moving salt sheet 283–5, 289
- Sedom diapir 41–6, 42, 101
 cave conduits 41, 44
 radiocarbon dating 43–4
 cross-section 43
 rates of uplift 44–6
- Segeberg salt dome 203
- seismic profiles 25, 159–63, 224, 263
 basement/cover fault systems 178, 185, 191, 193, 194
 Central North Sea 118, 121
 Gorleben salt dome 207–9
 interpretations 157, 164, 178, 183, 189, 191, 263
 locations of 155, 177, 183, 208
- shear zones
 carrying undeformed lenses (rafts) 1, 20, 86, 88
 evaporite detachment level 71–2, 71, 72, 74
 flow-lineated gneissic salt 1, 77, 86–7, 88
 see also Boulby Halite
- Simply Folded Belt (Zagros orogen) 92, 93, 94, 100
- Sole Pit High 177, 182, 196, 199, 199
- Sole Pit Trough 182
- South Oman–Ghaba Salt Basins 133, 134, 135, 136, 140, 144, 145
- South Viking Graben 126
- Southern Gulf Salt Basin 133
- sterils 73, 74
- Stictosphaeridium spp. 135
- Sulaiman wedge 89, 90
- Súria anticline 66, 67–8, 68, 69, 74, 75
- Súria potash mine 65, 67, 68, 72–3
- Surmeh namakier 93, 94, 99
- syndepositional deformation 265
- syntectonic sedimentation 260
- Taurus Fold Belt 134
 tectonostratigraphic zones (Persian Gulf Basin)
 Deep-seated Salt Domes 137
 Discontinuous Basement Uplifts 137
 Marginal Troughs 132
- tension gashes 13, 15, 17, 18, 53, 57
- Tethyan Trend 131, 132
- thermal anomalies 275, 278, 280–1, 283, 284, 288–90
- thermal conductivity
 salt 1, 275, 276
 temperature dependent 276–8
 salt/sediment contrast 1, 276, 278, 283, 288, 289
 sedimentary rocks 275, 276, 287, 290
- thermal convection 49
- thermal focusing and defocusing 276, 278, 279–80, 283, 288–9
- thermal gradient 278, 280, 289
- thermal subsidence 115, 177, 197
- thick-skinned extension 191, 193
 diapir location 177, 197–8, 199
 faults 175
- thin-skinned tectonics 175, 183, 185–6, 191, 199, 291
 Angola–Zaire Basins 154, 157, 164
 trigger for halokinesis and diapirism 6, 49
 on Western Platform 126
- transfer faults 170–1
- Tridacna sp. 31
- turtleback structures (Persian Gulf Basin) 140, 141, 146, 147
- unconformities 275
- Uremieh–Dokhtar magmatic arc (Zagros orogen) 92

- viscosity of salt and overburden 3, 4–6, 292, 293, 300
- viscous drag forces 37, 46, 232
- viscous layer thickness (Tv) *see* salt layer thickness
- volume increase resulting from anhydrite hydration 50, 60

- Wadi as Sirhan Depression (Persian Gulf Basin) 132
- West Bay salt structure 275, 289
- West Central Shelf 198
- Western Platform 111, 115, 123, 126, 127
 - extension faults in overburden 127
 - section restoration 117
- Whale–Horseshoe Basin 193
- wrench faulting 132, 147
 - pathway for diapirism 138–9, 139
 - trigger for halokinesis 136
- Wustrow salt dome 205–6, 225

- Z2 Stassfurt Halite Formation 182, 194, 197
- Zagros deformation front 91, 92
- Zagros Fold Belt (Persian Gulf Basin) 132
- Zagros fold-diapir festoon 89, 91, 93, 94–5
- Zagros fold-thrust belt 89, 91, 93, 94
 - controlled by Miocene salt décollement 94
- Zagros orogen 92–5
- Zagros orogeny 143, 144
- Zechstein salt 117, 118, 124, 223, 225
- Zechstein Supergroup 177, 182, 193, 197, 223
- Zwischenahn salt dome 223