

Index

passim indicates scattered references between the pages.
tables and figures are in *italic*

- Aalbeke Clay Member 32, 298–9
Aalterbrugge Formation 36–7
Abbey Wood, London Basin 207, 213
Airy backstripping 44–6
Airy isostasy 46, 55
Alba Formation 83
Alba sequence 109–11
Albæk Hoved section, Denmark 277, 279–80, 300, 301, 302
Alpha Ridge 267
Andrew sequence 23, 24
Andrew–Maureen formation boundary 23
Anton Dohrn Seamout 69, 70, 74
⁴⁰Ar/³⁹Ar dating, –17 and +19 ash beds 317
Arctic Ocean, diatomaceous sequences in 263
Arctic–Atlantic connection 464
Argiles à Lignites 342
Argiles d’Epernay 342–3
Argiles plastiques (bariolées and kaolinitiques) 4, 8, 342, 345
ash deposits/falls 317, 328–9, 376, 421, 463–4
 Denmark and North Sea 277, 277–8
 Eocene 277, 377
 North Atlantic ash series 326, 328–9, 331
 North Sea 389
 Site 550 317
 see also tephra layers
'ash series', SE England 219
Avenay, Paris Basin 206, 207, 211
- Balder Formation 7, 28, 82, 95, 100, 107, 238, 240, 249, 263, 266, 268, 328, 346
 correlation with Wrabness Member 240
 onlapping Erlend volcanic succession 72
 onlapping Lower Lava Formation 65
Balder Sands 28
Balder sequence 28, 98, 106–8
Balder–Frigg sequence boundary 109
Balder/Sele boundary 246
Balmoral Tuffite 24–5
Barents Sea 301
Barents Shelf 301
Beaulieu Member/Formation 49, 51, 82, 100, 101, 107–8, 249, 250
Belgium 213, 214, 344
 lower Eocene palaeomagnetic data 139, 142
 mammalian faunas 207, 213, 214, 343, 344
Beltinge Fish Bed 175
benthic foraminiferal extinction event, Paleocene/Eocene boundary 326, 339, 374, 381, 403–4, 406, 447
 Central North Sea 5
 Denmark 279, 296
 Georgia 323, 326
 Israel 323, 326
 Maud Rise and Walvis Ridge 408–13, 417–20, 422
 Spain 323, 326
 Sites 525 and 527 408, 413
 Site 549 363, 364, 365
 Site 550 360, 362, 365
 Site 577 323
 Site 689 408, 413
 Site 690 326, 339, 357, 359, 383, 408, 412
Beryl Embayment 105, 108, 111
 Balder sequence 107
 Dornoch sequence 106
 Maureen Formation 103–4
Bill Bailey Bank 70
Blackheath Beds 213, 219, 220, 244, 342
Blackstones Centre 70, 75
Borehole 79/07a 223, 226, 233, 236, 237
Borehole 81/46a 233, 236, 237, 238, 239, 240, 246, 248, 249
Borehole 82/12 73
Borehole 85/2B 74
Borehole 90/3 249, 250
Borehole 404T (Jubilee Line) 185–92
Borehole 810 (Jubilee Line) 224, 227, 235, 237, 239
Borehole A4A (CTRL) 224, 227, 235, 238, 239
Bracklesham Bay, dinoflagellate stratigraphy 30, 31
Bracklesham Beds 30
Bracklesham Group 344, 346
Bradwell boreholes 25, 247
 Borehole 205 226, 236, 238, 239, 240
 Borehole 206 234
 Borehole 209 138–9, 239
 Borehole 217 138–9
 magnetostratigraphy 138–9
Brendan Seamout 70, 72
Brioc sequence 34, 35
British Tertiary Igneous Province (BTIP) 1, 4, 347
Brito/Arctic Igneous Province 266
Brussels Sands 32, 33
Buchan Graben 46, 104, 105
Buchan Ridge 105
Bunkers Hill Borehole 230
- calcareous nannoplankton biostratigraphy 2–3, 95, 287, 288, 335–6
 Belgian Basin 35, 343–4, 346
 Denmark 278–9, 298, 302–3, 460, 464
 London Basin 25, 32, 34–5, 139, 141, 160, 187–8, 249, 328, 340–3, 346, 389
 North Atlantic 313–31 *passim*, 353–74 *passim*
 NP8/NP9 313, 346, 363
 NP9/NP10 *see existing entry*
 NP10/NP11 zonal boundary 355, 370
 NP11/NP12 zonal boundary 317, 358, 361
 Paris Basin 343–4
 Site 549 313–15
 Site 550 315–17, 333, 334, 339, 341, 359–62, 365, 367, 389, 462–6
 Site 577 321–3
 Site 690 319–20, 356–9, 365, 393
 Site 690B 358
 Sites 698 and 700 323
 Upnor Formation 131, 186–8

- Caran Sandstone 34, 101, 109, 110
 Caran sequence 34, 35
 Caravaca section 326, 419
 carbon isotopes 53–4, 59, 215, 313–17, 319–47 *passim*,
 363–74 *passim*, 381–97, 404–19 *passim*, 443–4,
 447–50, 458–9, 460–2, 466–7
 excursions 323, 327, 342, 345, 374, 381–2, 389, 393,
 394, 395, 445, 447, 448–9, 450, 452–3
 and the Paleocene/Eocene boundary 338, 345,
 354
Cenodiscus claystone 23
 Central Graben 104, 105, 106, 109, 346
 Central London boreholes 139, 185
 Chalk Group 100
 Channel Tunnel Rail Link Borehole A4A 224, 227, 235,
 238, 239
 charophytes 211, 213
 Chichester Harbour section 228, 229, 235, 237, 238, 239
 Chingford South Borehole 225, 227, 235, 237, 238, 239
 Chron C23r/C24n boundary 319
 Chron C24r/C25n boundary 331, 359, 372
 Chron C25n
 hiatus in London Basin 27, 134, 150
 and the 'Oldhaven magnetozone' 195
 Uþnor Formation, London Basin 150, 185–92
 climatic warming 7–8, 105, 119, 277
 around the Paleocene/Eocene boundary 267
 atmospheric CO₂ 402–3, 443
 long-term 466
 Condé-en-Brie, Paris Basin 207, 210
 condensed sections, London Basin 169–70
 primary 145–81 *passim*
 secondary 169, 178
 Conglomérat de Cernay, age of 343
 'conglomérat de *Coryphodon*' 211
 Conglomérat de Meudon 342, 343
 Crawford Ridge 88
 Crawford Spur 108
 Cretaceous, late, $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ data 445, 448–9
 Cretaceous/Tertiary boundary *see* K/T boundary
 Cromarty Sandstone Member 177, 180
 Cuisian (Ypresian)–Lutetian boundary 32
- Danian 328
 Danian/Selandian boundary 119
 Darwin Complex 71, 72, 74–5
 Denmark, late Paleocene to early Eocene sediments
 277–8
 depositional sequences, Paleogene, NW Europe 17
 diatom biostratigraphy
 Fur Formation 259, 260–1, 262
 Fur–Ølst formations 336
 Harwich Formation 262
 diatom blooms 268, 269
 diatomaceous sequences 263, 265
 diatoms 108, 230, 255–6, 257, 259–60, 355
 ecology of 267–8
 dinoflagellate cyst biostratigraphy
 graphic correlation, North Sea Basin 24, 26, 29, 31
 late Paleocene–early Eocene, Denmark 278–9
 NW Europe 421
 Paleocene/Eocene boundary, correlation with mammal
 zones 214–15
 Paleocene–Eocene
- North Sea Basin 91–112, 122–7
 NW Europe 328, 336, 342, 346
 Paleocene–Oligocene, North Sea Basin 23–6
 upper Paleocene to lower Eocene, SE England 145–80
 correlation with North Sea Basin 169–70, 173–80
 dinoflagellate cysts 3
 palaeoecology and relative sea-level change 170–1,
 243–8
 dinoflagellates, Wursterheide borehole 28
 Dormaal, Belgian Basin 207, 208, 210, 213
 Dornoch Formation 49, 100, 101, 105–6
 Dornoch sequence 98, 105–6
 Dowsett's Farm Borehole 224, 227, 234, 237, 238, 239
- East Shetland Basin 104, 106
 East Shetland Platform 59, 87, 107–8, 110, 111
 ebridians 256, 267
 Egem Sand (and Stone Band) 32, 33
 Egem–Panisel Sands 346
 Ekofisk Formation 20–2, 59, 328
 Ekofisk sequence 101
 English Channel 276, 300, 301, 302
 Eocene, base of 355
 Erlend/West Erlend Complex 65, 71–2, 74–5
 Erquelinnes 210, 213
 eustasy 5
 first-order sea-level variations 58
 global, long-term 55–8
 eustatic curve 17, 19–20, 22, 30, 36
 extinctions
 mammal 205
see also benthic foraminiferal extinction event
- Faeroe Channel 301, 302
 Faeroe Plateau Lava Group (FPLG) 65, 69
 Faeroe Trough 300
 Faeroe–East Greenland (Blosseville Coast) basalts 347
 Faeroe–Greenland igneous province 328
 Faeroe–Shetland Escarpment (FSE) 65
 Faeroe–Shetland Intrusive Complex (FSIC) 69, 73
 Faeroes Intrusive Group 69
 Fausses Glaives 342
 Ferry Cliff, London Basin 224, 233, 236, 237, 240
 Fladen Ground Spur 83, 87, 104, 110
 foraminiferal biostratigraphy 109
 benthic 7, 95, 104, 280
 agglutinated 25, 104, 408
 calcareous 296
 planktonic 3, 95, 104, 280, 391
 datum levels, Site 550 336–7, 337
 Rønæs Clay, $\delta^{13}\text{C}$ variations in 284–7
 Formation de Varangeville 328
 Forties Formation 346
 Forties Salt Platform 105, 109
 Forties Sandstone Member 7, 8, 25, 105, 117, 124–7,
 175, 176, 179, 328
 biostratigraphy 121–2
 Forties sequence 105
 Forties–Montrose High 108, 109
 Frigg field, sand-rich depocentre 106
 Frigg Formation 83
 Frigg sequence 95, 108–9
 Fulmer, M40 Motorway cuttings 225–6, 229, 234, 237

- Fur Formation 219, 256, 268, 269, 278
 ash beds in 328–9
 diatoms from 259, 260–1, 262
- Geikie central volcano 69
- Gelinden Marl 25
 genetic stratigraphic sequences 99
- Geomagnetic Polarity Time Scale (GPTS) 310, 328, 333, 335, 376–7
 and the Paleocene/Eocene boundary 329, 331, 337–8
- Glen Bay granophyre 70
- global warming 353, 381
 atmospheric CO₂ 402–3, 443
- Goban Spur 385
- graphic correlation 17, 18, 24, 26, 29, 31
- Greenland–Scotland Ridge 301
 as land bridge 4
 proto-Greenland–Scotland Ridge 328
 water mass salinity to north of 465–6
- Grid Formation 111
- Grid sequence 98, 111–12
- Hainin Formation 23
- Hales Borehole 141, 221–50 *passim*
 magnetostratigraphy 134–6
- Hales Clay 134, 135, 136, 141, 143, 220–44 *passim*, 310, 329, 337, 340
- Halesworth Borehole 136–7
 upper Paleocene/lower Eocene magnetostratigraphy 136–7
- Halibut Horst 49, 59, 104
- Hampshire Basin 111, 131, 132, 143, 219, 239, 244
- Harre borehole 262
- Harwich 200
 mammal faunas 210–11
- Harwich Formation 3, 131–2, 139, 143, 168, 176–7, 179, 180, 185, 220, 232–40, 331, 340, 342, 389
 base of 224–30, 337, 338, 345
 depositional history 220–1, 241, 243–8, 249
 magnetostratigraphy 195, 201
 palynology 230–40
 sequence stratigraphy 245–8
 stratotype at Wrabness 221
 tephros of 132, 196
- Harwich Member 220, 239
- Harwich Stone Band 177, 196, 198, 200, 210, 213, 221
 magnetostratigraphy 199, 201
- Hebridean–Thulean volcanic province 328
- Hebrides Terrace Seamount 69, 70, 75
- Herne Bay, Kent 115, 146, 149–50, 153, 160–1, 179, 214, 225, 235, 237, 238, 239
 aquatic palynomorph distribution 153, 160–1
 dinoflagellate cyst biostratigraphy 154, 165–8
 sequence stratigraphy 175–80
 stratigraphic summary log 148, 228
- Herne Bay Member 220
- hiatuses, late-Paleocene–early Eocene 310
- Holmehus Formation 162
- Horda Formation 101, 108, 109, 111
- hydrocarbon shows, distribution of 88
- hydrocarbons
 reservoirs 79, 269
 Tertiary, exploration for 112
- Hyon Sand Formation 299
- Iceland plume 60, 63–4, 74, 75
- Iceland–Faeroe gateway 464
- Ieper Clay Formation 139, 278, 337, 344
 base of 345
- IGCP Project 124 17, 36
- IGCP Project 308 309–10, 312, 340, 354
- Indian Ocean, intermediate water 451
- Inner Moray Firth 59
- Intra-Frigg terrace 32, 33
- iridium spike, Røsnaes Clay 279
- isotope stratigraphy 4
 Sites 690B, 550 and 549 367–70
- isotopic excursions
 rapid, possible reasons for 420–1
see also carbon isotopes; oxygen isotopes
- Jaeren High 82, 105
- Jubilee Line Borehole 404T 185–92
- Jubilee Line Borehole 810 224, 227, 235, 237, 239
- K/T boundary 101, 445, 447, 448–9
- kaolinite abundances 402
- kaolinite influx 5, 7, 105
- Khieu River section 326
- Knokke Member 214
- Knokke well 28, 343
- Knowl Hill section, Twyford 228, 229, 234, 237, 238, 239, 247
- Knudshoved Member 278, 279, 300
- Kortemark Silt 32
- Lambeth Group 25, 27, 131, 139, 141, 143, 146, 161, 166, 185–6, 249, 339, 340–1
see also Upnor Formation; Woolwich and Reading formations
- Landen deposits 27
- Lark Formation 36
- Leg 74 sites, C and O isotope 288, 448–9, 450, 452–3
- Leg 113 sites, C and O isotopes 447, 448–9, 450, 452–3
- Lellinge Greensand 24
- Levington 198–9, 202, 236, 240
 magnetostratigraphy of 200
- Lillebælt Clay Formation 34, 278, 296, 300
- Lista Formation 7, 25, 100, 101, 104, 117, 173, 175, 178, 179, 328
 green claystones 127
- Lista sequence 104
- Lofoten Basin 301
- London Basin 131, 132, 143, 196, 219, 244
 Chron C25n in 185–92
 mammalian fauna sites 207
- London Clay basement bed 219
- London Clay Formation 28, 32, 132, 139, 142, 146, 161, 166, 168, 178, 185, 191–2, 192, 214, 219, 220, 278, 296, 328, 342, 344, 346
 base of 354
- London–Hampshire Basin 30
 Blackheath–Hales Clay sequence 27
- Priabonian deposits 35
 upper Eocene depositional sequences 35
- Lopra-1 borehole/well 65
- Lousy Bank 70
- Lower Balmoral Sandstone 173, 179
- Lower Balmoral sequence 24–5

- Lower Forties Sandstone 25, 27
 Lower Forties sequence 25
 Lower Frigg sequence 28, 32
 Lower Lava Formation 65, 74
 Lower Upnor 150
 aquatic palynomorph distribution 155, 162
 dinoflagellate cyst biostratigraphy 168
 sequence stratigraphy 175–8, 179–80
 stratigraphic summary log 149
- magmatic underplating, northern North Sea 60
 magnetobiochronology
 integrated, biochrons NP9 and NP10 327
 NW Europe 309–47
 magnetostratigraphy 2, 4
 Borehole 404T 188–92
 Bradwell, Essex 138–9
 Faeroe Plateau Lava Group (FPLG) 65, 69, 72
 London Basin, Paleocene 134–42 *passim*, 150, 173–7
 Site 549 363, 365
 Site 550 359, 365
 Site 690 319, 357
 Site 690B 356, 365
 Thanetian/Ypresian stratotypes 129–30
 mammals 3–5
 biochronology, Europe 205–6
 Europe–North America correlations 214–15
 mammalian faunas, parsimony analysis 206–7
 mammalian MP and PE zones 205–8, 210–14
 Paris Basin 342–4
 taxonomic turnover 210
 marine–terrestrial correlation, NW Europe 339–45
 Marnes de Gelinden 343
 Marnes de Meudon 22
 Maud Rise 356, 389, 405, 408–13, 417–18, 445
 Maureen Formation 3–4, 100, 101, 117
 Maureen sequence 23, 24, 101–4
 maximum condensation surfaces 95, 100, 101, 106
 top Balder sequence 108
 top Dornoch 108
 top Grid sequence 111
 maximum flooding surfaces 98
 Mediterranean, modern, deep waters of 444
 Merelbeke Clay 32
 Meudon, Paris Basin 206, 207, 210
 microfaunal zonation, for the North Sea 95
 microfossils 3
 see also siliceous microfossils
 Middle Frigg sequence 30, 32
 Middle Lava Formation 65, 73, 75
 Middle Sele sequence 27
 the Minch 73–4
 Minch Fault 74
 Mo Clay *see* Fur Formation
 Mons-en-Pélève Sand Member 298
 Mont Aimé-Vertus Formation 22
 Montian stage boundary 22
 Montrose Group 94, 100, 328
 Moray Delta 87, 88
 Paleocene bathymetric high 82
 Moray Firth Basin 101, 103, 104, 106, 107–8, 109, 111
 Moray Group 94, 100, 101, 328
 Mousa Formation 101, 108, 109, 110, 111
 Mutigny, Paris Basin 206, 207, 210, 211
- Nacton 233, 236, 237, 240
 Nahal Avdat section 327, 355
 Nauchlan sequence 34, 35
 North American Land Mammal Age (NALMA) 344–5, 354
 North Atlantic 313–31, 353–74
 bottom waters in early Eocene circulation 466–8
 Cretaceous and Paleogene deep waters 454
 early Eocene 463–6
 North Atlantic sites, bottom-water cooling 466
 opening of 266
 warm saline bottom water (WSBW) in 451, 454
 North Atlantic Deep Water (NADW) 463
 North Atlantic Igneous Province (NAIP) 1, 63, 74
 North Atlantic Ocean, initiation of 5, 73, 74
 North Atlantic–Arctic rift system 276
 North Rockall Trough 73
 North Rockall Trough–Hebrides Lavas Group (RTHG) 69–70
 North Sea
 anoxia, late Paleocene–early Eocene 269, 296
 basin stratification, late Eocene–early Paleocene 268
 carbon isotopes, early Eocene 285–6
 circulation, latest Paleocene 268
 northern, Paleocene uplift 60
 oxygen isotopes 301–2
 palaeocirculation 267
 Paleocene–Eocene succession 94–101
 restriction and eventual isolation of 7–8
 semi-enclosed, early Eocene 299, 299–301
 water exchange with ocean 303
 North Sea Basin
 controls on Eocene sand deposition 88
 earliest Eocene sediments 221
 Paleocene–Eocene siliceous microfossils 255–70
 palynomorph correlation with E England 248–9
 sand-supply routes, Eocene 83–4, 90
 structural elements 94
 subsidence 346
 water mass stratification, early Eocene 286, 300, 303, 462–3
 North Sea sequences, correlation with NW Europe 346
 North Viking Graben 60, 105, 106, 109
 northern component water (NCW) 444
 Norwegian–Greenland Sea 301, 302, 464
 connection with Arctic Ocean 465, 466
 opening of 83, 463
 NP9/NP10 chronozone boundary 374
 NP9/NP10 zonal boundary 318, 321, 323, 326, 337, 338, 355, 358, 359, 363, 370, 373, 374, 375
 estimated age of 376
 hiatus at, Site 550 393
 stratigraphic continuity, Site 690B 366–7
- ocean–atmosphere ¹³C₂ exchange 393–5
 oceans
 decrease in productivity 403
 heat transport, theory of increase in 403

- long-term decrease in carbon isotopic composition 381, 383
- long-term warming of, transitional Paleocene–Eocene 402
- mean salinity, Cretaceous 454
- oxygen conditions, low, at extinction events 403
- proto-Gulf Stream circulation, development of 466
- Odin sandstones 107, 108
- Oldhaven Beds 160, 161, 219, 220, 225, 238, 244, 329, 337, 340, 346
 - ashes in 240
- Oldhaven Formation 219
- 'Oldhaven magnetozone' 195–202
- Oldhaven Member 146, 150, 168, 180, 237
 - basal pebble bed 177
- Ølst Formation 27, 28, 162, 219, 279, 296
 - ash layers in 278
- Orchies Clay Member 298
- Orchies sequence, Belgium 32
- Orkney–Shetland Platform 43
- Ormesby Borehole 134, 141, 221, 223, 226, 233, 236, 237, 238, 239, 246
 - magnetostratigraphy 134, 135
- Ormesby Clay Formation 130–1, 134, 135, 136, 137, 141, 142
- Orwell Member 220, 236, 240, 243
- Østerrenden Clay 25
- Outer Moray Firth
 - Cretaceous succession 43
 - earliest Eocene, correlation with SE England 248
 - subsidence analysis 51–3
 - Tertiary succession 43
- oxygen isotopes
 - excursions 416–17, 420
 - Site 690 383
 - Paleocene Ocean 445, 447, 448–9
 - Site 550 459–60, 461
- palaeoceanographic events, and isotopic shifts 290
- palaeogeography, North Sea
 - early Eocene 301–2
 - late Paleocene and early Eocene 266–7
- Paleocene ocean, deep water circulation 419–20, 422, 443–54, 466–7
- Paleocene/Eocene boundary 27, 28, 71, 129, 143, 249, 255, 310
 - age of 406–7
 - C and O isotopes 393–5, 394, 447, 448–9, 450, 460
 - and a carbon isotopic excursion 338, 345, 354
 - current delineation 345
 - in Denmark 278–9
 - identity and geochronology, NW Europe 327–39
 - marine correlations around 354–78
 - N America–NW Europe relationship 344–5
 - North America 337
 - and the NP9/NP10 zonal boundary 311, 345, 376
 - offshore diatom occurrences around 263
 - and the P5/P6 boundary 311
 - Paris Basin 384–5
 - Site 401 318
 - Site 690B 319, 320, 321
 - Site 698A 324
 - Site 702B 325
- Paleocene/Eocene boundary events 5–9, 205
 - Site 690B 359
- Paleocene/Eocene boundary interval 3
 - central North Sea lithostratigraphy 6–8
 - planktonic foraminiferal zonation 311–12, 406
- Paleogene R/TF cycles 20, 22–7, 30–6
- palynological zonation schemes, from oil industry studies 122–3
- palynomorph association sequences 132, 250
- palynomorph–palynofacies data, Paleogene Central North Sea 121–8
- palynomorphs 3, 7
 - aquatic 171
 - Herne Bay 153, 160–1
 - Lower Upnor 155, 162
 - Pegwell Bay 151, 159
 - Wrabness 157, 164–5
 - marine vs. non-marine, Well 22/10a-4 116, 117–19
- Paris Basin 22, 27, 34, 35, 354, 395
 - mammalian faunas 206, 207, 342–4
 - Paleocene/Eocene boundary problem 384–5
 - preliminary carbon isotopic results from 397
 - Priabonian deposits 35
 - Spornacian facies 342–3
- Pegwell Bay, Kent 142, 149–50, 161–2
 - aquatic palynomorph distribution 151, 159
 - dinoflagellate cyst biostratigraphy 163–5
 - stratigraphic summary log 147
 - Thanetian sequences 173, 175, 179
- Pegwell Marls 25, 146, 163–4, 173, 179, 328, 343
- planktonic foraminiferal biostratigraphy
 - late Paleocene–early Eocene 310–21, 326, 346, 354, 403
 - P4/5 zonal boundary 313, 321, 354
 - P5/P6a zonal boundary 317, 321, 323, 326, 337, 338, 354
 - P6b/P7 zonal boundary 354
 - Paleocene North Sea 230
- Possagno section 355
- Pourcy, Paris Basin 206, 207, 210, 211
- Priabonian 35
- radioisotopic ages, –17 and +19 ashes 333, 335
- radiolaria 109, 256, 257, 259, 326
- radiometric dating 4
- Reading Beds 8, 28
- Reading Formation 27, 228, 230, 340
 - see also Woolwich and Reading formations
- Reculver Silts 25, 115, 119, 146, 160, 164, 165, 173, 175, 179, 340
- Reculver Tabular Band 175, 178
- red mudstone 28, 131, 137, 138
- relative sea-level change 240–2, 243
 - and dinoflagellate cyst palaeoecology 170–1
- rifting
 - early Tertiary 59
 - Kimmeridgian 58
 - Mesozoic 43
 - North Rockall Trough 74
- Rockall Complex 70–1
- Rogaland Group 328
- Rona Ridge 73
- Rosemary Bank Seamount 70, 74

- Røsnæs Clay Formation 28, 277, 278, 279–80, 281, 300, 301, 303, 346
 biostratigraphy 292–9
 isotope data 284–90, 289
 Roubaix Clay 298
 Roubaix sequence, Belgium 32
- Sables de Mons-en-Pélève 28
 Sables de Sinceny 342
 Sables de Tillet 25
 Sables d'Erquelinnes 329
 St Kilda central volcano 69
 St Kilda Complex 70, 75
 Scotland–Shetland landmass 94, 100, 109
 Scottish Highlands 43, 346
 sea-floor spreading, Norwegian–Greenland Sea 60, 74
 Selandian 328
 Selandian/Danian stage boundary 22–3
 Sele Formation 3–4, 7, 8, 25, 100, 105, 106, 117, 124, 177, 180, 236, 240, 249, 263, 268, 328, 329, 346
 black shales 126
 Sele/Lista formation boundary 7, 25
 sea-level fall at 8
 sequence biostratigraphy
 North Sea 169–70
 Upper Paleocene–Lower Eocene, SE England 169–71
 sequence boundaries, late Paleocene–early Eocene
 Belgium 344
 London Basin 180, 340, 341
 sequence cycle curve, for NW Europe 36, 37
 sequence stratigraphy 5, 15
 Belgium Basin 22, 25, 27, 28, 30, 32, 35
 Danish Basin 22, 23–4, 25, 28, 104
 London–Hampshire Basin 27, 30, 32, 35
 northern Germany 28, 30, 32, 33
 NW European basins 339–40, 340, 346
 Paleocene–Eocene, North Sea Basin 98–112
 Paleocene/Eocene boundary events 5–9
 Paris Basin 22, 25, 27, 28, 34, 35, 36
 Rupelian and Eocene–Oligocene transition 36
 Whitecliffe Bay 30, 31, 32–3, 34–5
 Sézanne–Broyes, Paris Basin 207, 210
 Shamblehurst Borehole 228, 229, 230, 235, 237, 238, 239
 Shelford Pit 228, 235, 237, 239
 Sheppey 1 Borehole (Harty Borehole) 225, 235, 238, 239, 329
 Sheppey, Isle of 247
 Shetland Platform 43
 tectonic uplift 27
 Shetland–Faroe Channel 276
 Shotley Gate Borehole 221, 223, 233, 236, 237, 238, 240
 siliceous microfossils, North Sea Basin 255–70
 silicoflagellate biostratigraphy 256, 259, 263, 329
 Sinceny, Paris Basin, mammal faunas 210, 211
 Site 384 310, 450
 C and O isotopes 445, 447, 448–9, 452–3
 Site 401 317–19, 463, 466, 467
 Site 403 355
 ashes in 328, 329
 Site 404 355
 Site 525 405
 C and O isotopes 407, 441
 faunal data 411, 436–7
 Site 527 405
 C and O isotopes 407, 441
 faunal data 412, 438–9
 Site 549 313–15, 354, 355, 359, 363–5, 372, 382, 385, 385, 391, 419
 benthic foraminiferal extinction event 326
 carbonate dissolution 354
 and the Chron C25n/C24r boundary 372
 correlation with Sites 690B and 550 365–7, 371
 stratigraphic gaps 363, 365
 Site 550 243, 278, 281, 310, 312, 315–17, 327, 333–4, 354, 355, 367, 370, 372, 382, 385, 386–7, 391, 465
 ashes 328, 329
 ash layers –17 and +19 311, 317, 331, 339, 354, 373, 376, 389
 benthic foraminiferal extinction event 326
 C and O isotopes 290–2, 293, 459–62, 461, 463
 calcareous nannoplankton zones/markers 341
 carbonate dissolution 315, 317, 331, 354, 373, 393
 correlation with sites 549 and 690B 365–7, 371
 development of vertically isothermal conditions, early Eocene 463
 early Eocene water depths 457–8
 magnetobiostratigraphic correlations 330, 359–62
 NP9/NP10 zonal boundary 393
 planktonic foraminiferal zones/markers 341
 relative chronology in the NP10 zonal interval 372–4
 sedimentation rates 333, 334–6, 339, 373–4
 unconformities 315, 331, 332, 333, 359, 365
 Site 577 321–3, 326, 419, 443, 466, 467
 C and O isotopes 445, 447, 448–9, 450, 452–3
 Site 643 302
 Site 689 405
 C and O isotopes 407, 440
 faunal data 409, 430–1
 Hole 689B 405
 Site 690 353, 354, 354–5, 356–9, 382, 405, 466, 477
 C and O isotopes 354, 407, 440
 faunal data 432–5
 Hole 690B 319–21, 355, 370, 374–5, 388
 benthic foraminiferal extinction event 320–1, 326
 correlation with sites 549 and 550 365–7, 371
 sedimentation rates 374–5
 NP9/NP10 zonal boundary 393
 Site 698 323, 326
 Site 700 323, 326
 Site 703 323, 326
 Site 738 419, 445, 452–3
 Hole 738C 451
 Site 747 419
 Site 752 419, 451, 452–3
 Site 762 419
 Site 865, $\delta^{13}\text{C}$ excursion 419
 Sizewell Borehole 141, 224, 233, 236, 237, 238, 239, 240
 magnetostratigraphy 137–8
 Skagerrak–Kattegat Platform, uplift of 35–6
 Soissons, Paris Basin 207, 210, 211
 Sole Pit structure 236
 South Mimms, M25 Motorway cutting 225, 229, 234, 237, 238, 239
 South Viking Graben 60, 86, 101, 103, 105, 106, 108, 110, 111

- South Viking Graben boundary fault 111
- Southern Ocean
 deep waters source 447
 'younger' bottom waters 467
 southern ocean water (SOW) 444
- Soviet Union (former), diatomaceous sequences 263
- Sparnacian 27, 28, 139, 278, 337, 342–3, 354, 384–5
 MP8-9 fauna in 342
- stable isotope correlations
 regional, upper Paleocene–lower Eocene 377–8
see also carbon isotopes; oxygen isotopes
- stage boundaries, Paleogene 129
- Stanford Rivers Borehole 224, 227, 234, 237, 238, 239, 247
- Stourmouth Clays 146, 160, 163, 343
- stratigraphic traps 79
- Stronsay Group 94, 100, 101
- Studd Hill, Herne Bay 214
- submarine fans
 Paleocene, Central North Sea 121, 123, 137
 Paleogene, North Sea 23, 24, 34, 37, 178, 346
- subsidence
 North Sea Basin 346
 Outer Moray Firth
 Cretaceous–Tertiary, errors in analysis of 53–5
 McKenzie subsidence 46, 49
 Paleogene 46, 53, 59, 109
 Paris Basin, controlling Upper Eocene gypsum deposition 35
see also thermal subsidence
- Suffolk Pebble Beds, London Basin 207, 208, 210, 221, 244, 342
 mammal fauna possibly reworked 213
- Swanscombe Member 219, 220, 221, 224, 225
- Tampen Spur 106
- Tay Formation 83
- Tay sand 34
- tectonic cycles, Outer Moray Firth 94–5
- tectonism
 earliest Eocene
 central North Sea 83, 84
 NE Atlantic 457
 and North Sea Basin evolution 276–7
 and Paleocene/Eocene carbon shift 421
 and restricted oceanic circulation 295–6
 rifting of N Atlantic 249
 and transfer of global silica 267
see also volcanism
- tephra layers, Harwich Formation 221, 240, 246
- tephrostratigraphy 5
 and NP9/10 boundary 7
- Tethys, home of Paleocene deep water? 444
- Thames Group 131–2
see also Harwich Formation; London Clay Formation
- Thanet Sand Formation 3, 8, 25, 131, 138, 141, 142, 160, 161, 165–6, 168, 185, 186
 at Pegwell Bay 161–2
 Base Bed 146, 163, 173
 sub-aerial weathering of 142
see also Pegwell Marls; Reculver Silts; Stourmouth Clays
- Thanet Sands 328
- Thanetian 24–5, 328
 global stratotype point for base of 178 sequences, SE England 173–6, 179–80
 type section of 149–50
- thermal subsidence
 Cretaceous and Tertiary 49
 post-rift 43, 58
 reverse modelling of 46
- Tilehurst Member 219, 220, 225
- Tilehurst Quarry 226, 228, 234, 237, 238, 239
 stratotype section, Tilehurst Member 228, 229
- timescales *see* Geomagnetic Polarity Time Scale (GPTS)
- Tor Formation 20
- transgressions 219, 221
 early Eocene 267
 London Clay 240
 main Upnor Formation 141
- Try, Paris Basin 210, 211, 213
- tuffaceous lacustrine sediments 65, 69
- Tuffeau de Lincet 25, 344
- tuffs 27
 Faeroes and Balder Formation 69
 North Atlantic 328
- Twyford Member 219, 220
- unconformities 37, 101
 base Harwich Formation 341–2
 base Rupelian 33
 and the Chron C24r interval 370–1
 Ormesby Clay–Hales Clay 134, 136, 141
 representing lowstands 173, 175, 176, 177, 178, 179, 180
 Site 549 313
 Site 550 315, 331, 332, 333, 359
 Site 690B 319, 358–9
 stage boundaries as 23
 Thanet Sand Formation–Lambeth Group 150
 Whitecliffe Bay 33
- uplift 15, 27, 43, 91
 regional 58
 and Iceland plume 60
 Paleocene 51, 53, 55, 59, 60
- Upnor Formation 8, 27, 34, 131, 137, 142, 150, 160, 166, 168, 278, 329, 339, 340, 343
 basal conglomerate 175, 176
 calcareous nannoplankton biostratigraphy 186–8
 Central London 186
 Chron 25n in 139, 160
 depositional environment 188
 as highstand deposits 192
 palynoflora 188
see also Woolwich Bottom Bed
- Upnor Pit 225, 228, 235, 237, 238, 239
- Upper Balmoral Sandstone 173, 175, 179
- Upper Balmoral sequence 25, 27
- Upper Chalk 146
- Upper Forties sequence 27
- Upper Frigg sequence 30, 34
- Upper Lava Formation 65, 73, 75
- Upper Sele sequence 27
- Upper Tay sequence 34–5

- upwelling
 in a 'greenhouse world' 267
 and isotopic composition 389
 Maud Rise area 418
 North Sea Basin 267, 268–9
 Utsira High 110, 111
- Varangeville 139, 142
- Vestmanna–1 borehole/well 65
- Viborg Borehole 23–4, 162, 178
- Viborg Formation 36
- Viking Graben 82, 84, 104, 105, 107, 109, 110
- Vlierzele sequence, incisive 32, 33
- volcaniclastic deposits 24–5, 72–3, 75
- volcanism 5, 266, 421–2
 early Eocene and deep sea circulation in the North Atlantic 463–6
 early Paleogene 328–9
 East Greenland–Hebridean province, significance of 347
 Thulean 276, 277–8
- Vøring Plateau Lava Lower Series 71
- Vøring Plateau volcanic margin 72
- Walton Member 132, 143, 178, 196, 198, 199, 219, 221, 225, 228
 magnetostratigraphy 200, 201
- Walton-on-the-Naze 234, 239
 magnetostratigraphy 200
 summary log 224
- Walvis Ridge 405, 408–13, 418–19, 445
- Wardrecques Member type section 139, 142
- warm saline bottom water (WSBW) 403
 and early Eocene deep water circulation 463
 in the North Atlantic 451, 454
- Waterschei Clay 25
- Well 14/25-1 246, 248, 249
- Well 15/28a-3 247, 248, 249, 264
- Well 21/9-1 264
- Well 22/10a-4 6, 7, 115–19
- Well 205/9-1 65
- Well D.G.I. 83101 25, 27
- West Central Graben 82
- West Fladen High 49
- West of Shetland 250
- West Shetland Basin 73
- Western Platform 83, 87
- Whitecliffe Bay (IoW) 139, 142, 196, 228, 230, 235, 238
 Whitecliffe Bay section 34–5
 sequence stratigraphy 30, 31, 32–3
- wireline logs 98–9, 101, 108
- Witch Ground Graben 46, 83, 103, 104, 105, 110, 111, 346
- Wittering Formation 344, 346
- Woolwich Beds 278
- Woolwich Bottom Bed 146, 166, 176
- Woolwich Formation 27, 137, 138, 168, 340
- Woolwich and Reading Beds 131, 328, 340
- Woolwich and Reading formations 131, 139, 142, 191, 192
 interdigitated 136
- Woolwich Shell Beds 176, 178, 180, 213, 329, 343
- Woolwich Shell Beds/Oldhaven Beds hiatus 342, 346
- Wrabness 146, 150, 179, 198, 233, 237, 238, 239
 aquatic palynomorph distribution 157, 164–5
 dinoflagellate cyst biostratigraphy 169
 magnetostratigraphy of 200
 stratigraphic summary log 150, 223
 Ypresian sequences 177–8, 180
- Wrabness Member 134, 136–7, 146, 169, 177, 196, 198, 199, 220, 221, 223, 238, 246, 247, 310
 magnetostratigraphy 202
- Wrabness/Hales boundary (Norfolk) 246
- Wursterheide borehole 28, 30, 32, 33
 dinoflagellates 28
 sequence stratigraphy 33
- Wyville-Thompson Ridge 250
- Wyville-Thomson Ridge 69, 74
- Ymir Ridge 74
- Ypresian
 NW Europe 328, 345
 base of 338
 sequences 176–8, 180
- Zin Valley section 326
- Zumaya section 326