

Index

- Aberdeen Member, Blackhawk Formation, Utah 209
Acanthoceras athabascense 163
Acanthoceras jukesbrownei 14, 17–18, 277–9, 284
 A. jukesbrownei/*C. naviculare* Zone 13, 288, 289
 zonal type 277
Acanthoceras plenus 279
Acanthoceras rhotomagense, as diagnostic marker 13,
 16, 271–2, 275, 277–8, 282, 284, 288
accommodation, defined 321
Actinocamax plenus/*Pachydesmoceras denisonianum*
 Event 272
Actinocamax primus Event 14, 15, 275–6, 278, 285–6
aeolian systems 4–5
Alberta, Foreland basin 159–91
Albian–Cenomanian boundary
 Anglo-Paris Basin 283
 Beer, Devon 283
 excursion 18
 Münsterland 273–4
algae, *Palaeoaplysina*-phylloid algae, Greenland
 351–2, 357, 361–2
alluvial environment
 changes in accommodation space 39
 degradation 45
 graded river 38
 sequence stratigraphy 43–6
alluvial sediments
 graded river 38
 sequence stratigraphy 37–49
Alps, Western, Vercors carbonate platform 299
Alton coal 228
Amdrup Land, Greenland, carbonate platform 347–65
 geological setting 347–51
 Kap Jungersen 2 Sequence 352–63
Ammobaculites gravenori 163
ammonites, zonation 270
Amphidonte Event 18, 272, 277, 278
Anglo-Paris Basin
 biostratigraphy 280–2
 carbon correlations, Cenomanian to Turonian 11–
 24
 geological setting 279–80
 interbasinal correlations 289–91
 location map 280
 section descriptions 282–5
Anthracoeras marine band, Pennine Basin 224–8
 Anthracoeras sequence 242
 occurrence and faunal content 225
 stratigraphy 224
Apache Canyon, Texas, cross-sections 331, 333, 342
Appalachian Basin, Breathitt Group, (Pennsylvanian),
 sequence stratigraphy 195
Aquitaine Basin
 geological setting 285–7
 interbasinal correlations 289–91
 location map 285
 section descriptions 287–8
 sequence stratigraphy 286
Arcente, Muleshoe Mound, Sacramento Mountains
 326–8, 338
Arctic, *Palaeoaplysina*-phylloid algae, Greenland
 351–2
Atlantic Realm 279
Barremian, duration 217
Barremian Glandasse Formation limestones 296–9
 estimated sea-water calcite (ESC) 311
base level
 changes 42–3
 defined 37
 stratigraphic 39
base profile
 concept 37, 38–43
 types of changes 41
 edge effects 45–6
basinal settings
 biostratigraphy, interbasinal correlation 269–93
 criteria for analysis 271
Beaton River
 outcrop sections 168–9
 palaeogeography 172–4
 panoramas 182–3
 sandstones 172, 173, 174–9, 182–3
 sequence stratigraphy interpretations 184, 185
Beckwith Plateau 208, 210, 211
Beer, Albian–Cenomanian boundary 283
Beer Head Limestone 280, 282–3
belemnites *see Actinocamax primus* Event
Belper Lawn coal 228, 231, 236
Bilá-Hora Formation, Turonian 251, 253
biostratigraphy, Plio-Pleistocene, Gulf of Mexico 65–
 72
bioturbation, *Zoophycus* 357
Bjørnøya 347–8
Blackhawk Formation, Utah, Late Campanian Grassy
 Member 194, 207–20
Blackstone Formation 162
Bohemian Cretaceous Basin 247–68
 depositional units and boundaries 254–63
 parasequence vs high frequency sequence
 boundaries 263–6
 lithofacies and geometries 252
 location map 248
 Lusatian Fault Zone 247, 248
 methods and terminology 251–4
 parasequences 254–63
 Pecinov section, sequence stratigraphy 251
 regional framework 247–51
 summary and discussions 263–4
Bohemian Massif 247
Book Cliffs, Utah, Blackhawk Formation 207–20
Boreal Realm 279–80
Boulonnais Basin 283
Breathitt Group, (Pennsylvanian)
 expression of interfluvial sequence boundaries
 193–206
 regional settings, examples 194–204
 summary and conclusions 204–5
Brent Group, East Shetland Basin 87–113, 115–28

- acronym BRENT 116
- crossflow analysis 126–7
- geological models 116–18
- lithofacies and depositional environments 90–102
- management, implications for 110
- reserves 115
- reservoir models and flow simulations 118–25
- sequence analysis 105–8
 - facies architecture 109
- summary and discussions 125–6
- type log 89
- see also* Broom, Etive, Ness, Rannoch and Tarbert Formations; Cormorant Field
- British Columbia, Dunvegan Alloformation 159–91
- Brokeoff Mountains, New Mexico, San Andres and Grayburg Formations 332, 333, 341
- Broom Formation, type log 89
- Bruneval I Hardground 283
- bryozoan–crinoid build-ups, Arctic 352
- Büren
 - Middle Cenomanian correlation 277
 - Upper Cenomanian correlation 276
- calcite
 - estimated sea-water calcite (ESC) 311
 - fluid inclusion analysis 308–9
- Calyoceras asiaticum* 278
- Calyoceras naviculare* Zone 13, 15, 282, 287
 - A. jukesbrowne/C. naviculare* Zone 13, 288
- Calyoceras* sp. 276
- Campanian, Late, Book Cliffs, Utah 207–20
- Canada
 - Dunvegan Alloformation 159–91
 - Oceanic Anoxic Event 20
- carbon isotopes 11–24
 - analysis, paragenetic sequence stratigraphy 311
 - organic carbon accumulation 20, 21
 - Vercors carbonate platform 311–17
- carbonate platforms
 - evolution, cycle of sea-levels 329
 - lagoonal/restricted shelf 355
 - models of compaction 321–45
 - common stratal patterns 322
 - compaction-induced subsidence 322, 324
 - differential compaction 323
 - siliciclastic, North Greenland 347–65
 - Vercors, SE France 295–320
- carbonates
 - biogenic accumulation 20
 - compaction 324–8
 - burial, and porosity evolution 325–6
 - as primary control on depositional evolution 321–45
 - discussion 340–2
 - production and sea-level 328–30
 - sequence stratigraphy and compactionally ‘enhanced’ unconformities 330–3
 - examples 333–40
 - see also* carbonate platforms
- Carboniferous, Upper
 - fluvio-deltaic systems, County Clare 25–35
 - North Greenland 347–65
 - Rough Rock Group, Pennine Basin 221–46
- Cassian, Triassic Sella Platform, Dolomites, Italy 330
- Castlegate Formation, Utah 209
- cathodoluminescence method 299–307
- Cenomanian, Lower to Middle
 - Aquitaine Basin 287
 - biostratigraphy 270–1
 - carbon isotopes 11–24
 - interpretation and link with sea-level 19–21
 - Middle Cenomanian event I 15–17
 - Middle Cenomanian event II 17–18, 21
 - other mid-Cretaceous carbon excursions 18–19
 - Dunvegan Alloformation 159–91
 - interbasinal correlation 269–93
 - lithological and faunal markers 14
 - location map 12
 - Lower Cenomanian excursions I–III 18–19
 - sequence stratigraphy interpretations 14–15
 - boundaries/onlap surfaces 14–15
- Cenomanian Marls 271
- Cenomanian, Middle to Upper
 - Bohemian Cretaceous Basin 247–68
 - Peruc–Korycany Formation 249–51
 - sea-level rises 248–9
 - Turrillites costatus* 271–2
- Cenomanian Transgression 271
- Chondrites* Event 279
- Cirque d’Archiane, Vercors carbonate platform, SE France 296–320
 - platform-flank
 - paragenesis 307
 - sections 298, 300–2
 - platform-top
 - paragenesis 302–7
 - sections 297, 300
- Clair Basin, structural setting 142
- Clair Group (Devonian), hierarchical stratigraphic cycles 139–57
 - location and structural setting 140
 - seismic profile 146
 - stratigraphy 141–54
 - facies associations 141–50, 151
 - units I–VI 141–50, 151
 - summary 154
 - synthesis 153
 - triangular plots of detrital mineralogy 149
 - upper and lower division 142
- Clare, County
 - fluvio-deltaic systems 25–35
 - maximum and initial flooding surfaces 33
- Cleveland Basin, carbon correlations, Cenomanian to Turonian 11–24
- Coal Canyon, Blackhawk Formation, Utah, logs 210
- coals
 - accumulation, transgressive intervals 21
 - Alton coal 228
 - Belper Lawn coal 228, 231, 236
 - Coal Canyon, Blackhawk Formation, Utah 210
 - Haddix Coal 196–7
 - Pennine Basin 223, 236–8
 - Pot Clay coal 227, 230, 236–8
 - Ringinglow Coal 238
- compaction, conceptual model 321–45
 - compaction-induced subsidence 322
 - deposition and compaction, Sacramento Mountains,

- Muleshoe Mound 326–8
 - differential compaction 322–3
- Cormorant Field, Brent Group 87–113, 115–28
 - Block I, North Viking Graben, map and cross-section 88, 101
 - Block III, well logs 116–17
 - geological setting 116
 - incised valley
 - sequence analysis 105–8
 - sequence architecture 101, 105–8
 - location map 88
 - reservoir models of permeability 118–25
 - north-dipping models 121–4
 - south-dipping models 124–5
 - sequence analysis 105–8
 - sequence stratigraphy 117
 - sequence-based correlation style, and reservoir behaviour 115–28
 - well management strategy 121
- Cracken Edge, Pennine Basin 229
- Crawshaw Sandstone, Pennine Basin 227–34, 236
- Cretaceous
 - Bohemian Cretaceous Basin 247–68
 - Vercors carbonate platform, SE France 295–320
 - see also* Cenomanian
- crossflow analysis 126–7
- Cumbria, W, Dinantian to Namurian 336
- Cunningtonceras inerme* Zone 18, 275
- cyclothem
 - fluvio-deltaic systems 26–7
 - Millstone Grit cyclicity 221–2
- Czech Republic, Bohemian Cretaceous Basin 247–68

- depositional architecture, Cumbria, W, Dinantian to Namurian 336
- Desert Member, Blackhawk Formation, Utah 209
- Desmoinesian, Goosenecks, Paradox Basin 334, 335
- Devon, Beer, Albian–Cenomanian boundary 283
- Devonian, Clair Group, hierarchical stratigraphic cycles 139–57
- Diablo Mountains, Texas 331, 341
- Dinantian to Namurian, Cumbria, W, depositional architecture 336
- dip reversal, reservoir models of permeability, north and south-dipping models 121–5
- dixoni* Event *see* *Mantelliceras* Zone
- Dolomites, Italy, Triassic Sella Platform 330, 333
- dolomitization, Vercors carbonate platform 314–15
- Dona Ana, Muleshoe Mound, Sacramento Mountains 326–8, 338
- Doonlicky Sandstone, incised valley fills 27, 30–3
- Dorset, Eggardon Grit 280
- Dover–Folkestone, Middle Cenomanian correlation 277
- drainage basin
 - base level 37, 42–3
 - channel form 44–5
 - dominance and order of changes 43
 - local disturbances 46
 - position of coast 42
 - subsidence or uplift 41
 - susceptibility to changes in base profile 46
- Dunvegan Alloformation, Canada 159–91
 - allomembers 161–75
 - mapping boundaries 175
 - definitions 163
 - falling stage and lowstand systems, hypothetical development 177–80, 187
 - location map 160
 - regional setting and study area 159–61
 - sequence stratigraphy 175–83
 - highstand systems tract 183
 - incised valleys 180–2
 - shoreface sandstones 176
 - transgressive systems tract 182–3
 - stratigraphy 161–75
 - bio- and chronostratigraphy 163
 - well logs, dip sections 164–5, 166, 167
- Durrenstein lowstand wedge 333

- East Midlands oilfield 221, 222
- East Midlands Shelf 221–2, 223
 - carbon isotopes, correlations 11–24
 - coals 236–8
 - incised valley fill dimensions 232
 - location map 12
 - 'new' marine band, occurrence and faunal content 225–8
- East Shetland Basin *see* Shetland
- Edale Gulf, Pennine Basin 227
- Eider field 88
 - cores 96, 97, 106
 - facies and sequence architecture 98
 - type log 89
- electron probe microanalysis (EPMA), element abundances 299
- Elkhorn, Upper Elkhorn 1 and 2 coal seam interval, Betsy Layne 197–202
- England
 - Anglo-Paris Basin 279–85
 - Beer Head Limestone 280, 282–3
 - Cleveland Basin 11–24
 - Cumbria 336
 - East Midlands Shelf 12, 221–2, 223
 - Pennine Basin 221–46
- Essen Greensands 271
- Etive Formation, Brent oilfield
 - incised valley-floor 102–5
 - near-shore marine 96–102
 - permeability values 97
 - strand plain 99–100
 - sub-facies, influence on reservoir quality 95, 100–2
 - type log 89
 - see also* Rannoch–Etive
- Eucalycoceras pentagonum* Zone
 - Cenomanian, Upper boundary 271–2, 277
 - E. pentagonum*/*C. naviculare* Zone 282
 - E. pentagonum*/*I. pictus* Zone 278
- eustatic cycle charts, validity 1–2
- evaporites, Arctic 356
- extensional rift basins
 - sequence stratigraphy model 129–37
 - theoretical variations 130
- Exxon models, shelf-slope break 3

- flooding surfaces
 maximum, defined 66, 183
 maximum flooding-downlap surfaces, criteria for analysis 271
 and sequence boundaries, reservoir sequences 52–5
- Florida, sea-level rise/fall 53
- Floy Canyon, Blackhawk Formation, Utah
 interfluvial sequence boundary 216
 logs 210
- fluid inclusion analyses 308–9
- fluvial aggradation 43–4
- fluvio-deltaic systems
 Bohemian Cretaceous Basin 247–68
 County Clare, surfaces and systems tracts 25–35
 Folkestone, *see* Anglo-Paris Basin, Cenomanian to Turonian
- Fontaine Columbette marls, Cirque d'Archiane 297–307
- Four Corners outcrop, Hazard 194
- fourth-order sequences, Dunvegan Alloformation, Canada 159–91
- France
 Anglo-Paris Basin 11–24, 279–85, 289–91
 Aquitaine Basin 285–91
 Vercors carbonate platform 295–320
- Fulmar Formation, North Sea Central Graben 132–6
- Gainsborough Trough, Pennine Basin 229
- Galveston South, Texas exploration areas, Gulf of Mexico 68, 69, 70
- gamma ray logs
 definition 25
 portable spectrometry, County Clare 25–35
- Gastrioceras* marine bands 223–4, 224–8
G. cancellatum 223–4, 233, 235, 238–9
G. cumbriense 223–4, 226, 233, 239–42
G. subcrenatum 223–4, 231, 242
- Germany, Münster Basin 271–9
- Glandasse Formation, limestones 296–9
 estimated sea-water calcite (ESC) 296–9
- Glaucconitic Marl 18–19, 283
- gleysols 204
- Globigerinoides mitra* 76
- Globoquadrina altispira* depositional cycle 78, 82
- Globorotalia inflata* 75
- Globorotalia menardii* 75, 76
- Gondwanaland, Carboniferous, ice cap cyclicity 222
- Goosenecks, Paradox Basin, San Juan River, Utah 334, 335
- graded profile, defined 37
- graded river 38
- Grassy Member, Book Cliffs, Blackhawk Formation, Utah 207–20
 incised valley fills 211–18
 interfluvial sequence boundaries 218
 isometric diagram 219
 location map 208
 sequence stratigraphy 208–11
 tectonic controls 218
- Gray Canyon, Blackhawk Formation, Utah
 isopach map 212
 logs 210
 strike section 213
- Grayburg Formation, Brokeoff Mountains, New Mexico 332, 333, 337
- Greenland
 Amdrup Land, carbonate platform, lower Moscovian 347–65
 East Greenland Fault Zone 348
 Greensands, England 280
- Guadalupe Mountains, New Mexico, Last Chance Canyon 334, 337
- Gulf of Mexico, Plio-Pleistocene 65–86
 biofacies maps 81
 biostratigraphy 65–72
 chronostratigraphy 78
 sea-level rise/fall 53, 80
 sediment accumulation rates 67
 wire-line logs 56
see also Texas exploration areas
- Haddix Coal 196–7
- Harewood Grange, Pennine Basin 223, 225–7
 sedimentary log 233
- Haslingden Flags, Pennine Basin 229, 230, 242–3
- Hatch Mesa, Utah 211
- Hazard
 Hazard–Francis coal interval 202–4
 Magoffin Shale member interfluvial 194–7
- Hercynian Saurland Massifs 271
- hierarchical stratigraphic cycles, non-marine Clair Group 139–57
- high resolution sequence stratigraphy
 'base profile' concept 37–49
 carbon isotopes 11–24
 conceptual model: compaction 321–45
 controversial aspects 3
 extensional basins, model for HR sequence stratigraphy 129–37
 future prospects
 aeolian systems 4–5
 extensional basins 5
 impact of correlation style 115–28
 lithology prediction 2
 terminology 37–8
- Holm Land block 348, 349
- Horse Canyon, Utah 214–15
- Huddersfield sub-basin 223–4
 incised valley fill dimensions 232
 'new' marine band, occurrence and faunal content 225
- Hyalinea balthica* 77
- incised valleys
 Blackhawk Formation, Utah 211–18
 Bohemian Cretaceous Basin 247–68
 Cormorant Field, Brent Group 88, 101, 105–8
 Etive Formation 102–5
 Goosenecks, Paradox Basin, Utah 334, 335
 Rough Rock Group, Pennine Basin 221–46, 229–35
- Inoceramus atlanticus* Zone 278
I. atlanticus/*I. schoendorfi* Zone 276, 277, 278
Inoceramus crippsi Zone 272, 273, 274
Inoceramus pictus pictus 274, 277
Inoceramus schoendorfi Zone 275

- Inoceramus schoendorfi*/*I. atlanticus* boundary 276–7
Inoceramus tenustriatus 275
Inoceramus virgatus Zone 18–19, 274, 275, 283
Inoceramus virgatus/*Schloenbachia* Event 14, 275
interfluvial sequence boundaries 5
Breathitt Group (Pennsylvanian) 193–206
Ireland, County Clare, fluvio-deltaic systems, Upper Carboniferous 25–35
Italy
carbon correlations, Cenomanian to Turonian 12
Triassic Sella Platform, cross-section 330
Jukes-Browne's Bed 14, 284
see also Acanthoceras jukesbrownei
Jurassic, Middle, Brent Group, East Shetland Basin 87–113
Jurassic, Upper, Fulmar Formation, North Sea Central Graben 132–6
Kap Jungersen 2 Sequence, Greenland, carbonate platform 352–63
depositional environments 352–61
depositional evolution 361–3
internal architecture 358
summary and discussion 363–4
time span 361
Kaskapau Formation 162
Kenilworth Member, Blackhawk Formation, Utah 209
Kentucky, Breathitt Group (Pennsylvanian) 193–206
Kilkee Sandstone 27
Kim Fjelde 349
Kimmeridgian Formation 287
kink zone 341
La Sarthe, Lamnay Hardground 283
Last Chance Canyon, Guadalupe Mountains, New Mexico 334, 337
lithology prediction, value of sequence stratigraphy 2
Longville Hardground 283
Lower Saxony Basin, Cenomanian to Turonian 11–24
Lusatian Fault Zone, Bohemian Cretaceous Basin 247, 248
Magoffin Shale member interfluvial 194–7
Maine Platform 281, 283, 284
Mancos Shale, Horse Canyon, Utah 215
Mantelliceras Zone 270, 282
M. dixonii Zone 13–16, 275, 283
M. mantelli Zone 272–3, 282–3
MARS, reservoir models of permeability 118
Mesaverde Group, Utah 207
Metoicoceras geslinianum Zone 14, 15, 251, 264, 279, 285, 290
Millstone Grit Series, Rough Rock Group, Pennine Basin 221–46
Mississippian, Muleshoe Mound, Sacramento Mountains 326–8, 338, 340
Moscovian carbonate platform, Greenland 347–65
palaeogeographic reconstruction 348
Muleshoe Mound, Sacramento Mountains, compaction 326–8, 338
Münster Basin
Albian–Cenomanian boundary 273–4
biostratigraphy 271–2
carbon correlations, Cenomanian to Turonian 11–24
carbon isotopes 11–24
correlation of Upper Cenomanian 273
geological setting 271
interbasinal correlations 289–91
location maps 12, 272
section descriptions 272–9
sequence stratigraphy 274
Namurian
basins and blocks, n. England 223
Clare Basin, Ireland 25–35
incised valley fills 234–5
Rough Rock Group, Pennine Basin 221–46
Neocardioceras juddii Event 279, 281–2, 285–6
Neohibolites ultimus/Aucellina Event 272, 273
Neostlingoceras carcitanense Zone 271, 283
Ness Formation, Brent oilfield
back-barrier/lagoon 100
near-shore facies stacking patterns 100–2
near-shore marine 96–102
parasequences 54
type log 89
Nether Heage, Pennine Basin 226, 227–8
sedimentary logs 234, 235
New Mexico
Brokeoff Mountains, San Andres and Grayburg Formations 332, 333
Guadalupe Mountains, Last Chance Canyon 334, 337
Pennsylvanian Pedernal Shelf 333–4
New Zealand, Maui field, correlation of wells 55, 58, 59, 60
Normandy Basin 281
North America
Cenomanian, palaeogeography 160
Western Interior Seaway 160
North Sea, Central Graben, Upper Jurassic Fulmar Formation 132–6
North Viking Graben, Middle Jurassic Brent Group, East Shetland 87–113
Cormorant Block I, map and cross-section 88, 101
Eider field 88
Tern field 88
see also Shetland
Norwegian Barents Shelf 347
Oceanic Anoxic Event 20
oil recovery, OOIP and OIP 122, 126
Orbirhynchia Event 14, 18
Orbitolina 287
Owd Bett's Horizon 238
Oxfordian, North Sea Central Graben 129–37
oxygen isotopes, Vercors carbonate platform 311–17

- Palaeoaplysina*-phylloid algae, Greenland 351–2, 357, 361–2
- palaeosols
 gleysols 204
 interfluvial sequence boundaries 5, 204
- Paradox Basin, San Juan River, Utah 334, 335
- parasequences
 Bohemian Cretaceous Basin 254–63
 defined 254
 erosion, causes 264
 fluvial setting 263
 vs high frequency sequence boundaries 263–6
 recognition, in fluvial setting 263
 terminology 175–6
- Paris basin, location map 280
- Peace River 161
 outcrop sections 168–9
 palaeogeography 172–4
 sandstones 172, 173, 179–80
 sequence stratigraphy interpretations 184
- Peary Land block 349
- Pecinov Member and quarry, Bohemian Cretaceous Basin 247–68
 sequence stratigraphy 251
- Pennine Basin
 coals 223
 geological setting 221–2
 Rough Rock Group 221–46
- Pennsylvanian
 Breathitt Group 193–206
 Pedernal Shelf, New Mexico 333–4
- permeability barriers, reservoir models 115–28
- Perronerie Hardground 283
- Peruc–Korycany Formation
 Middle to Late Cenomanian 249–51
 parasequences 254–63
- physical measurements, application to reservoir models 51–63
pictus Event *see Inoceramus pictus pictus*
- Planktonic–Benthonic Break 283
- platform settings, criteria for analysis 271
- Plenus Bank 279
- Plio-Pleistocene, Gulf of Mexico 65–86
- Pot Clay coal 227, 230, 236–8
- Profusinella* Zone 351
- Pseudoemiliana lacunosa* 76
- Puffin Terrace and Fault, North Sea Central Graben
 North Sea 132–3, 134
- Pycnodonte* Event 15, 17–18, 272, 277, 278
- Raibl Formation, Dolomites, Italy 330, 333
- Rannoch Formation, Brent oilfield 90–6, 115–28
 delta front 93–6
 ebb tidal-delta 90–3
 lower shoreface 90
 reservoir models and well-log correlations 115–28
 type log 89
see also Rannoch–Etive
- Rannoch–Etive
 northward progradation of shoreline 116
 sequence stratigraphy vs lithostratigraphy 117–21
 reservoir simulation results 121–6
- see also* Cormorant Field
- Rauhe bank, Büren 279
- Redmires Flags, Pennine Basin 224, 233
- reservoir sequences 51–63
 age measurements 55–6
 flooding surfaces, and sequence boundaries 52
 fluid and rock property measurements 56–9
 laterally extensive surfaces 52–5
- models
 application of physical measurements 51–63
 MARS 118–20
 permeability, dip reversal 121–5
 sequence stratigraphy-based well–log correlations 115–28
 simulations, Rannoch–Etive 117–26
- reflection seismic measurements 59–61
- reservoir pressure measurements 59
- seismic attributes and geometries 59
- Rhenish Massif 271
- Rhynchostreum suborbiculatum minor* 288
- rift basin, example (North Sea Central Graben) 132–6
- Ringinglow Coal 238
- rivers *see* alluvial sediments; drainage basin; fluvio-deltaic systems
- Rona Ridge, location and structural setting 140
- Rosendale sub-basin
 incised valley fill dimensions 232
 ‘new’ marine band 223–4
 occurrence and faunal content 225
- Rotalipora cushmani* 278
- Rotalipora greenhornensis* 279
- Rotpläner 279
- Rough Rock Group, Pennine Basin 221–46
 dip cross-section 227
 geological setting 221–2
 lateral variation 229
 location map 222
 palaeogeographic reconstruction 240–2
 palaeogeography, changes and sequence stacking pattern 242–3
 sedimentology 229
 sequence stratigraphy 229–43
 coals 236–8
 framework 238–43
 incised valley fills 229–35
 interfluvial palaeosols 235–6
 marine bands 238
 stratigraphy 223–9
 strike cross-section 226
- Sables Hardground 283
- Sacramento Mountains, Muleshoe Mound,
 compaction 326–8, 338
- Sagers Reservoir 210
- Salt Valley Anticline, Utah 217, 218
- San Andres Formation, Brokeoff Mountains, New Mexico 332, 333, 337
- San Juan River, Utah, Paradox Basin, Goosenecks 334, 335
- Sand Rock Mine coal 230
- Saurland Massifs, Hercynian 271
- Saxony, Lower Saxony Basin, Cenomanian to Turonian 11–24

- Scheldt estuary 263
Schloenbachia/virgatus Event 14–15, 275, 276, 277
 Scout Moor Quarry, Pennine Basin 223
 sea-levels
 accommodation 321
 carbonate production 328–30, 328–30
 effect of variations in subsidence 131–2
 falls, redeposition of pelagic sediment 328
 Gulf of Mexico 53, 80
 interbasinal correlation 269–93
 model of sequence stratigraphy within extensional basins 129–37
 relative, influence on facies and reservoir geometry 87–113
 and shoreline orientation 130
 seismic measurements, reflection 59–61
 seismic sections, hinge zone 341
 Sella Platform, Sierra Diablo 333, 337
 sequence boundaries
 criteria for analysis 271
 and flooding surfaces 65–6
 reservoir sequences 52
 lowstand sediments in rift basins 131–2
 Shaftesbury Formation 162
 Shetland Basin, East, Jurassic, Middle, Brent Group 87–113, 115–28
 Shetland Basin, West, Clair Basin, location and structural setting 140
 shingles, defined 163
 shoreline orientation, and sea-level change 130
 silica, biogenic accumulation 20
 siliciclastic influenced carbonate platform, Greenland 347–65
 spectrometry, gamma ray logs, County Clare 25–35
 Speeton, Cleveland Basin, Cenomanian to Turonian 11–24
 Spine Fault, location and structural setting 140
 Spitsbergen 347–8
 Spring Canyon Member, Blackhawk Formation, Utah 209
Stoliczkaia dispar Zone 19, 282, 283
 Stub Canyon, Utah 211
 subaerial exposure unconformities, Vercors carbonate platform 295–320
 discussion 309–16
 geological and stratigraphic setting 299–302
 methods 299
 paragenetic sequence 302–7
 fluid inclusion analyses 308–9
 geochemical analyses 307–8
 sequence stratigraphic implications 316–17
 Sunnyside Member, Blackhawk Formation, Utah 209
 Svalbard 347–8
 systems tracts
 falling stage and lowstand 187
 highstand 183
 interfluvial sequence boundaries 193–206
 terminology 176
 transgressive, marine 182–3
- Tarbert Formation, Brent oilfield, type log 89
 Tern Field, Brent Group
 cores 104
 sequence analysis 105–8
 Tethyan, Southern European Tethyan Realm 270, 279, 287
 Texas
 Apache Canyon, cross-sections 331, 333
 Diablo Mountains 331, 341
 Texas exploration areas, Gulf of Mexico 66–86
 biofacies maps 81
 biostratigraphy 65–72
 correlations 73
 calibration of depositional cycles 75–6
 current research 82–3
 East Breaks 71
 N–S seismic reflection profile 76
 Galveston South 68, 69, 70
 High Island S Addition area, seismic reflection profile 77
 map 66
 palaeogeographic maps 78–82
 pattern correlation 72
 Plio-Pleistocene chronostratigraphy 78
 prograding clinoforms 77
 regional cycle chart 76–8
 sea-level drop 53, 80
 systems tract analysis 72–5
Thalassinoides 183
 Thelignay–Lamnay, Maine Platform 281, 283, 284
 transgressive surfaces
 criteria for analysis 271
 defined 66
 Triassic Sella Platform, Dolomites, Italy 330
Trimosina denticulata 77
 Tullig Sandstone 27–30
 Turonian
 Bilá-Hora Formation 251, 253
 carbon isotopes and sequence stratigraphy 11–24
 sea-level changes 271
Turrilites costatus
 Cenomanian, Middle 14, 272, 288
 T. costatus/T. acutus 284
 Tusher Canyon, Blackhawk Formation, Utah 213
- Upper Elkhorn 1 and 2 coal seam interval, Betsy Layne 197–202
 USA *see* Gulf of Mexico; New Mexico; Texas; Utah
 Utah
 Blackhawk Formation 194, 207–20
 Castlegate Formation 209, 209
 San Juan River, Paradox Basin, Goosenecks 334, 335
 Sego Canyon, wire-line logs 57
 Straight Cliffs Formation, analogue for Rannoch–Etive sequence stratigraphy 125–6
- Variscan Orogeny 271
 Vercors carbonate platform, SE France, subaerial exposure unconformities 295–320
virgatus/Schloenbachia Event 14–15, 275
 Vocontian Trough 20
- Watinoceras coloradoense* Zone 279, 282, 285

- Wedekindellina* Zone 351
- well-log correlations, reservoir models 115–28
- Western Interior Seaway, North America 160
- Western Paris basin, location map 280
- Westphalian A, Crawshaw Sandstone 231
- wire-line logs
 - Gulf of Mexico 56
 - Sego Canyon, Utah 57
- Wünstorf, Lower Saxony Basin, Cenomanian to Turonian 11–24
- Yeadonian, Rough Rock Group, Pennine Basin 224
- Yucca Mound, Pennsylvanian Pedernal Shelf 333–4
- Zechstein salt 133
- Zoophycus*, bioturbation 357