

Index

- Aiquile Fault (Bolivia) 308
alunite in palaeoweathering profiles 175, 176, 177, 179, 180, 183
Ambenali Formation (Deccan lavas) 224
An Leac Formation (Skye) 75, 87
apatite fission track analysis (AFTA) 8
 see also fission track
Australia *see* landform longevity
- Bababudan Greenstone Group (Karnataka Uplands) 258, 259
Balder Formation 83, 92
Ballyegan (Ireland) 37
Ballyglunin Cave (Ireland) 50–1
Balmoral Tuffite 83
Baltic Shield 95
baselevelling 6, 13, 159
bauxite 3, 260
blockfield formation *see* rock weathering in blockfields
bole horizons (British Tertiary volcanic province) 68, 70, 71, 76, 78, 79, 279, 280
 see also bole horizons (Deccan flood basalts)
bole horizons (Deccan flood basalts) 234, 269–80
 cherty group 271, 272, 280
 chemical evidence of origins 275, 276–8, 276, 277
 derived from pyroclastic material 279
 petrography 278–9, 278
 distinguished from laterites 271–3, 272
 palaeoenvironments of formation 269, 270, 275, 279, 280
 palynology 279
 pyroclastic boles 279–80
 saproplitic group 270, 272, 280
 weathered profiles 270–1
 chemical composition and variations 273–4, 273, 275, 280
 welded tuffs 279
 zeolitisation 274
 see also geochemistry of Indian bole horizons
Bopladsdalen Formation (Greenland) 87
Bredalsfjellet plateau blockfield *see* rock weathering in blockfields
British Tertiary volcanic province (BTVP) 67
 age 82–7
 climate and vegetation 67
 see also palaeosurface palynology of Skye lava field
Brito–Arctic Igneous Province (BIP) 68, 90
Broadford Beds (Rum) 76
BTVP *see* British Tertiary volcanic province
Bualintur Lava group (Skye) 70, 76, 87–8
- calcrete 16, 153
Canna Lava Formation (Canna) 79, 83, 85, 87, 88
Chayanta Surface (Bolivian Andes) 311
chemical weathering *see* weathering
Cochabamba Lineament System 308, 308, 317, 320
continental flood basalt (CFB) provinces 221, 222, 239, 243, 244–5, 280
Cordillera Occidental (Bolivia) 308
Cordillera Oriental (Bolivia) 308, 311, 320, 321
Cordillera Oriental Palaeodrainage Systems 311
Cruachan Lava Group (Skye) 70, 76
Culnamean Member (Skye) 76
- Deccan basalt lavas
 development of laterites 231–3
 intercalated pyroclastic horizons 279–80
 origin and extent 222, 223
 possible cause of climatic change 279–80
 stratigraphy 222–4, 223, 224, 269, 270
 see also Deccan Volcanic Rifted Margin; geochemistry of Indian bole horizons; Tertiary palaeosurfaces of SW Deccan
Deccan Traps *see* Deccan basalt lavas
Deccan Volcanic Rifted Margin 224–7, 244
 structural and geomorphological characteristics 221, 222, 224–7
digital elevation data in recognition of elevated surfaces 25–35
 data evaluation 29–31
 data set 25–6
 elevation histograms 27–31, 28, 29, 30, 32–3
 influence of bedrock lithologies 26, 30, 31
 influence of faults 26–7, 31–4
 methodology 27–9
 Monadhliath surface 29, 31
 spatial patterns in elevation distributions 31
 structural geomorphology 34
Drynoch conglomerates (Skye) 76, 78
DTA analysis 135–7, 141
Duero Basin (Spain) 175, 177, 183–4
duricrust 13, 17, 232, 260, 261, 264–5
 see also laterites; silcrete
- Eastern Uplands (Australia) 16, 18
Eigg Lava Formation (Eigg) 79, 83, 86, 88–90
elevated surfaces *see* palaeosurfaces
environmental change *see* palaeoenvironments
environmental interpretation of erosion surfaces (Iberian Range) 147–58
 erosion surfaces 148–51
 deformation 154, 157
 duration of formation 151–2
 S1 150, 151, 154, 157
 S2 (Main Erosion Surface of the Iberian Chain) 150, 151, 153, 154, 155–6
 S3 (Border Surface of Neogene Basins) 150–1, 152, 153, 154, 156
 S4 (Plio–Quaternary Erosion Surface) 151, 152, 154, 157
 stepped 148, 154, 157, 158
 geological and geomorphological settings 147–8, 149
 geomorphological and neotectonic evolution 154–7, 156
 methodology 148
 palaeoenvironmental reconstructions 152–3

- environmental interpretation of erosion surfaces (Iberian *(cont.)*)
 Paramo Lacustrine Limestones 150, 151, 153, 155, 156–7
 tectonic activity 148, 153–4, 155
 erosion surfaces *see* palaeosurfaces
 erosion/denudation rates 8, 243, 260–1, 263
 etch processes 95, 117, 120, 196
 etchsurfaces 25, 118, 159, 166, 171–2
 Australia 16, 17, 18, 20
 definitions 196
 Poland 196–8, 196, 197, 198–200
 exhumed landscapes
 and associated saprolites (Sweden) 96–108
 Australia 14–16
- Fiskavaig Lava Group (Skye) 70, 78, 88
 fission track 206, 210, 250
 frost shattering *see* mechanical weathering
- geochemical trends in Early Tertiary palaeosols 57–64
 concentration ratios 60–1, 62, 64
 element enrichment and depletion 57–8, 60, 60, 61, 64
 lateritization 58, 63
 sample pre-treatment 58
 statistical methods 57–9
 geochemistry of Indian bole horizons 269–80
 bole types 270–1
 chemical differences 274–5
 geochemistry 272–8, 280
 cherty boles 274, 275, 276, 277
 methodology 272
 rare earth elements 276–7
 saprolitic boles 274
 strontium and neodymium isotopes 277–8
 trace element signatures 276
 petrography 278–9
 sampling methods 270
see also bole horizons; geochemistry of lateritized
 footslope benches
 geochemistry of lateritized footslope benches (Kasewe
 Hills) 295–304
 benches 295
 age 303
 development 301–3, 304
 morphology 295–8, 297
 climatic changes 303
 footslopes 295, 303
 mantle rocks 295, 298, 303
 age 303
 analytical methods 298
 fabric classes 298, 300, 303
 laterite chemistry 298–301, 301, 302
 lateritic duricrusts 295, 296, 298
 profiles 298, 299, 302
 pseudo-karst development 295, 301–2, 304
 geochronology 7–8
 GIS 8
 Gleann Oraid Lava Group (Skye) 70, 79, 88
 Glen Caladale Lava Group (Skye) 70, 76, 88
 Gondwana 13, 252, 263–4
 landscapes 18–19
 gruss *see* saprolites
- Halland 96, 100, 102–3, 116, 118
 high-altitude palaeosurfaces (Bolivian Andes) 307–22
 geological setting 307–8
 mammal fossils 317, 320
 northern palaeodrainage basin 313, 314, 319, 320
 morphology 314–17
 tectonic controls 320
 palaeodrainage systems 310, 319, 320–2
 sediment sinks 320, 322
 sediment volume 320, 321
 tectonic uplift 321–2, 321
 palaeosurface remnants 309, 311–17, 312, 313, 315, 316, 318, 320
 age 314, 317–20
 mapping methods 308–10
 nomenclature 311
 palaeovalleys 311, 313, 313, 314, 315, 316, 318, 320
 physiography 308, 308
 southern palaeodrainage basin 320
 morphology 311–14
 tuffs 309, 314, 315, 317–20
 watersheds 310, 311, 313, 313, 314, 315, 317, 320
 Hron River (Central Slovakia) 203, 205
- inselberg landscapes 17, 18, 19, 193–6, 198–9, 236, 263
 Interbasaltic Formation (Antrim) 81, 82, 85, 90
 Irminger Basin 68
 Isa Highlands 14, 15, 16, 16, 18, 19
- Javorie Mountains (Central Slovakia) 206, 210, 211, 216, 217, 217, 218
 Jelenia Góra Basin (Poland) 193, 193, 194, 195, 197, 198
- Kalsubai subgroup (Deccan lavas) 223
 kaolin/kaolinization 190, 192, 260
 blockfield rock weathering 138–40
 raña sediments 168, 171, 180
 Swedish saprolites 95, 98–100, 99, 101, 102, 108, 109, 116, 118
- Karlsamn granite (Sweden) 101, 102
 Karnataka Uplands *see* palaeosurfaces and denudation
 karstic features (Iapiés; Karren) 4
 County Galway (Ireland) 4, 37–8, 40, 50–2, 50, 53
 Duero Basin 177
 French Alps 128
 Iberian Range 153, 155
 pseudo-karst in mantle rocks 295, 301–2, 304
 Kasewe Hills Formation (Sierra Leone) 295, 298
 Kasewe Hills (Sierra Leone) *see* geochemistry of
 lateritized footslope benches
 Kilwullaun area (Ireland) 40–5
 Kremnické Vrchy Mountains (Central Slovakia) 205, 206, 212, 215, 216–17, 216, 218
 Krupinská Planina plateau (Central Slovakia) 206, 210, 211, 213, 214, 215, 218
- landform longevity (Australia) 13–20
 Cretaceous surfaces 16–18
 exhumed landscape remnants 14–16
 exhumed surfaces 14–16
 factors favouring longevity 20
 Gondwana landscape 18–19
 inselberg landscapes 17, 18, 19
 palaeosurfaces and glaciation 19–20

- pre-Cretaceous surfaces 14–16, 17, 18, 19–20
 lapiés *see* karstic features
 laterites 3, 8, 16, 301
 distinguished from boles 271–3, 272
 mapping by satellite imagery 227, 233, 283, 285–7, 291
 primary weathering profiles 226–7, 231–2, 234
 see also bole horizons (Deccan); Deccan basalt lavas;
 duricrust; geochemistry of lateritized footslope
 benches; remote sensing for mapping palaeo-
 surfaces; Tertiary palaeosurfaces in SW Deccan
- Laurasia 13, 19
 Loch Dubh Lava Group (Skye) 70, 79
 Lower Basalt Formation (Antrim) 81, 82, 85, 90
 Lower Basalt Series (Faeroe Islands) 68, 85, 87
- Mabole Formation (Sierra Leone) 298
 McFarlane's Rock Formation 76
 magnetostratigraphy 67, 68, 83
 mantle plume driven uplift 20
 mantle rocks (lateritic duricrusts) *see* geochemistry of
 lateritized footslope benches
 mechanical weathering *see* weathering
 Middle-Upper Basalt Series (Faeroe Islands) 68, 85, 87
 Minginish Conglomerate Formation (Skye) 70, 72, 76, 79,
 90
 Mt Babbage 15, 17
 Mt Sleza inselberg 195, 196
 Mysore Plateau 249, 250, 262
- Neogene palaeosurfaces (Central Slovakia Volcanic Area)
 203–18
 age of volcanic palaeosurfaces 210
 intermontane basins 206
 mountain ranges 205–6
 palaeoenvironments 208
 planational palaeosurfaces 213–17, 213, 216, 217
 age 214–15
 development 215
 evolution 214
 potential planation surfaces 214, 215–17, 218
 relief classification 218
 stratovolcanoes/volcanic centres 203, 205–6
 Javorie 207, 208, 210, 211, 218
 Kremnica 207, 208, 210
 Polana 207, 208, 210, 211, 218
 Štiavnica 207–8, 210, 212
 Vtačnik 207, 210
 volcanic activity 203–4, 206–10
 volcanic palaeogeography 209
 volcanic palaeosurfaces 206–13, 208, 212
- North Atlantic Igneous Province (NAIP) 68, 69, 86–7
 North Sea Basin 83, 86
- Øksfjordjøkelen plateau blockfield *see* rock weathering in
 blockfields
 opal in palaeoweathering profiles 175, 177–8, 179, 180,
 180, 184
 Ormesby Clay Formation 83
 Osdale Lava Group (Skye) 68
 Ostrôzky Mountains (Central Slovakia) 206, 210, 214,
 215, 218
- palaeoclimates 67, 188, 199, 214, 279–80
 palaeoenvironments 8, 152–3, 208
 bole formation 269, 270, 275, 279, 280
 Iberian Range 151–3
 lava fields of BTVP 75–82, 87
 major changes possibly linked to pyroclastic boles
 279–80
 palaeolandscapes *see* palaeosurfaces
 palaeolandsurfaces *see* palaeosurfaces
 palaeomagnetism 8
 see also magnetostratigraphy
 palaeosols 4
 basaltic 57–64
 geochemical trends 57–64
 root traces 179, 179
- palaeosurface palynology of Skye lava field 67–92
 age of British Tertiary volcanic province 68, 82–7
 Antrim Basalts 85
 Canna Lava Formation and Skye Lava Group 83–5
 Eigg Lava Formation 83
 Faeroe Islands basalts 85–7
 Mull and Ardnamurchan Basalts 85
 erosion surfaces (palaeosurfaces) 67, 68, 70, 71, 75–9,
 77, 87–90
 palaeoenvironments 75–82, 87
 palynofloral assemblages 71–4, 75–82, 83–7
 frequency plots 72, 73, 74, 80, 81, 82, 84, 88, 90
 phases of eruptive activity 90
 sample preparation 71
 stratigraphy of lava fields 75–82
 tectonism 87–90
 see also palynomorphs
- palaeosurface preservation in glaciated areas (France)
 125–31
 fault geometry 125–6
 geomorphological and geological setting 125–6
 glacial environment 129–30
 palaeotectonic evolution 125
 ripple-marked sediments 127, 128–9, 128, 129, 130,
 130
- palaeosurfaces
 bole horizons 234, 269–80
 dating 5–8, 50–3
 defined by digital elevation data 25–35
 definitions 2, 5, 147
 deformation 154
 disrupted by faulting 34
 endogenic/exogenic 2, 9, 147, 153, 190, 236
 epigene (subaerial) 16, 20
 in geology 4–5
 in geomorphology 3
 and glacial erosion 19–20, 52
 landscapes 3–4, 5, 6
 mapping by remote sensing 283–91
 polycyclic 6
 preservation of 6–7, 20
 reconstruction 8, 67, 231, 232, 233, 236–8
 represented by blockfields 133–4, 144
 in sequence stratigraphy 4
 sub-aqueous 2
 unconformities 4
see also digital elevation data; environmental
 interpretation; Neogene palaeosurfaces; Tertiary
 etchsurfaces

- palaeosurfaces and associated saprolites in Sweden
 95–121, 98
 argillaceous saprolites 97–103
 clay mineralogy 102–9, 115
 denudation surfaces 96, 119–20
 gravelly saprolites 103–8
 kaolinization 98–100, 101, 102, 108, 109, 116
 methodology 96–7
 mineralogy 108–9, 114–16
 quartz grain analysis 109–16
 saprolite ages 116–17
 sub-Cambrian peneplain 97, 104, 107, 117–18, 120
 sub-Cretaceous landforms 100
 sub-Jurassic landforms 98–100
- palaeosurfaces and denudation (Karnataka Uplands)
 249–66
 climate 260, 263–5
 Dharwar Craton (Western) 250, 259, 261, 263, 264
 ferricrete rubble/laterite 260–1, 263, 264–5
 geology 252, 254
 greenstone belts 258, 259–60, 261
 Karnataka Craton 252, 258
 planation surfaces 250, 260, 265
 acyclical evolution 261–2, 264–5
 Archean palaeosurface 255–6
 cyclical rejuvenation 262
 Intermediate palaeosurface 258, 259–63, 263
 Post-Deccan Trap surface 255–6, 260, 261
 post-Gondwanaland 263–4
 Pre-Deccan Trap palaeosurface 252–9, 258, 261,
 262, 263
 stepped 264
 tectonic regime 265
 regional altitudes (modal and maximum) 250–2, 255,
 256, 262, 263
 superimposed drainage networks 255–6, 257, 259–60,
 260, 261, 262
 topography 250–2, 261–3, 264
- palaeoweathering 96, 128, 131, 270
- palaeoweathering profiles (Spain) 175–84
 active processes 178
 geochemistry 179–83, 181, 182
 methodology 176
 mineralogy 179–83, 181, 182
 opal enrichment 175, 177–8, 179, 180, 180
 profile descriptions 177–83
 siderolithic sedimentary cover 177, 179, 180, 183
- palaeoweathering residues (Spain) 159–72
 granite weathering 163–6, 171
 methodology 160–3
 Miocene sediments 166–7
 quartz weathering intensity scale 163, 170
- rañas
 formation 159
 geomorphology 159–60, 161, 162, 167, 168–9, 169
 sedimentary features 167–8
 weathering environments 171–2
 Miocene 166
 Palaeogene 164–6
 Pliocene 169–70, 171–2
 weathering mineralogy 163–5, 165, 166, 166, 168,
 169–71
- Palagonite Tuffs (Skye) 75, 87
 plant beds 68, 75, 87
- palynology 4
 British Tertiary volcanic province 67–92
 Pollnahallia (Ireland) deposits 45–9, 45, 46
 assemblage biozones 46
 biostratigraphic correlation 47–50
 methodology 45
 vegetation history 46–7
- palynomorphs 67
 Abies spp. 46, 47, 49
 Aesculus spp. 48, 49
 Alnipollenites trina 86
 Alnipollenites verus 85, 90
 Alnus spp. 46
 Aquilapollenites spp. 85
 Betula spp. 46
 Calluna spp. 46
 Carpinus spp. 46
 Carya spp. 46, 47, 48, 49, 50
 Caryapollenites spp. 85
 Cedrus spp. 47
 Classopollis spp. 76
 Corylus spp. 46, 47, 49
 Cupuliferoideaepollenites liblarensis 81, 90
 Cupuliferoipollenites cingulum 74, 78, 81, 90
 Empetrum spp. 46
 Engelhardtia granulata 85
 Engelhardtia spp. 48
 Erdmanipollis pachysandroides 90
 Eucommia spp. 48, 49
 Euryle spinosa 85
 Glyptostrobus spp. 48
 Haloragis bremanoirensis 85
 Haloragis scotia 85
 Hedera spp. 46
 Ilex spp. 46
 Inaperturopollenites distichiforme 79, 88
 Inaperturopollenites dubius 72, 76, 78, 88
 Inaperturopollenites hiatus 72, 75, 76, 78, 79, 81, 83,
 85
 Intratropipollenites microreticulatus 87
 Juniperus spp. 46, 47
 Labrapollis labraferoides 85
 Laevigatosporites haardti 78, 79, 83, 88
 Leiotriletes adriennis 72, 76, 78
 Liquidambar spp. 47, 48, 49
 Liquidambarpollenites stigmosus 78, 90
 Lycopodiumsporites spp. 88
 Micrhystridium fragile 76
 Momipites anellus 78, 88
 Momipites spp. 75, 78, 79, 85
 Momipites tenuipolus 78, 81, 88
 Monocolpopollenites tranquilus 76, 81, 85, 88
 Montanapollis sp. 86
 Myrica spp. 47
 Nyssa spp. 48, 49
 Nyssapollenites kruschi 79, 90
 Pesavis tagluensis 88
 Picea spp. 46, 47, 49
 Pinus spp. 46, 47
 Pityosporites labdacus 88
 Pityosporites microalatus 88
 Pityosporites spp. 72, 76, 78, 79, 81
 Plicapollis pseudoexcelsus 79, 90
 Polypodium spp. 46

- Pterocarya* spp. 46, 47, 48, 49, 50
Quercoidites microhenrici 74
Quercus spp. 46, 47, 49
Retitricolpites anguloluminosus 90
Retitricolpites retiformis 72, 74, 75, 76, 78, 83, 90
Salix spp. 46
Sciadopitys spp. 46, 47, 48, 50
Sequoia spp. 46, 47, 48, 49, 50
Sequoiapollenites polyformosus 78, 79, 83, 88
Spirematospermum spp. 48
Stereisporites spp. 74
Stereisporites (Stereisporites) stereiodes 78, 79
Symplocos spp. 47, 48
Taxodium spp. 48
Triatriopollenites subtriangulus 85, 90
Tricolpites cf. *hians* 74, 82, 88
Tricolpites hians 74, 75, 78, 79, 81, 83
Tricolpites spp. 83, 85
Trudopollis variabilis 85
Tsuga spp. 46, 47, 48, 49
Ulmus spp. 46, 49
Vitis spp. 46
Pangaea 13, 19
Panhala Formation (Deccan lavas) 224, 229, 233, 242
Pitchstone Formation (Sgurr of Eigg) 86, 90
Pliešovská Kotlina Basin (Central Slovakia) 206, 210, 213
Pliocene landsurface (Ireland) 37–53
 age of limestone landscape 50–3
 age of Pollnahallia deposits 45–50
 deposits overlying limestone surface 42, 43–5, 43
 Headford till 44–5, 52
 Pollnahallia sand 44, 44
 Pollnahallia silt and clay 43–4, 50, 51
 local geomorphology 40–3, 40
 regional geomorphology 37–40
 resistivity survey 40, 41
 turloughs 39–40, 51–2
Pocket Deposits (Derbyshire) 53
Pohronsky Inovec Mountains (Central Slovakia) 205, 215, 218
Poladpur Formation (Deccan lavas) 224
Polana Mountains (Central Slovakia) 206, 210, 211, 216, 217, 218
Pollnahallia area (Ireland) 37–53
Port Loko Group (Sierra Leone) 295
Preshal Beg Conglomerate Formation (Skye) 70, 78
 principal component analysis
 in remote sensing 284, 285–7, 287, 288, 288, 291
 in statistical analysis of weathering process 58
 process rates 6–7
quartz microfutures and corrosion 160–72
radionuclides 7–8
Ramascaig Lava Group (Skye) 68
raña sediments *see* palaeoweathering residues
rañas *see* palaeoweathering residues
regoliths 16, 17–18
 dating 8
 Tertiary 197–8, 199
remote sensing 8, 227, 310
remote sensing for mapping palaeosurfaces (Tunisia) 283–91
 atmospheric correction 286
 band ratios 284, 286
 geology and climate 284–5, 291
 glacis d'erosion 288–9, 288, 290
 ground truth calibration
 gypsum 289
 iron oxides 286, 287
 gypsum 284, 288, 288, 289–90
 multispectral imagery characteristics 283–4
 pedogenic iron oxides 285–7
 principal component analysis 284, 285–7, 287, 288, 288, 291
 spectral mixture modelling 287–90, 291
 spectral signatures 284, 284, 285–6, 288
 topographic relief shadowing 284, 287
 modelled as endmember and removed 287–90, 288, 291
Rio San Juan del Oro (Bolivia) 311, 312, 313, 319
ripple-marked sediments 127, 128–9, 128, 130
Robe River Pisolite 18, 19
rock weathering in blockfields (Norway) 133–44
 clay mineralogy 137–41, 139
 climatic conditions 137–41, 143, 144
 methodology 135–6
 micro-cracks 141–3
 particle size 136, 137, 137
 scanning electron microscopy 141, 141
 site descriptions and sampling 134–5
Rokel River Group (Sierra Leone) 295
Rubha' an Dunain Lava Group (Skye) 76, 87–8
Rum Central Complex 76, 88, 89, 90
Salmons Drift mine 58
San Juan del Oro Surface (Bolivian Andes) 311, 312, 317
sapolites 95–121, 133
 ages 116–17
 argillaceous 108
 clay mineralogy 102–9, 115, 137–41
 and denudation surfaces 119–20
 frost-churned 135
 and glacial erosion 119–20, 143–4
 grain size analysis 97, 114–15, 115
 gruss
 Poland 190–1, 199
 Sweden 103–8, 104, 105, 108–9, 116–17, 119–20
 kaolinitic 95, 97, 99–100, 99, 101, 118
 in palaeoweathering profiles 177, 180
 rate of formation 143
 and relief relationships 117–19
 thickness 137, 141
 scanning electron microscopy (SEM) 97, 114, 160–2
 evidence of mechanical/chemical weathering 141, 142
 of quartz grains 109–14, 112, 113, 115, 162–3
Scottish Highlands *see* digital elevation data
Sele Formation (Faeroe Islands) 86
silcrete 3, 16, 18, 97, 263
 see also duricrust; laterite; mantle rocks
Skerry mine 58
Skye lava field palynofloras 67–92
Slatina River (Central Slovakia) 206
Småland 96, 103, 118, 119–20
Snällered 99–100, 110, 115, 116
South Småland Peneplain (SSP) 96, 102, 103, 104, 107, 116, 118–20

- South Swedish Dome 95, 103, 119
 Stiavnické Vrchy Mountains (Central Slovakia) 205, 206, 210, 212, 215–17, 218
 stratovolcanoes *see* Neogene palaeosurfaces (Central Slovakia)
 Strzegom Hills (Poland) 190, 191, 192, 197
 Sudetes Mountains and Sudetic Foreland *see* Tertiary etchsurfaces
- Talisker Formation (Skye) 79
 Talisker Lava Group (Skye) 70, 88
 Tertiary etchsurfaces in Poland 187–200
 age of surfaces 190
 geological and geomorphological context 188
 Neogene sediments 191–2, 191
 origins of surfaces 196–8
 palaeosurfaces 188–90
 pre-Quaternary landforms
 escarpments 192–3, 194, 198, 200
 inselbergs 193–6, 195, 198–9
 undulating plains 192, 200
 pre-Upper Cretaceous surface 188–9
 Tertiary surfaces 190–8
 weathering mantles 190–1
- Tertiary palaeosurfaces of the SW Deccan 221–45
 ages of high-level and low-level laterites 233–4
 chemostratigraphy of lavas 222–3, 223, 233
 drainage development 226, 234, 237, 244
 effects of uplift 243–4
 rates of erosion 243
 geological and geomorphological setting 222–6
 high-level (Ghat crest) laterite 222, 224, 229, 236, 237
 distribution 228–30, 228, 231
 Konkan surface 236, 237–8, 237, 239, 240–1, 242
 laterites
 associated palaeosurfaces 222, 226–36
 development 231–3, 234–6, 235
 mapping by remote sensing 222, 227
 palaeomagnetic dating 8, 232, 233–4, 236
 low-level (Konkan) laterite 222, 224, 230, 237–8
 distribution 228, 230–1, 232
 modification and evolution of palaeosurfaces 228, 234–8, 235, 237
 neotectonics of Deccan margin 238–44
 denudational isostasy 239–41, 241
 uplift mechanisms 239, 241–3, 245
 palaeosurface reconstruction 231, 232, 233, 236–8
 post-Deccan surface 234–7, 237, 239, 240–1, 242, 245
 see also laterites; Western Ghats
- Tertiary sites in Ireland 38, 39
- Teye Formation (Sierra Leone) 298
 Thakurvadi Formation (Deccan lavas) 278
 Tholeiitic Member (Antrim) 81, 85, 90
 Trönninge 103, 108, 110, 114, 115, 119
 turloughs 39–40, 51–2
- Uranium-series disequilibria 8
- Västergötland 96, 97
 Vøring Plateau 68, 87, 92
 Vtáčnik Mountains (Central Slovakia) 205, 206, 212, 216–17, 218
- Wai subgroup (Deccan basalts) 223, 224, 233, 242, 270
 weathering 8
 chemical 57–64, 133, 137, 141, 143
 climate and environment 199, 263–4
 gruss-type 190–1
 mechanical (freeze–thaw) 133, 137, 141–3
 mineralogy 163–5, 165, 166, 168, 169–71
 potential decreasing with time 263–4
 profiles 8, 128, 131, 133, 190–1, 199, 252
 boles 270–1, 277
 primary laterite 226–7, 229
 rinds 8, 142
 statistical analysis 57–64
 see also palaeoweathering profiles (Spain)
- weathering fronts 16, 17, 18, 198, 264
 weathering mantles 175, 177, 183, 190–1, 191, 196–8, 200
- West Shetland Basin 83, 85, 87, 90, 92
 Western Ghats (India) 222, 223–4, 245, 250
 escarpment 224, 226, 226, 237, 240, 250
 high-level regional laterite 222, 224, 229, 236, 237, 270
 Karnataka Uplands 250, 256, 257, 258, 259, 261, 262, 263
 scarp recession 233, 234–6, 235, 239–40, 240, 243–4, 245
 see also Tertiary palaeosurfaces of SW Deccan
- XRD analysis 97, 108–9, 114, 135–7
 mineralogical determinations 98, 105
- Yesera Formation (Bolivia) 314
- Žiarska Kotlina Basin (Central Slovakia) 206
 Zvolenská Kotlina Basin (Central Slovakia) 205, 206, 210, 215