

# Index

References in italics are to Figures or Tables

- acoustic waves *see* waves
- adaptive resonance theory 246, 247
- aerosity concept 319, 327
- Amott indices 19
- Ampère's Law 278
- Archie's Law 48, 160, 281, 305–6
- artificial neural networks (ANN)
  - backpropagation 170–2, 246–7
  - implementation 172–4
  - use in petrophysical prediction
- aspect ratio, effect on wave velocity 135–6
- attenuation of waves, *see* waves
  
- backpropagation neural networks 170–2, 246–7
- backscattered electron imaging (BSEI)
  - method 49–50
  - use in permeability measurement 56–8
- bed boundary identification 184
- bedding attitude
  - in horizontal wellbores
    - appearance 349, 351
    - estimation 361–2
  - in resistivity imaging 5–7
- Biot's theory 131, 132
- blocking effects 184
- Boltzmann equation 255
- borehole images
  - horizontal wellbore images 345–7
    - acquisition features
      - image degradation 361
      - keyseating 358–9
      - pad contact loss 359–61
      - scarring/scratching 358
      - toolstick 358
    - feature recognition
      - bedding 351
      - breakout 357
      - crossbedding 354–5
      - drapes 355–6
      - faults 356–7
      - fracture 351
      - lithological change 351–3
      - spatial orientation 349–51
      - undulation bedding 355
- breakout features, in horizontal wellbores 357
- Brent Group
  - bulk density 147–9
  - correlation of standard variables 193
  - gamma ray histograms 226
  - logs 188–9
  - mineralogy 144
  - porosity 150–1
  - resistivity histograms 227
  - resistivity log 189
  - wave velocity logs 94–102
- bulk density, *see* density
- bulk modulus, role in modelling wave velocities 92–4
- bulls eyes, in horizontal wellbores 355
  
- canonical correlation 211–18
- capillary pressure, role in displacement 22, 25–7
- capillary tube models
  - effect of pore size 303
  - hydraulic transport 301–3
- Carrara marble, quality factor for P waves 123
- Casco granite, aspect ratio/velocity relations 136–8
- categorical data 185
- cation exchange capacity (CEC) 264
- chalcopyrite, prospecting for 287
- characteristic analysis 233–4
- charge density for mineral surface 254
- chargeability 281, 285, 287
- chemical modes 142
- clay content and wave velocity 87–8, 122
- clay minerals
  - electrical surface charge 253, 264–5
  - surface electrical charge 277
- clay volume, artificial neural network predictions 177, 178, 179
- clay-sand mixture modelling for wave velocities 88–90
  - factors affecting 103–4
    - fluid content 102
    - frame modulus effects 92–4
    - velocity dispersion 90–2
  - model testing 94–102
- cluster analysis 234–9
- Cole model 279
- complex resistivity 281
- compressional waves *see* waves
- constant phase angle (CPA) response 277–8, 282
- contact angle
  - distribution 27–9
  - role in displacement 21, 22, 23–4
- contact resistivity imaging 1
- copper, prospecting for 287
- core analysis, non-contacting methods *see* resistivity imaging
- correspondence analysis 210–11
- coupling factor, effect on wave velocity 135–6
- cracks
  - effect on tensile strength 107
  - effect on wave velocities of 72–84
  - experimental induction of 70–2
  - relation to rock transport properties 69–70
- cross-flow 319–21
- crossbedding, in horizontal wellbores 354
- crossplots 195–6
  
- Darcy's Law 48, 300–1
- Debye model 279
- Debye screening length 255
- deductive methodology 182
- deformation structures, in horizontal wellbores 355–6
- density
  - bulk
    - use in mineral inversion 146–53
  - grain 172, 173, 174, 175
  - matrix 141
- dielectric constant 278, 279, 280
- differential pressure, effect on velocity 135–6

- diffusion
  - effective diffusion coefficient 270
  - role of tortuosity 307
    - gas 308–9
    - molecular level 307–8
    - random walk model 311–13
    - slip flow factors 310–11
    - viscosity factors 309–10
  - use of NMR in studies 316–17
- diffusional tortuosity-electrical tortuosity compared 321–4
- diffusivity 281
- dip
  - in horizontal wellbores
    - appearance 349, 351
    - estimation 361–2
  - in resistivity imaging 5–7
- direct hydrocarbon indicators (DHI) 87
- discontinuities
  - characterization of 72–84
  - relation to rock transport properties 69–70
- discriminant function analysis 223–32
- dispersion, role in tortuosity 313–14
- dispersion matrix 185–7
- drapes, in horizontal wellbores 355–6
- Dunlin Formation, wave velocity logs 94–102
- Dupuit's relation 301
  
- effective porosity, artificial neural network predictions 177, 178, 179
- elastic wave velocity, effect of clay on 87–8
- electric flux density 278
- electrical conductivity 327
  - defined 278
- electrical current density 278
- electrical current flux
  - factors affecting 277
  - modelling of 278–81
- electrical diffuse layer (EDL) 253, 254
- electrical efficiency 327
- electrical permittivity 278
- electrical properties of surfaces
  - models reviewed 278–80
  - porous media 261–6
  - quartz-electrolyte system 257–61
- electrical tortuosity 305–7
  - diffusional tortuosity compared 321–4
  - hydraulic tortuosity compared 324–7
  - relation to flow efficiency 327–8
- electrically charged double layer 277
- electro-osmotic effect 256
- electrofacies analysis 182
- enclaves
  - formation 37
  - pore structure study
    - 2-D observations 39–41
    - 3-D observations 43
  - mineralogy and texture 38–9
  - permeability 41–3
- Etive Formation
  - bulk density by mineral inversion 147–9
  - porosity by mineral inversion 150–1
  - velocity logs 94–102
- Euclidian distance 192
  
- fabric
  - relation to fluid flow 1
  - relation to tensile strength 119
- factor analysis 200–9
- faults and faulting
  - in horizontal wellbores 356–7
  - relation to rock transport properties 69–70
- Fick's Law 307, 322–3
- film flow 24
- flow efficiency
  - electrical 327–8
  - hydrodynamic 328–9
- fluid content, effect on velocity 135–6
- fluid flow, relation to fabric 1
- foresets, in horizontal wellbores 354–5
- fractal behaviour 278, 284
- fractal roughness, role in electrical properties 278, 280
- fractures
  - in horizontal wellbores 351
  - relation to rock transport properties 69–70
- free electrolyte 253, 254
- fuzzy logic 241–5
  
- galena, prospecting for 287
- genetic algorithms 247–50
- geochemical logging 142
- geometrical tortuosity 300
- grain density, artificial neural network predictions 172, 175, 173, 174
- grain size and tensile strength 119
- granite 37–43, 136–8
- graphite 283, 284, 287
  
- Hagen-Poiseuille equation 301
- hierarchical clustering 235–6
- Hittorf transport numbers 265–6
- Hole 504B, seismic attenuation study 371–3
- Hole 807C, ANN petrophysical predictions 174–6
- Hole 878A, ANN petrophysical predictions 176–7
- hoop tension test 376
  - Antigorio gneiss 114–17
  - Penrith Sandstone 380–7
- horizontal wellbore, *see* borehole images
- Hough transform 196–7
- hydraulic tortuosity 300–5
  - electrical tortuosity compared 324–7
  - relation to flow efficiency 328–9
- hydrodynamic tortuosity *see* hydraulic tortuosity
  
- icon plots 195, 196
- imbibition
  - oil 25
  - water 24
- induced polarization (IP) phenomena 287
  - modelling 292–5, 288–95
- inductive methodology 182
- intrinsic attenuation 368, 369
- ionic diffusion 267–8
- ionic mobilities 256, 267
- ionic sites, surface concentration of 254
  
- joints, relation to rock transport properties 69–70

- kaolinization, effect on attenuation 123  
kernel density estimation 239–41  
keyseating in horizontal wellbores 358–9  
Klinkenberg effect 310  
Knudsen number 309  
Kozeny–Carman equation 302, 330  
Kozeny's equation 301
- ladder plots 195  
Laplace equation 321  
limestone, P wave quality factor 124–5, 127  
lithofacies analysis 182  
lithological change  
  in horizontal wellbores  
    appearance 351–3  
    significance of 362–4
- magma interchange processes 37  
magnetic susceptibility by mineral inversion 154–5  
Mahalanobis distance 192  
matrix density 141  
Maxwell's equation 278, 288  
membrane potential 268–70  
mercury injection capillary pressure (MICP)  
method 50–1  
use in permeability measurement 54–6  
metals, prospecting for 287  
microdiorite enclaves *see* enclaves  
mineral inversion  
  density derived from 146–53  
  evaluation 144–5  
  porosity derived from 145–51  
  theory 142–4  
mineralogy  
  effect on velocity 135–6  
  logging 141–2  
  relation to tensile strength 119  
minimized probe permeameters (MPP) 11–18  
modal and normative mineralogy 142  
moiré fringes  
  analysis of 376–7  
  quantification of strain 378–80  
  use in strain calculation 380–87  
montmorillonite, electrical property testing 283, 284  
multidimensional scaling 218–21  
multivalency and fuzzy logic 241–5  
multivariate analysis  
  defined 181  
  techniques classified 183  
muscovite in mineral inversion 145  
mutual similarity in cluster analysis 235
- Nernst-Einstein relationship 267  
Nernst-Hartley equation 268  
Ness Formation  
  bulk density by mineral inversion 147–9  
  porosity by mineral inversion 150–1  
  velocity logs 94–102  
network analogues *see* pore-scale models  
network models and tortuosity 318–21  
neural nets/networks 245–7  
  *see also* artificial neural networks (ANN)  
neurons, operation of 170
- non-contacting resistivity imaging 1–10  
  theory of method 2  
normative and modal mineralogy 142  
North Sea studies  
  Brent Group core logs 188, 189, 226, 227  
  bulk density measures 147–9  
  fluid flow in Rotleigendes 1  
  porosity measures 150–1  
  porosity-permeability correlation 53  
  velocity logs 94–102  
nuclear magnetic resonance (NMR)  
  method 51–3  
  use in diffusion studies 316–17  
  use in permeability measurement 58–62
- ocean crust  
  bulk density by mineral inversion 151–3  
  magnetic susceptibility by mineral inversion 154–5  
  Ontong Java Plateau borehole 174–6  
  seismic attenuation 368–9  
  seismic modelling 367–8  
ophiolite complexes, seismic properties 367  
ores, prospecting for 287  
Oseberg Formation, velocity logs 94–102
- P waves *see* waves  
pad contact loss in horizontal wellbores 359–61  
partitioning methods in cluster analysis 235  
Penrith Sandstone  
  description 381  
  strain measurement 380–7  
  wave velocity attenuation under stress 70–84  
percolation threshold 22  
permeability  
  formation permeability 287  
  in Archie's Law 160  
  measurement methods 160–2  
  from apparent formation factor 165–6  
  from porosity 162–5  
  need for quality assurance 159–60  
  microdiorite enclaves 41–3  
  relation to crack density 77, 78–84  
  relation to P wave velocity 122  
  relation to porosity 53  
  relation to tortuosity 330–1  
  role in attenuation 126–9  
permeameters 11–17  
petrography and pore geometry measurement 49  
petrophysical data partitioning  
  data computation  
    bivalency and crisp logic 241–5  
    canonical correlation 211–18  
    characteristic analysis 233–4  
    cluster analysis 234–9  
    correspondence analysis 210–11  
    crossplots 195–6  
    discriminant function analysis 223–32  
    factor analysis 200–9  
    genetic algorithms 247–50  
    Hough transform 196–7  
    kernel density estimation 239–41  
    matrix eigenvalues 194–5  
    multidimensional scaling 218–21  
    multivalency and fuzzy logic 241–5

- petrophysical data partitioning, data computation  
(*continued*)  
 neural nets 245–7  
 pigeon-holing 232–3  
 principal components analysis 197–200  
 projection pursuit 222–3  
 data management  
 classification 183  
 continuous v. discrete data 184–5  
 depth control problems 183  
 environmental effects 183  
 multivariate normal distribution 190–2  
 resolution/blocking problems 184  
 similarity-dissimilarity measures 192–4  
 variance-covariance matrix 185–7  
 petrophysical rock types, defined 181  
 PGE concept 287  
 physical models, *see* clay-sand mixture modelling  
 Poisson-Boltzmann equation 255  
 polarization 277, 281, 287  
 induced polarization (IP) phenomena 287  
 modelling 288–95  
 polyaxial stress loading system 70–2  
 use in sandstone testing 72–84  
 pore fluids  
 relation to tensile strength 119  
 role in attenuation of 125–6  
 pore geometry  
 importance of 47–8  
 methods of measuring 53  
 backscattered electron imaging 49–50  
 mercury injection capillary pressure 50–1  
 nuclear magnetic resonance 51–3  
 petrographic 49  
 relation to permeability 53–4  
 backscattered electron imaging 56–8  
 mercury injection capillary pressure 54–6  
 nuclear magnetic resonance 58–62  
 sandstone 48–9  
 pore size distribution, effect on flow 303, 305  
 pore space formation factor 262, 266  
 pore structures in enclaves  
 2D 39–41  
 3D 43  
 pore-form 48  
 pore-scale models, use in wettability testing,  
*see* wettability  
 porosity  
 in Archie's law 160  
 artificial neural network predictions 172, 173, 174,  
 175  
 derived from mineral inversion  
 evaluation of method 145–6  
 testing of method 147–9, 151–3  
 relation to permeability 53, 160, 162–5  
 relation to seismic attenuation 373  
 relation to wave dispersion 90–2  
 relation to wave velocity 88–90, 122, 135–6  
 porosity log, Brent Group 189  
 porous media  
 electrical conductivity of 261–2  
 factors affecting 262–5  
 Hittorf transport numbers 265–6  
 porous rock, network models of 318  
 pressure, effect on attenuation 123  
 principal components analysis 197–200  
 probability of occurrence 185  
 probe permeameters  
 instrument design 14–15  
 limitations of 11–12  
 operation 15  
 practicalities 12–14  
 test results 16–17  
 projection pursuit 222–3  
 pyrite 283, 284, 287  
 Q mode in partitioning petrophysical data 203  
 quality assurance in permeability measures 159–60  
 quality factor (Q) 121, 368, 372  
 limestone 124–5  
 permeability crossplots 126–9  
 sandstone and shale 123–4  
 R mode in partitioning petrophysical data 203  
 random walk models 311, 317  
 Rannoch Formation  
 bulk density by mineral inversion 147–9  
 porosity by mineral inversion 150–1  
 relaxation time constant 281  
 reservoir characterization *see* pore geometry  
 formation 305  
 resistivity 278, 281  
 formation factor 160, 327  
 silicates 277  
 uses of 287  
 resistivity imaging 1–2, 347–9  
 apparent formation factor 161–2  
 as permeability predictor 165–6  
 resolution, problems of scale 184  
 Rotleigendes, fluid flow in 1  
 S waves, *see* waves  
 sandstone  
 electrical property testing 283, 284  
 pore geometry 48–9  
 quality factor for P waves 123–4, 126–7  
 wave velocity attenuation under stress  
 method of measurement 70–2  
 results 72–84  
 schistosity and tensile strength 118–19  
 scree plot 199, 200, 204  
 seismic imaging techniques 121  
 seismic waves, *see* waves  
 self diffusion coefficient 267  
 shale  
 electrical property testing 283, 284  
 quality factor for P waves 123–4, 126–7  
 shear modulus, role in modelling wave velocities 92–4  
 shear waves, *see* waves  
 Sherwood Sandstone, porosity 162  
 similarity-dissimilarity measures 192–4  
 slip flow 310  
 smectite 283, 284  
 specific surface conductance 255  
 spider's web plots 195  
 standardization of data 187–92  
 star diagrams 195  
 Stern layer 254

- Stern plane 254, 259  
 Stern potential 254, 257  
 stick plots 195  
 strain in hoop tension test 376  
   measurement in Penrith Sandstone  
     method 380–3  
     results 383–7  
 streaming potential 271  
 stress loading system, *see* polyaxial stress loading system  
 stress patterns in hoop tension test 376  
   Penrith Sandstone 386–7  
 surface electrical properties  
   diffuse layer ion densities 255–7  
   internal surface ion densities 254  
 porous media  
   effective conductivity 261–2  
   factors affecting 262–5  
   Hittorf transport numbers 265–6  
 quartz-electrolyte system 259–61  
   electrolyte reaction 258–9  
   Stern plane potential 259  
   surface reaction 257–8  
 surface formation factor 262
- Tarbert Formation  
 bulk density by mineral inversion 147–9  
 icon plots 196–7  
 porosity by mineral inversion 150–1  
 tensile strength tests  
   methods 108  
   hoop tension test  
     method 114–15  
     results 115–17  
   ultrasonic wave test  
     method 108–10  
     results 111–14  
   tests discussed 117–19  
 tension, rock behaviour under  
   study of gneiss  
     hoop tension test 114–17  
   rock description 108  
   sampling method 108  
   tests discussed 117–19  
   ultrasonic wave test 108–14  
 thermochemical effect 271–2  
 thermoelectric potential 271–3  
 thermoelectrokinetic effect 272–3  
 topology, applied to networks 317–18  
 tortuosity  
   concept evaluation 333–4  
   defined 300  
   dielectrical 314–17  
   electrical 305–7  
   geometrical 300  
   hydraulic 300–5  
   measure of flow efficiency 327–9  
   measures compared  
     diffusional-electrical 321–4  
     electrical-hydraulic 324–7  
     in networks 318–21  
     relation to pore space formation factor 262  
     relation to surface formation factor 262  
     role in diffusion 307–13  
     role in dispersion 313–14  
     role in multiphase flow 317  
     role in wave propagation 316  
     use of NMR in measurement 316–17  
   transformation of data 187–92
- ultrasonic waves, *see* waves  
 undulating bedding, in horizontal wellbores 355  
 unrolled images, data presentation as 5–7, 345–9  
 USBM indices 19
- viscosity, role in diffusive flow 309
- water content, artificial neural network predictions  
 172, 173, 174, 175  
 water saturation, artificial neural network predictions  
 177, 178, 179
- waves  
 attenuation  
   components of 368  
   multiple backscattering model 369  
   limitations of 369–70  
   results 371–3  
   results discussed 373–4  
   theory 369  
   quantification of 368–9  
   relation to stress  
     method of measurement 70–2  
     results 72–84  
 reservoir rock study  
   methods of measurement 122–3  
   pore fluids, role of 125–6  
   pressure effects 123  
     limestone 124–5  
     sandstone and shale 123–4  
   Q-factor-permeability crossplots 126–9  
 propagation and pore structure 316  
 velocity  
   dispersion 90–2  
   modelling in relation to frame moduli 92–94  
   modelling in relation to porosity 88–90, 122  
   relation with differential pressure  
     experimental data 136–8  
     modelling 135–6  
     theory 131–5  
   relation to tensile strength  
     method 108–10  
     results 111–14
- wettability  
 effect on velocity 135–6  
 factors affecting 19–20  
 pore scale modelling 22  
   cycles stages 23–5  
   water flood recovery predictions 31–4