

Index

Some figures are also grouped under **cross-sections, stratigraphic sections and wireline logs.**

- Aalian, 54–5
Abbey Mills, 197
Acadian, 63, 66–71, 125–31, 153, 297–9
 see also Caledonian reactivation
acritarchs, 33, 45, 137, 239
aeolian sandstones, 3, 172–3, 353–6, 373–6
 lithostratigraphy, 20–1, 24–7
 Liverpool Bay, 384, 403–16, 422–6
 Northern Ireland, 100
 Ormskirk Sandstone Formation, 75, 237–8, 242–50,
 253–60, 320
 sabhka, 260–274
AFT, 3–7, 219–26, 380–1
 EISB, 73–93, 343–4, 355, 362
 North Channel, 49–59, 104, 108, 124–5
Albian, 52, 56–7
Alderley Fault, 301–3, 326–7, 330
Alderley Horst, 4, 179, 325–51
algae, 145, 247, 262–4, 281–3
alloccyclic control, 253–74
amplitude anomaly, 185–94, 388–91
Anderton, 179
Anglesey, 13, 49, 51–7, 83, 146, 168
anhedrite, Easton-1, 277–294
 Kimmeridge, 56
 Ormskirk Sandstone Formation, 6, 14–8, 23, 242–3
 South ESIB, 354–9, 365–9, 376, 410, 426–7
Annaghmore, 93
Ansdell Mudstone Member, 12–17, 19, 400
Anisian, 239–57
 see also Mercia Mudstone Group
Antrim basalts, 47, 50–1, 102–3, 115–23, 129–31, 213,
 216
Appleby Group, 11–14, 24–7
 see also Collyhurst, Penrith, Locharbriggs Sandstone
 Formations, Tormentil Volcanics
Archerbeck, 278
Auchencairn Bay, 213–4, 217
authigenic minerals, 213, 354–62, 377–8, 410
- bacteria, sulphate reducing, 6, 229–35
Bajocian, 54–5, 57
Bakevillia Sea Basin, 11, 23, 25–6, 128
Bala Fault, 297–9, 318
Bala–Llanelidan Fault Zone, 163, 173–8
Ballavarkish, 136, 146–7
Ballyalton, 100
Ballycastle, 41, 100
Ballymacilroy, 38, 41–2, 116–7, 123–4, 131
Ballynumullen-1, 95
Ballytober, 95–6, 113–4, 116, 124, 128
Ballytober Fault, 120, 127–8
barite cement, 220, 326–50, 353–69, 376
Barrowmouth Mudstone Formation, 12, 21–6
 see also Manchester Marls and St Bees Evaporites
 Formations
- Basal Breccia, 27, 281
Basal Units, Cumbrian Coast Group, 12, 24–6
basin orientations, 61, 97, 114–6, 126–31, 214, 297–312
Bathonian, 54–5
Beacon Lodge Sandstone Member, 328, 331
‘beef’, 117–9, 127–8
Belah Scar, 318–22
Belfast Harbour Evaporite Formation, 100–3
Belfast Harbour-1, 100–2, 117, 293
Berger curve, 292–4
Berw Basin, 13, 34–5, 51–4
Bewcastle Beds, 277, 280–1, 283, 289–91
Bickerton-Bulkley Hill-East Delamere Faults, 169, 175,
 180–1
biodegradation, 203–11
biomarker ratios, Hoylwell shales, 206–211
Bisat Group, 12, 12–14, 24–5, 27–30
bitumen, 145, 173, 325, 385
 analysed, 203, 206–7
 Cheshire Basin, 173
 North Solway Fault, 5, 215, 222–7
 South EISB, 358–9, 405, 410–11, 413–6, 426–34
Blackcraig, 217, 219–22, 227
Blackpool Mudstone Member, 12–19, 400
Blacon-1, 164, 173
Blakenhall, 163–4, 164, 166–9, 173
Block 110/8, 185
Block-111, 93
Blocks 110/13+14+15, 353–69, 380–5, 401–4, 417–36
Blocks 110/13, 110/14, 110/15, 353–69
Blocks-110, 51
Blue Anchor Formation, 12–13, 15, 36–7, 40–2, 166
Bodysgallen Hall, 198
Bogside Limestone, 280–6
Bold Formation, 24–5
Bollin Mudstone, 166, 168, 170–3, 179–80
Bolonian, 56–7
Boots Green Fault, 171, 180–1
Boots Green-1, 163–4
Border Groups, 277–94
Bowsey Wood, 164, 173, 176–8
bravoite, 326, 340
Bray Fault, 35–6, 54
Breckells Mudstone Formation, 15, 421
Bridgemere Fault, 298–305
brine, 37, 52, 217–22, 325–51
 Larne, 219
 Liverpool Bay, 410, 427–31
 reflector, 186–93
 Sherwood Sandstone Group, 353–74
Brockelschiefer, 4, 23, 123
Brockram facies, 22, 26–7, 102, 104
Brook House Fault, 300–3
Brooks Mill Mudstone, 15, 166, 170–2, 180
Brylow quarry, 329
Bucklow Fault, 169, 175, 181
Budleigh Salterton Pebble Beds, 23

- Budleighensis River, 19, 26
 Burford Structure, 164–170
 Burford-1, 163–4, 166–70, 173–81
 burial history, 4–5
 Cheshire Basin, 173–81
 Douglas Field, 403–5, 410–1
 Larne, 123–31
 North Channel, 104–7
 North Channel-Ireland, 215–27
 South EISB, 363–9, 377–83
 Burton Point, 26, 179
 Byley Mudstone Formation, 15, 166, 170–2, 180
- Caernavon Bay, 1, 61, 64–7
 Calder Field, 6, 18, 374, 387–97
 Calder Sandstone Member, 12, 18, 20–22, 185, 213, 400
 Caledonian, fault reactivation, 26, 54, 97–8, 297–313, 401–2
 North Channel, 120, 125–31, 213–27
 Isle of Man, 138–44, 157, 167–9
 Permo-Trias Basins, 54, 168–72, 175–9
 reflector, 185–93
 caliche cement, 4, 356–9, 364–5, 410
 Callovian, 54–5
 calorific equator curve, 293–4
 Camlough Fault, 127
 Campanian, 42, 47, 56
 cannon coals, 202, 208, 208–10, 210
 carbon isotopes, 202–3, 207–10, 255, 354
 carbonate cement, 145, 215–17, 331–350, 356
 Millom, 38, 375–8, 383
 South EISB, 354–69, 410, 426–7
 Carboniferous, 2, 5–6, 49, 51
 brine, 220–27, 346–50
 Cheshire Basin, 99–100, 161–82, 326–7
 Easton Anhydrite Facies, 277–94
 extension, 100, 157, 299
 irradiated bitumen, 222–7
 Isle of Man, 139–41, 144–6, 151–3
 Kish Bank, 35–6
 Larne, 100–4, 109, 115, 117, 127–8, 214
 lithostratigraphy, 11–13, 27–30
 Liverpool Bay, 400, 420–1, 431
 migration, 222–7
 North Channel, 100, 104, 213–5
 reactivated faults, 213–27
 reddened, 1, 6, 10, 12, 28–30
 reflectors, 185–93
 thermal history, 73–93
 volcanic, 100, 145–6
 see also Bisat, Kidston, Garwood Groups; Westphalian, Namurian, Dinantian, Silesian, Tournaisian, Viséan, and Coal Measures
 Carboniferous–Permian uplift, 215–6
 Cardigan Bay Basin, 6, 47, 51–6, 61, 64–71, 103
 Carlisle Basin, 23, 35–6, 39–40, 42–3, 316
 Castletown, 226
 Castletown Limestone, 140–1, 145–6
 Cataclastic Slip Bands, 330–9, 348–50
 Cefn-y-fedw Sandstone, 195–9
 Cegidog Valley, 197
 cementation, 3–4
 Liverpool Bay, 410
 mineralization, 325–351
 Sherwood Sandstone Group, 237–251, 323, 373–84
 South EISB, 353–69
 Cementstone Group, 277, 281–9
 Cenomanian, 47, 51, 56–7
 Cenozoic Cheshire Basin, 300, 307
 Central Irish Sea, 6, 61–71, 135–59
 Central Valley Lineament, 136–45, 153–4, 157
 chalcopyrite, 145, 326
 Chalk, 5, 47–51, 56–8, 103
 Cheshire Basin, 167, 300
 Larne, 47, 115, 123, 129
 channel fill, 3, 237, 242–50, 256–9, 356–9, 405
 Cheshire Basin, 6, 13, 22, 27
 cover loss, 49–50
 fault analysis, 297–313
 fault diagenesis, 325–351
 fault transmission, 315–8
 history, 34–7, 39, 42–3, 161–8
 local shortening, 300, 307
 potential, 87, 161–183
 sabkha, 239, 247, 250
 Chester Pebble Beds Formation, 166–81, 213, 400–1, 421
 fault zones, 317–23, 328, 347
 chrysocolla, 342–4
 Church Stretton Fault Zone, 297–9
 Cimmerian, 82, 167, 428–31
 hydrocarbon loss, 74, 90–2, 428
 uplift, 3–7, 51–2, 57–8, 103, 119
 clays, 3–4, 198–202, 215–8, 227
 claystones, 3–4, 107, 215–8, 227, 401
 Cleveleys Mudstone Member, 12–18
 climate, 268–74, 289–94
 Clun Forest Disturbance, 297–9
 Clwyd, 13, 195, 202, 316
 Clyde Basin, 42, 113
 Coal Measures, 5, 29, 150, 163, 166, 178–82, 197–9
 Coat Walls Mudstone Member, 15
 collapse breccia, 15, 180, 281–2
 collapse graben, 15, 58, 402–3
 Collin Glen Formation, 40–1
 Collyhurst Sandstone Formation, 1–2, 6, 12, 23–7, 100
 Cheshire Basin, 166, 170–2, 180, 326–7
 Isle of Man, 140, 149, 153–4
 Liverpool Bay, 400, 420–1, 431
 reflector, 183–93, 401
 compression, 140, 142, 155, 300, 307
 Conlig, 217, 219–22, 226–27
 Connswater Marl Formation, 102, 108
 cooling, Cretaceous, 50–1, 83–9
 Tertiary, 75–91
 copper, 217, 219–27, 325, 334–44
 core materials bacteria, 229–35
 Cotham Member, 39–40, 42
 Courceyan, 279–294
 Crabtree Green, 173
 Craiganee Formation, 105
 Cranstal, 136, 146–7
 Cravenoceras Marine Band, 29, 195–7
 Cretaceous, 5, 40–6, 103–4, 115, 119, 121–3
 EISB, 47–50, 56–7
 paleotemperatures, 77–91
 transgression, 56, 167–8

- see also* Aalian, Albian, Cenomanian, Chalk,
 Campanian, Maastrichtian
 Cretaceous–Jurassic Basins, 213
 Cretaceous–L. Jurassic sag, 155–7
 Cretaceous–Tertiary, uplift North Channel, 47–58, 105,
 155, 380
 Croy Vusta Fault Complex, 15, 34–5, 374
 cross fault transfer zones, 402
 cross-sections, Alderley, 300, 330
 Cheshire Basin, 166, 180, 301
 EISB, 36, 247
 Isle of Man, 145, 147, 149, 154
 Liverpool Bay, 197, 393, 401, 404, 413, 420
 South EISB, 14, 102, 116, 197, 379, 393–6
 crustal structure, lower, 61–71
 Cumbria, 13, 20, 29, 78–85, 277–94, 356
 fault transmission, 316, 318–23
 Cumbrian Coast Group, 12, 21–6, 277–94
 see also Freshfield Member, Barrowmouth Mudstone,
 Manchester Marls, St Bees Evaporites Formations,
 Halite and Basal Units
 cyclic, evaporite beds, 14–26, 280–94, 401
 sabkha, 242–50, 260–74
 see also allocyclic, Yoredale

 Dalkey Fault, 35–6
 damage zone, 331–9, 349–50
 décollement, 15, 23
 Deemster Platform, 22, 185–93, 327, 374
 deformation, early, 214, 242, 317
 Delamere Member, 166, 174, 400–1, 405–9, 418, 425
 see also Helsby Sandstone Formation
 depositional model Ormskirk Sandstone Formation,
 253–76
 desiccation, 244–50
 detrital mineralogy, 255, 355, 375–7, 403–10, 421–6
 development, Douglas Field, 399–416
 Lennox Field, 434–36
 Millom Field, 383–5
 Devonian, 3, 29, 49, 213, 293, 297
 dolerites, 139
 granites, 70–71, 119, 138, 140, 144
 Ireland, 99, 100, 213
 Dhoon granite, 140
 diachroneity, 168–181, 237–51, 244, 279
 diagenesis, Alderley Horst, 331, 337–50
 amplitude anomalies, 185–93, 388–91
 Liverpool Bay, 410, 426–7, 431
 Millom Field, 373–86
 Morecombe Field, 3
 North Channel–North Irish Sea, 215–27
 Sherwood Sandstone Group, 185, 192, 353–71
 Dinantian, evaporites, 277–96
 fault system, 28–30, 128, 144–9
 sedimentation, 213–4, 277–96
 thermal history, 85–6
 volcanics, 100, 145–6, 154
 Direct Hydrocarbon Indicators, 185–93
 direct porosity indicators, 185–93
 Diverton Fault, 169, 175, 181
 dolerites, 139, 143
 see also Tertiary intrusions
 dolomite, 14–19, 29, 128, 143, 145, 282–3
 cementation, 215–27, 356–7, 405, 410
 Lame, 108, 115
 Millom, 383
 doming, 47–58, 70–1, 140, 155, 157
 Douglas, 144
 Douglas Field, 6, 185–93, 274, 353–69, 374, 382
 development, 399–416, 428, 430–1, 435
 source, 208–11
 Dounan Bay Fault, 125–8
 Dowbridge Mudstone Formation, 12–17, 400
 drainage, 3, 19–20, 47, 146
 drilling mud bacteria, 229–35
 drying upward depositional patterns, 20, 244–50, 264–74,
 375
 Dublin Basin, 29
 Dumfries, 214, 217
 dune sands, 20, 26, 254–5, 264–74

 East Deemster Basin, 62, 185–7, 402, 417, 428, 431
 see also Lennox Field
 East Delamere Fault, 169, 175, 180, 300–4
 Easton Anhydrite Facies, Lower Border Group, 277–94
 Easton-1, 2–3, 277–96
 Eden Shales Formation, 22–5
 Edge Fault, 331
 Edgerley Fault, 300–4
 Egremont, 281
 Elswick Mudstone Formation, 12–17, 387, 391–2, 396–7
 Elworth, 163–4, 168–81
 Engine Vein Mine, 329–50
 Eocene, 52–3, 57, 103
 eogenesis, 3–4, 244, 339–50, 356–9, 381–3, 410
 Lennox, 426–7
 Solway Firth Basin, 215–6, 221
 Erbistock, 164, 173–78
 esturine, 173
 Eubonia Basin, 135, 374, 388
 evaporite wedge, Mercia Mudstone Group, 13–19
 evaporites, 100, 103, 239–51, 328
 Dinantian, 277–96
 see also Easton, Liverpool Bay
 extension, Cheshire Basin, 167, 297–313, 327
 crustal structure, 71, 104, 106
 Dinantian, 278
 Isle of Man, 157
 Lower Permian, 167–72, 299, 401–2
 North Channel, 113–31
 Permo-Triassic, 214–27, 319, 326–7
 Tertiary, 103, 129–31
 Triassic, 121–31, 299, 401–2

 facies, 102, 105, 123, 168–81, 391–7
 correlation, 2–3, 11–32, 33–46, 240–1
 Holywell Shale Formation, 196–9, 202
 Liverpool Bay, 185–94, 400–11, 421–7
 Millom–Morecombe Fields, 375–6, 383–5
 Namurian, 195–9
 Ormskirk Sandstone Formation, 237–51, 253–76,
 353–69, 373–7
 fault, Acadian, 66–71, 297–9
 dip-slip, 214–7, 304–6, 326–50, 373
 flower structure, 168–71

- fluid flow, 213–27, 325–50, 417–34
 growth, 22, 26–7, 33–46, 51, 54, 130, 172, 214, 315–22, 401
 listric, 15, 108–9, 125–7, 147–9, 402–4
 reactivation *see* Caledonian and Permian reflectors, 186–93
 related diagenesis, 325–51
 reverse, 140, 155, 299–312
 splay, 326–331, 348
 strike-slip, 137–44, 214–7, 322–43
 Tertiary, 212–27
 transmission, 315–23
see also imbricate zone, rifting, stress regimes, syndepositional
- fault analysis, 297–313, 315, 403–11, 424–7
 fault basin orientation, 125–7, 213–5
 fault block rotation, 402
 fault control, 23, 61–71, 213–27, 297–312, 374–5, 388–91
 fault damage zone, 331–9, 349–50
 fault direction, 304–5
 fault magnitude, 117–29, 304–12, 327
 fault mineralization, 143, 216–22, 329–37, 349
 fault, normal, Alderley Horst, 335–7
 Cheshire Basin, 300–12
 Cumbria, 317
 Isle of Man, 153–7
 Permian basins, 214–5, 254–5
 Portpatrick Basin reactivation, 130, 299–300
 fault, systems, 116–31, 140, 167–72, 254–5, 297–313
 fault tilted blocks, 15, 42–3, 154–5, 185–6, 345–50
 North, 97, 100, 108–9, 125–8
 fauna, 137, 281–91
 Holywell Shale Formation, 196–9, 202
 Jurassic, 33–46, 54, 119
 Namurian, 103, 145, 239
 Triassic, 119–21
 Felixkirk Borehole, 34, 40, 42
 ferroan cement, 334–47, 356–9, 376, 383, 410
 Firth Farm, 35, 37, 39
 fission track analysis 3–7,
 see also AFT
 flat spot, 185–93, 393–7
 Fleetwood Dyke, 49, 57, 139, 142–3, 155, 168
 Fleetwood Dyke Group, 13, 213
 flora, 37, 41, 103, 145, 151–2, 239–40, 277
 coals, 290–1
 Douglas Field, 381
 flower structure, 168–71
 fluid analysis, 428, 433–4
 fluid flow, 3–7, 73–91, 325–50, 403–14, 427–34
 Millom Field, 377–85
 Palaeozoic massifs, 87
 fluid inclusion, Blocks 110/13, 110/14, 110/15, 353–69, 380–5
 see also AFT
 fluid migration, 213–228, 346–50, 411
 fluid mineralizing, 208, 217, 219–27, 325–51
 Isle of Man, 142–3, 155, 225–6
 fluid, saline, 150, 217, 219–27
 reservoir conditions, 229–35, 353–69, 373–81
 South EISB, 385–410, 427–3
 fluvial sandstones, 11, 146, 172–3, 192, 353, 403–6
 Collyhurst Sandstone Formation, 154, 373–6, 401
 Liverpool Bay, 405–9, 422–7
 Millom Field, 384
 Ormskirk Sandstone Formation, 100, 237, 239–51, 253–9, 274, 317, 353, 387
 Sherwood Sandstone Group, 2, 3, 11, 19–22, 24
 Formby, 5
 Formby Point, 185–193, 254–6, 336, 401
 Formby Point Fault, 374, 388, 417–34
 Formby-1, 2, 22, 26, 81, 168–9, 170–2, 185–93, 427
 Formby-4, 22–3, 186
 Foxdale Granite, 137, 140
 fractal analysis, faults, 306–12, 315–23
 fracture planes, 216–7
 Freshfield Sandstone Member, 12, 22–6
 Frith Farm, 37
 Frodsham Member, 2, 166, 174, 239–240
 Liverpool Bay, 405–9, 418, 421, 440–3
 see also Ormskirk Sandstone Formation
 Furness, 22–23, 70–1, 192
 Fylde Halite Member, 12–17, 19, 239, 272, 387
 thermal history, 77
- galena, 145, 326, 331–50
 Garwood Group, 12–14, 24–5, 27–30
 gas, amplitude anomalies, 185–93, 388–91
 bearing sandstone, 5, 154, 173, 277
 generation, 74–5, 83, 403, 428
 Holywell Shale, 147, 149–50, 195–211
 oil levels, 387, 393, 399, 419, 433
 prone, 104, 173, 178
 show, 277
 water levels, 3–4, 185–6, 222–6, 387, 422, 427–36
 water relicts, 185–6
 see also Ormskirk Sandstone Formation
 generation, 4–7, 73–91, 222–6, 437–36
 see also sources
 George Gill, 318–22
 Givesspyr Sandstone, 196, 196–9
 glacio-eustatic variation, 290–94
 Glencartholm Volanics, 280–1, 283, 289, 291
 goethite, 343
 Gogarth Fault, 402–16, 419
 graben, 289–90, 417
 gradient, 4, 47–58, 73–91
 grain size, 317, 322–3, 337–40
 Grangehill, 225
 gravity anomalies, 47–58, 97–8, 185, 299
 North and Central Irish Sea, 135–8, 140–4, 152–3
 Great Orme, 203, 206–7, 210
 Greensand, 103, 115–9, 121
 Gronant Chert, 195–6
 growth faults, 22, 26, 33–46, 51, 54, 130, 214, 315–172, 401
 gypsum, 15, 282, 290–1, 356–7, 369, 376, 410
- haematite, 145, 154, 331, 334–50
 half graben, 35, 108, 154, 213–5
 Cheshire Basin, 167–72, 297–313, 315–20, 326–7
 Cumbria, 289–90, 319
 Liverpool Bay, 401
 North Channel, 97–103, 214–5
 North Irish Sea, 97–9, 108, 116, 128

- Southern Uplands, 100, 289–90
Halite Units, Upper and Lower, 12, 23–5, 239–40
halokinesis, 15, 23, 99, 154, 156
Hamilton Field, 6, 274, 353–69, 375, 388
 development, 399, 401–2, 405, 414–4, 430–1, 435–6
 hangingwall, Cheshire Basin, 168, 299
 Engine Vein, 335–7
 growth faults, 15, 22, 26, 33–4, 130
 Triassic, 51, 54
haselgebirge, 14, 19
Heathfield, 317–23
Hebrides Jurassic, 54–6, 103
Helsby Hill, 317–23
Helsby Sandstone Formation, 2, 163, 168–82, 239–57, 317–23
 Alderley Horst, 328, 337, 345, 347
 Liverpool Bay, 399–416, 421
 see also Thurstaston, Delamere and Frodsham Members
Hercynian unconformity, 163, 167, 178–93
heterogenous layering, 377–5
Hettangian, 34–7, 39, 41–2, 54
Hewett Sandstone, 23
High Haume Anticline *see* Quadrant 109 Arch
Highland Border Ridge, 34, 100, 114–6, 119, 128
Highland Boundary Fault, 114, 117, 127
Hilbre Island, 317–23
history, Cheshire Basin, 161–82, 237–305, 310–12
 Easton, Dinantian, 277–96
 EISB, 11–57, 73–95, 237–41, 253–60, 353, 375–87
 Isle of Man, 137–57
 Larne, 75, 103–8, 113–25
 Liverpool Bay, 195–202, 400–7, 417–27
 North Channel, 98–106, 115–23, 213–17, 319–21
Hodnet Fault, 301–3, 310
Holy Island Shelf, 62–4, 68–9
Holywell Shale Formation, 5, 140, 145–50, 173, 195–211
 Liverpool Bay, 400, 427–8, 431
homogenization temperature, 219–21, 344, 355, 361–9, 380
Hope Mountain, 197
Humphrey Head, 22, 27
hydroxides, mineral, 326, 334–6, 343
hydrocarbon, 26, 108–9, 146, 325, 346–50, 356–69
 analysed, 200–11, 373, 427–34
 biodegradation, 203, 410–11
 Cheshire Basin, 161–183
 Douglas Field, 393, 403–5, 410–6
 fill, EISB, 328, 375–85
 generation, 73–93
 indicators, 183–95
 Lennox Field, 421–3, 427–36
 loss, 3–4, 74, 90–2, 107–8, 185, 208, 428
 North Solway Fault, 222–7
 signature, 195–211, 365, 414, 431–4
 see also bitumen
hydrogen sulphide, 5–6, 192, 229–35, 387, 397, 399, 419
hydrothermal fluid, 155, 222
- Indicators hydrocarbons, 183–95
Inferior Oolite, 54–5
intertidal, Keuper Waterstones, 2, 20, 117–9, 155, 174, 239–40
inversion, 3–7, 103, 117–9, 155
 Jurassic, 227, 299–30
 Permo-Trias, 299
 Tertiary, 4–5, 402, 417, 428
 Variscan, 167, 277, 299
iron, 142–3, 192, 325
 see also ferroan cement
irradiated bitumen, 222–7
Isle of Man, 3, 5, 13, 51–7
 crustal structure, 61–71, 135–9
 mineralization, 143, 145, 225–6
 thermal history, 77–5, 80–1, 83–5, 90
isotopes, 197, 221, 239, 244, 255
 Blocks 110/13, 110/14, 110/15, 353–69
 Liverpool Bay, 202–3, 205–11
- Jurassic, 33–56
 fault/erosion, 41–2
 generation, 5–6, 73–91, 428
 nomenclature, 33–46, 400, 421
 uplift, 42, 51–2, 115–23
 see also Lias, Kimmeridgian, Oxfordian, Callovian, Bathonian, Bajocian, Aalian, Toarcian, Miensbachian, Sinemurian, Hettangian.
Jurassic-Cretaceous sag, 155–7
- kaolinite, 215–17
Keckwick Fault, 169, 175, 181
Kershope Burn, 222–3
Keuper Marl, 166
Keuper Sandstone *see* Helsby and Ormskirk Sandstone Formations
Keuper Waterstones, 2, 20, 117–9, 155, 174, 239–40
 see also Tarporley Siltstone Formation
Keys Basin, 4, 13, 14, 42–3, 51–7
 Borehole 89/11A, 34–5, 45–6
 crustal structure, 61–71
 diagenesis, 373–84
 Lias, 33–6, 42–3, 45–6
 migration, 379–83
Keys Fault, 3–4, 71, 168, 254–6
 evolution, 142, 153, 156, 374, 388–403
Kidston Group, 12–14, 24–5, 27–30
Kill-o'-the-Grange, 36
Killary Glebe, 38, 41
Kilroot, 219
Kimmeridgian, 56–8, 167
Kinbane, 41
Kinderscoutian, 150
King Street Fault, 165, 167–81, 300–3
Kinnerton Sandstone Formation, 22, 26–7
 Cheshire Basin, 166, 240, 326–8
 Liverpool Bay, 404, 421
Kirkbean, 281
Kirkham borehole, 18
Kirkham Mudstone Formation Liverpool Bay, 421
Kirkleyditch Fault, 326–31, 337, 344–5, 347–50
Kish Bank Basin, 6, 13, 51–6
- Iapetus suture, 61–71, 138, 141, 279
illite, 215–17, 340, 353, 356, 377–85, 410, 426–7
 see also platy illite
Imbricate Zone, 139–43

- crustal structure, 61, 67, 69, 71
 Lias, 33–6, 42–3
 Knutsford, 2, 6, 26–7, 163–4, 167–9, 173–82
 K_1/K_h ratios, 383–5

 Lacy's Cave, 318–22
 Lagavarra Formation, 105, 129
 Lagman Basin, 34–5
 Lagman Fault, 25–6, 139–46, 153, 254–6, 374, 388
 Lake District Boundary Fault, 116, 276–70, 327
 Lake District thermal history, 75–7, 84–8
 Lambay Fault, 35–6
 Lambda Field, 353, 402
 Lancashire, 13–5, 29, 185–7, 428
 thermal history, 77–9, 82
 Langford Lodge Borehole, 36, 38, 41–2, 42, 100–1,
 115–6, 120
 Langholm, 281–2
 Langness Conglomerate, 140–1, 144–5
 Langport Member, 39–40, 42
 Larne Basin, 5, 113–33, 217–27
 Larne Borehole-1, 38, 41
 Larne-1 and-2, 96, 100–8, 115–23, 128–9
 Larne-2, 105, 108, 115–7, 120, 124–5
 Larne–Firth of Clyde sub-basin, 93–108
 Larne–Lough Neagh Basin, 103, 113–131
 burial pathway, 213, 215–27
 Lias, 36, 38, 40–3
 lead, 217, 219–27, 325
 Leadhills–Wanlockhead, 217–22, 227
 Leannan–Loch Gruinaard Fault System, 37–8
 Leman Sandstone traps, 162–3
 Lennox Field, 6, 353–69, 374, 388, 414–5, 417–36
 reservoir, 174, 188, 402–5
 source, 208–11
 Leyland Formation, 12–18, 129–31
 Lias, 6–7, 13, 33–46, 51, 54–5, 57
 Cheshire Basin, 161–2, 166–8, 179, 299
 Isle of Man, 155
 Larne, 115–23
 lignite, 116, 130
 Lilstock Formation, 33, 39–40, 42–3
 limonite–goethite, 326, 343
 listric faults, 15, 108–9, 125–7, 147–9, 402–4
 lithology Easton, 280–6, 290, 294
 lithostratigraphical nomenclature revision, 2, 11–32, 400
 Liverpool Bay Fields, 399–436
 Liverpool Bay–North Wales, 195–211
 Llŷn–Rossendale Ridge, 14, 18, 22, 25–7
 Loch Indaal Basin, 33–8, 42, 45–6, 114
 Boreholes 75/41 75/44, 37, 46
 Locharbriggs, 217
 Locharbriggs Sandstone Formation, 24–7
 Lough Neagh,
 see also Larne–Lough Neagh
 Lough Neagh Basin, 103, 113, 130
 Lough Neagh Formation, 129–31
 Lower Border Group, 277–94
 Lower Bowland Shale Formation, 29
 Lynebank Beds, 277, 280–3, 290

 Maastrichtian, 50–1
 Magilligan Borehole, 36, 38, 40–3, 129

 Magnesian Limestone, 108–9, 115, 120, 127
 malachite, 244, 334–42
 Malpas Sandstone, 166, 173, 175
 Manchester Marls Formation, 6, 12, 21–6, 268, 347–8
 Cheshire Basin, 166–81, 326–8
 Isle of Man, 140
 Liverpool Bay, 400, 420–1, 431
 reflector, 185–193
 manganese hydroxide, 334–43
 Manx Group, 137–44, 149–51, 155
 Marston, 169, 173–4
 Maryport–Stublick Fault, 70, 278–81, 290
 maturity, 6, 73–93, 90, 104, 195–211, 365–9
 Cheshire Basin, 179–82
 Dorset–English Channel, 161–2
 Lennox gas, 428
 Namurian, 195–211, 368–9
 Permo-Trias Basins, 88–92
 Meadowbank Salt Mine, 179
 mercaptans, 399, 403, 421
 Mercia Mudstone Group, 2, 33–46, 51, 185, 289
 Alderley, 328, 345, 457–8
 Cheshire Basin, 162–81, 365
 diagenesis, 353–369, 383
 Isle of Man, 140, 155
 Larne, 102–9, 115, 120–9
 lithostratigraphy, 12–19, 239–51, 268, 391–2
 Liverpool Bay, 400–2, 414, 417, 421–36
 overlap, 257, 274
 seismic properties, 4, 185–193, 391–5
 see also Blue Anchor, Elswick, Warton, Dowbridge,
 Preesall, Leyland Formations, Cleveleys, Mythop,
 Blackpool, Rossall, Ansdell, Fylde, Stanah Members
 mesogenesis, 221–2, 340–50, 357–69
 metaliferous bitumen, 5, 222
 metaliferous fluids, 143, 145, 217, 219–27
 methane, 13, 179, 354, 403
 Mickle Trafford, 179
 microbial tests, 229–36
 Miensbachian, 42, 54
 migration, 3–7, 74, 347–50
 EISB, 163, 178, 184, 257–69, 358–69
 Liverpool Bay, 192, 208–11, 403–34
 Millom Field, 379–83
 North Irish Sea–North Channel, 104–9, 213–27
 Millom Field, 254, 254–5, 266, 271–2, 388
 development, 373–386
 Milton Green, 164, 169, 173, 176–81
 mineralization, 208, 217, 219–27, 383
 Alderley Edge, 325–351
 Isle of Man, 142–5, 225–6
 Miocene, 103, 130
 Mire House Borehole, 36, 38, 41–2, 115–7, 130
 Moberley Fault, 168–81, 300–3
 Mochas, 54
 model, burial history, 179–80
 generation, 74–91
 Irish Sea doming, 47–58
 Lennox, 424–31
 migration, Liverpool Bay, 358–9
 Ormskirk Sandstone Formation, 236–51, 253–76
 porosity, 189, 192–3
 reservoir simulation, 424–7, 429
 seismic anomalies, 185–93, 387–95

- velocity depth Mercia Mudstone Group, 391–7
- Morecombe Field, 3–5, 13–14, 18, 20, 266, 388
 - diagenesis, 353, 373–85
 - facies, 239–40, 254–6, 260
 - south of, 84–5, 237–51, 271
- Mythop Halite Member, 12–19, 247
 - Liverpool Bay, 88, 399, 400–3, 405, 421
- Namurian, 5, 28–9, 163, 195–211
 - Isle of Man, 145–50
 - Northern Ireland, 100, 115–7
 - see also* Holywell Shale Formation
- Newmill-1, 95–6, 102–4, 107–8, 113, 124
- Newtownards Fault, 217, 219
- Niarbyl, 140–3
- nomenclature revised, 2, 11–32, 123, 277–94, 400, 421
- non-ferroan cements, 340, 356–9, 367, 410, 426–7
- Nooks Farm, 164, 176–9
- North Channel, 6, 95–117, 128, 213–28
 - see also* Larne Basins
- North Irish Sea–North Channel, fluid migration, 213–28
- North Morecombe, 3, 374, 388
- North Solway Fault, 213–7, 222
- North Wales, 13, 29, 54, 80, 89, 163, 173
- North Wales–Liverpool Bay, 195–211
- Northern Ireland Lias, 34, 36, 38, 40–3
- Northwich Halite Formation, 15–18, 239–40, 247, 400–3, 405
 - Cheshire Basin, 166, 168, 179–82
 - see also* Rossall Halite Formation
- offshore wireline correlation, 11–32
- Ogham Inlier, 142, 145–7, 374, 388, 419
- oil, analysis, 200–11, 427–34
 - prone, 5, 104, 149, 192–211
 - seepage, 178–9
 - stains, 146, 185
 - water level, 387, 393, 399, 402, 410, 419, 422
 - window, 222
- Oligocene, 47, 52, 57–8, 103, 117, 129–130
- Onchan Depression, 142, 145–57
- onlap, 6, 13, 16–17, 40–2, 51, 154, 167, 195, 300
 - Cretaceous, 41–3, 56–7
 - Jurassic, 41, 55–8
 - Ormskirk Sandstone Formation, 237–51
 - Westphalian, 163, 168–82
- Onshore Shallow Boreholes X+Y, 77–85
- Orlock Bridge Fault, 114, 119, 127
- Ormskirk Sandstone Formation, 2, 4, 6, 15–17, 19–23, 104–5
 - Cheshire Basin, 163–83, 326
 - depositional model, 253–76
 - diachroneity, 237–51, 253–74
 - diagenesis, 353–69, 373–85
 - Isle of Man, 154–5
 - Liverpool Bay, 401–11, 421–36, 431
 - Millom Field, 373–85
 - reflector, 185–93, 400–4
 - sabkha, 240–50, 253–76
 - South EISB, 185–93, 387
 - see also* Wilmslow and Helsby Sandstone Formations and Keuper Waterstones
 - Overton Fault, 301–4
 - Oxfordian, 55–8
 - oxidizing water, 326, 328, 330, 338–50
 - Palaeogene, 47–53, 57–8, 129–30, 402
 - palaeotemperature, 6, 91
 - northern, 77–88, 90, 124–5
 - Solway, 219–26
 - South EISB, 202–3, 205–11, 344, 361–9, 380
 - Palaeozoic, 137–9
 - Panorama Walk, 195
 - Peel Basin, 6, 61–71, 135–9, 279
 - Peel Group, 139–40, 142–4, 151–5
 - Pembroke Ridge, 54
 - Pen-y-maes Sandstone, 196–9, 201–2
 - Penarth Group, 12–13, 33–46
 - Larne, 115, 123
 - Liverpool Bay, 421
 - see also* Rhaetian
 - Penrith Sandstone Formation, 24–7, 318–22
 - permeability, Cheshire Basin potential, 172–82
 - faults, 322
 - Liverpool Bay, 408–19, 423–7
 - Millom, 373–85
 - North Channel, 104–8, 213–27
 - Permo-Trias extension, 168–81
 - Permian, 1, 31, 58, 114–31, 213
 - Isle of Man, 153–7
 - maximum palaeotemperatures, 80–83
 - reactivation, 26, 130, 213, 299–300
 - sedimentation, 100
 - Upper *see* Cumbrian Coast Group
 - see also* Appleby Group, Collyhurst Sandstone Formation, Tormentil Volcanics
 - Permian volcanics, 125, 128, 154
 - Larne, 100, 104, 115, 117, 119–30
 - see also* Tormentil
 - Permo-Triassic, basins, 11, 50–1, 97–9, 185, 213–5, 315–20
 - fault bounded basins, 47, 168–72, 175–9, 298–312
 - generation, 75–91
 - N–S faulting, 168–81
 - Plateau Fault, 100–8, 125–7
 - Plattlane, 35, 37, 39
 - platy illite, Millom, 374–85
 - Platy Illite Zone, 2–4, 185, 192
 - see also* top Sherwood Sandstone Formation
 - playa lake, 271, 410
 - Easton, 282, 290
 - Liverpool Bay, 42–63, 403, 405–6, 418
 - Ormskirk Sandstone Formation, 206–74, 237–9, 242–6
 - plays, 1, 88–92
 - Central Horst Cheshire Basin, 170, 172, 180–2
 - Central Irish Sea, 146–9, 157
 - North Channel, 100–9
 - Pliensbachian, 36, 41–2, 103
 - Pliensbachian–Cenomanian fault movement, 41–3
 - Point of Ayr, 5, 29, 197, 203, 208, 435
 - Point of Ayre, 146, 155
 - Pontesford–Linley Lineament, 297–9
 - Poortown Gabbro, 143
 - porosity, Alderley Edge, 330, 337–50
 - Cheshire Basin, 172–3

- fault diagenesis, 325–51
 fault throw, 315–23
 Larne-2, 106
 Liverpool Bay, 407–9, 425–7
 model, 189, 192–3
 secondary, 215–23, 365
 South EISB, 359–69, 373–85
 Port Moor, 142–3, 155
 Port More Borehole, 36, 38, 40–3, 103, 119
 Portlandian, 56–8
 Portpatrick sub-basin, 95–104, 113–4, 116, 125–7, 130, 214–5
 post-Kimmeridgian fault movement, 42–3
 powdering grains, 337
 Poyllvaash Bay, 226
 Prees outlier, 37, 39, 167
 Prees-1, 15, 27, 35–8, 54, 163–4, 166–9, 173–81
 Preesall Halite Formation, 12–18, 392–7, 421
 pyrite, 143, 192, 340–1, 358, 369, 410
- Quadrant 109 Arch, 2, 14–15, 20, 23, 26–9, 145
 structure, 62–71, 185
 Quaternary, 15, 33–9, 103–4, 118, 140, 180, 186, 391
 quartz, cement, Liverpool Bay, 410, 426–7
 South EISB, 353–69, 375–8, 382–3
 overgrowth, 215–22, 226–7, 334–40, 356–69
 veining, 4, 138–9, 154, 212–6, 326–37, 410
- radioactive minerals, 217, 219–27
 Ramsay–Whitehaven Ridge, 54, 139–42, 146, 279
 crustal structure, 61–71
 Rathlin Trough, 103, 114–6, 119, 129, 215–6
 Lias, 36, 38, 40–3
 reactivation *see* Caledonian, Permian *and* fault
 red bed, 152, 215–6, 226, 356
 reduction, 337, 345–50, 382
 Red Rock Fault, 169, 175, 180, 307, 437
 reducing fluids, 26, 328, 330, 338–50, 410
 reflectors, 2, 3, 19, 61–71
 Carboniferous, 45, 120, 149–50, 178, 185–93, 401
 Collyhurst Sandstone Formation, 172, 185–93, 400–1, 404
 Easton Anhydrite Facies, 277–94
 Ormskirk Sandstone Formation, 20–2, 26–74, 387–95
 Sherwood Sandstone Group, Liverpool Bay, 427
 Tertiary unconformity, 69–71
 Top Triassic, 34
 see also wireline logs, Top Sherwood Sandstone Group
 relaxation, 140, 144–5
 reservoir, 3, 15
 Cheshire Basin, 161–82
 diagenesis, 327–50, 353–69, 373–85
 and faults, 315–23
 Formby reflectors, 186–93
 Helsby Sandstone Member, 162–3, 172–3
 Isle of Man Westphalian, 150
 Liverpool Bay, 399–416, 421–7
 Mercia Mudstone Group, 162–3
 Millom Field, 373–85
 North Channel *and* Ireland, 100, 104–9
 simulation, model, 424–7, 429
 souring, 6, 229–35
 South EISB, 359–60, 387–95
 sulphate fouling, 6, 299–35
 see also Ormskirk *and* Sherwood Sandstones
 reverse faults, 155, 299–312
 Rhaetian, 36–46, 123
 see also Penarth Group
 Ribblesdale Fold Belt, 29
 rifting, Carboniferous, 144–9
 Cheshire Basin, 180, 297–312, 317
 Jurassic–Cretaceous, 155, 157
 North Channel, 96–7, 108–9
 Permian, 120–1, 128, 153–7, 254–5
 Permo-Trias Southern Uplands, 215–27
 Triassic, 11, 19, 98
 Triassic–Early Jurassic, 402
 see also Caledonian
 rollover anticlines, 14, 108–9, 118–9, 186–7, 190–3, 417
 rollover fault, 125, 130, 300–4, 373–86
 Rossall Halite Member, 12–19, 247, 400–3, 405
 Rôt transgression, 11, 19, 239–40, 247–8
 Rottington Sandstone Member, 2, 12, 21–2, 23, 400
 reflector, 185–93
 see also Top Sherwood Sandstone Group, *and* Silicified Zone
 Rough Rock, 196–9
- Sabden Shale, 5, 29
 sabkha, 3, 19, 29
 Easton, 291
 Liverpool Bay, 403–5, 409, 423–6
 Millom, 375–9
 Ormskirk Sandstone Formation, 237–50, 253–76, 375–80
 sagging, 22–6, 149–57, 155–7, 260–70, 299, 428
 St Bees Evaporites Formation, 12, 23–6
 Liverpool Bay, 421
 St Bees Sandstone Formation, 12, 19–22, 100, 104–6, 390
 facies, 237–57
 Isle of Man, 149, 154
 Liverpool Bay, 400, 417, 420–1, 431
 see also Kinnerton Sandstone Formation
 St George's Channel, 51–7
 St Tudwal's Arch, 48, 54–5
 St Winefride's Well bitumen, 200–6
 salina, 286–291
 saline fluids, Liverpool Bay, 410, 427–31
 North Irish Sea, 217, 219–27
 reservoir formation, 229–35, 353–69, 373–84
 saline mineralizing fluids, 219–22, 325–50
 sandflat, 241–9, 353–71
 Sanquhar Basin, 214
 Scilicified Zone, 20–22, 105
 sea-levels, 47, 50–1, 56, 150, 289
 seal, 88–93, 353
 Carboniferous, 104, 106
 Cheshire Basin, 180–2, 186
 North Channel, 106–9
 Permian, 100–2, 104–8, 170–4
 seismic migration, 413–4
 seismicity, 188, 192, 338
 shale smears, 333, 335, 337, 348–9
 Shallow Boreholes A–C, X, Y, 78–85

- sheetflood, 237–9, 242–6, 253–64, 373–6, 403–16
 shelf facies, 13, 167, 280–94, 300
 Shellag Point, 136, 146–7
 Sherwood Sandstone Group, 1–3, 15, 166
 diachroneity, 237–51
 diagenesis, 325–50, 353–71
 indicator, 1–2, 185–93, 271, 388, 390, 401
 Isle of Man, 140, 155
 Larne, 115, 120–4, 128–9, 226
 lithostratigraphy, 12–17, 19–22, 26, 237–51
 Liverpool Bay, 401–3, 417–21
 post-faulting, 304
 reservoir, 100–9
 South ESIB, 387–97, 399–416
 see also Ormskirk Sandstone and St Bees Sandstone Formations, Calder Sandstone and Rottington Sandstone Members
 siderite, 143
 signature, hydrocarbon, 195–211, 365, 414, 431–4
 Sigurd Fault, 14, 34–5, 254–6, 374
 Silesian, 26–7, 149–51
 Sillolith-1, 26
 Silverpit Formation, 1, 27
 Sinemurian, 34–7, 39, 40–2, 57
 Singleton Mudstone Formation, 18–19, 421
 Sixmilewater Fault, 119–20, 127
 Slane Fault, 65, 67
 slip surfaces, 337–9, 348–50
 smectite, 215–8, 356
 solar insolation, 293–4
 Solway Firth Basin, 5–6, 13, 34–5, 51–2, 54, 116, 135
 Dinanian Evaporites, 277–94
 Isle of Man, 155, 225–227
 maximum palaeotemperatures, 80, 82–6, 125, 226
 migration, 213–227
 Onshore Borehole X, 77, 79, 82
 Onshore Borehole Y, 80, 82–3, 85
 potential source, 163
 structure, 62, 67, 70–1
 sour gas, 5–6, 50, 192, 229–35, 387
 source, potential, Cheshire Basin, 162–3, 172–82
 thermal history, 73–93
 sources, 346–50
 Holywell Sandstone Formation, 162–3, 199–211, 426–34
 Lower Permian, 104
 Namurian, 5–7, 27–9, 104, 106–9, 145–50
 North Channel, 104–8, 222–7
 South Irish Sea Lineament, 68–71
 South Morecombe Field, 1–2, 5–6, 107, 374–85, 387
 Ormskirk Sandstone Formation, 253–6, 271–4
 Southern Uplands, 213–27
 Southern Uplands Fault Zone, 95–99, 97, 108, 114, 117–9, 122–8
 Southport, 18
 Southwick, 217–25
 sphalerite, 340
 Stafford Halite, 247
 Stanah Member, 6, 12–17, 19, 274, 387, 392–7
 sterane fingerprint, 427–30
 Stockport Member, 421
 Stonehaugh, 278, 289
 Strangford Loch, 226
 Stranraer Basin, 97, 100, 128
 stratigraphic sections, Cheshire Basin, 166, 174, 319, 328, 336
 Cumbria, 280, 284–6, 321
 EISB12, 16–17, 21, 24–5, 28, 241
 facies, 166, 240, 257, 270, 272–3
 Isle of Man, 147, 149–50
 Larne Basins, 107, 115, 126, 140
 Lias, 36
 Liverpool Bay, 197, 408, 421
 North Channel, 98–105, 106, 115
 sabkha, 240–1, 246, 257, 259, 268, 270, 272–3
 South ESIB, 400, 421
 stress regimes, 116–21, 125–31, 139–44, 214–5
 Cheshire Basin, 54, 168–81, 297–312, 401–2
 strontium isotopes, 354, 362
 structural evolution, Central Irish Sea, 135–59
 Douglas Field, 403–5
 East Irish Sea, 61–71
 Subcrenatum Marine Band, 29
 subsidence, 11, 18, 118–31, 300
 Dinantian, 163, 278, 289–94
 Lias, 42
 Lower Carboniferous, 163, 172–9, 195
 sabkha, 25, 258–70
 sulphate, 4–6, 326
 sulphate cements, EISB, 219, 239, 245, 248–50
 South EISB, 354–68, 410, 427
 sulphate-reducing bacteria, 6, 229–35
 sulphate thermal reduction, 50, 192
 sulphide, 334–50
 diagenesis, 183–193, 217–22, 244–6, 248, 362
 mineralization, 325–30
 sulphur isotopes, 221, 239, 244, 354, 362–5, 367–9
 Sweeny Mountain, 197
 syndepositional faults, 15, 119, 328–31
 Cheshire Basin, 168–81, 300–6
 Isle of Man, 144–9, 150–55
 North Channel, 100, 125, 128, 130–1, 215
 Solway Firth Basin, 216
 Tarporley Siltstone Formation, 2, 239–40, 300, 421
 Cheshire Basin, 166–81, 250, 328
 tectonic evolution, 113–133
 Tertiary, 52–3, 57
 deposition, 67, 129–30
 faults, 48, 168–72, 175–9, 212–27
 thermal events, 68–71, 73–91
 unconformity, 68–71
 see also Antrim basalts
 Tertiary intrusions, 13, 42, 49, 51, 73, 83–91
 Cheshire Basin, 167–8, 180
 Isle of Man, 140–2, 155, 225–7
 Larne, 125, 128–31, 215–27
 North Channel, 97–9, 103, 108–9
 Solway Firth Basin, 213–27
 Tertiary inversion, 4–5, 52–3, 57–8, 69–71, 402, 410, 417
 Tertiary uplift, 140, 155–7, 167, 317, 319, 380, 428
 Larne, 124–5, 128–31
 tetogenesis, 3, 342–50, 358–69, 410–1
 thermal events, 5, 6, 47–59, 73–93, 104–9, 213–27
 thermal sag, 149–155, 268–70, 300
 Thornhill, 27, 217
 Thornton Mudstone Member, 18

- Thurstaston Hill, 317–23
 Thurstaston Sandstone Member, 2, 20–21, 166, 239–57
 Liverpool Bay, 400–1, 405–9, 418, 425, 427
 see also Ormskirk Sandstone Formation
 till, 103–4
 tilted fault block, 15, 42–3
 Alderley Horst, 345–50
 Calder Field, 387–97
 Douglas Field, 399–416
 Formby Point, 185–93
 Larne, 128
 Liverpool Bay, 400–5
 North Channel, 97, 100, 105, 108–9
 Portpatrick Basin, 125–8
 Toarcian, 54
 Top Platy Illite Surface, 3–4, 185, 192, 353, 373–4, 377–84
 Top Sherwood Sandstone Group, 108, 387–90, 427
 Top Triassic reflector, 34
 Tormentil Volcanics, 12, 24–7
 Tournaisian, 2, 144, 289
 transgression, Carboniferous Larne, 214
 Cretaceous, 56–7
 Jurassic, 51, 54–6, 237–51, 253–74
 Ormskirk Sandstone Formation, 237–50
 see also Westphalian
 transmissibility index, 322–3
 transpression, 128, 139–43
 trap, Cheshire Basin faults, 163, 168–72, 175–9
 Douglas Field, 401–3
 formation, 88–91, 108–9
 Triassic, 36, 51, 167, 328
 base, 23–6
 correlation, 11–32, 123, 277–94, 400, 421
 Larne–Lough Neagh Basin, 113–31, 213
 marine, 4, 11, 19, 239–44, 365–9
 North Channel, 103–5
 see also Sherwood Sandstone Group, Mercia Mudstone Group, Helsby Sandstone Formation
 Triassic–Early Jurassic, rifting, 34–40, 118, 149–53, 168–81, 402
 thermal history, 77, 85, 380
 Triassic–late-Jurassic faulting, 168–72, 175–9
 truncation line, Cheshire Basin, 163, 170–82
 Tynwald Fault Zone, 4, 34–5, 254–6, 374, 380, 388
- Ulster White Limestone, 115, 119, 122, 217
 up-doming, 70–71, 140
 uplift, 1, 3–7, 47–58, 83
 Carboniferous–Permian, 215–6
 Cheshire Basin, 168, 327
 intra-Triassic, 167
 Larne, 109, 123–7
 pre-Permian, 214
 Tertiary, 70–1, 140, 155, 157
 uranium/thorium, 5, 219, 225–7
- Vale of Clywd Fault, 136, 144, 327
 Vale of Eden Basin, 316, 318–22
 vanadium, 411
 Variscan, 11, 149–53, 167, 277, 298–9, 401
 fault trend, 29, 70, 97, 125–7
- North Channel, 97, 100, 104
 Vesulian transgression, 55
 Viséan, 198, 277, 279–94
 volcanic breccia,
 Isle of Man, Dinantian, 100, 145
 VR, 4–6, 73–93, 150, 380
 Cheshire Basin, 179–80
 Holywell Shale, 150, 206–7, 428–30
 North Channel fringes, 104
- Warton Halite Formation, 12–17, 391–7
 Washing Bay Borehole, 130
 waste zone, 107–8, 173
 water–oil level, 337–82
 water-table, 244, 264–74, 358, 375
 waxy oil, 200–11, 403–16
 Well, 33/17+21, 35–7
 75/41+4, 46–7
 89/11A, 34–5
 100/8-1, 185–93
 103/21, 54
 103/2-1, 6
 106/28-1, 6
 107/2-1, 6
 110/2-5, 15–19
 110/2-6, 3, 174, 245, 259, 270–2
 110/2-7, 272
 110/2-8, 257–262, 264, 272
 110/2a-8, 15–19, 259
 110/2b-10, 24, 27, 154
 110/3-2, 4, 15–19
 110/3a-A3, 254–5, 259, 262, 271–2
 110/3a-D1, 255
 110/3b-4, 15
 110/6b, 16–19, 20–21, 24–5
 110/7-1, 1
 110/7-2, 25–6, 76–7
 110/7-3, 20, 387–8, 390–3
 110/7a-3, 6
 110/7a-4, 20, 20–22, 387–8, 390–3
 110/7a-8, 255, 387–97
 110/8-1+2, 1–2, 22, 185–6
 110/8-2, 20, 22–3, 27
 110/8-3+4, 186
 110/8a-5, 186, 237–8, 240–51, 254–5, 259, 403
 110/8a-C1, 186, 254, 259
 110/8a-C3, 255
 110/9-1, 15, 20, 20–21, 186–8
 110/a2a-N1+2, 376, 383
 110/10-1, 186
 110/11-1, 25–6, 29
 110/12a-1, 26, 255–62
 110/13-1, 20–22, 26, 199–211, 400
 110/13-2, 255–62, 399
 110/13-5, 238, 244–8
 110/13-6, 403
 110/13-8, 16–17, 19
 110/13-D2, 412–3
 110/13-10, 5, 199–211
 110/13-13-16, 354–69
 110/14-1, 255–62, 354–69
 110/14-2, 254–62
 110/14-3, 238, 244–8, 417

- 110/14-6Z, 354–69, 417–25
 110/15-6, 5, 186, 198–211, 418–20, 422–5
 110/15-6Z, 417, 421–4, 429
 110/15-7, 186, 354–69, 417–25
 110/20-1, 16–7, 25, 28–9
 110/26, 238, 244–6
 112/15-1, 95, 109
 112/25-1, 24, 136, 145–6, 149, 153–4
 112/25a-1, 23–4, 26
 112/30-1, 28, 136, 146, 149–54
 113/0, 4
 113/13-10, 5, 203–11
 113/26-1, 2, 27, 254, 259, 373–85
 113/26-2, 255
 113/26a-1, 254, 271
 113/26a-2, 376
 113/27-1, 20–24, 28
 113/27-2, 23, 28
 113/27-3, 24
 114/25-1, 145–6, 149, 154
 120/30-1, 150–4
 Welsh Massif, 6, 80, 87
 Wem Fault, 35, 37, 39
 Wem–Red Rock Fault System, 167–9, 172–3, 180–1, 318
 Wen–Bridgemere–Red Rock Fault System, 297–312, 329
 Wessex Basin, 7, 56
 West Crop, 18, 22
 Westbury Formation, 36–7, 39–42
 Westmoreland monocline, 70–1
 Westphalian, faulting, 71, 116, 151–2, 197–8
 Northern Ireland, 100, 104, 116
 source, 2, 150, 202–11
 truncation, 163, 168–82
 Westphalian–Diantian Barren Red Measures, 6, 27–30, 152
 White Park Bay, 41
 Whitebarn Fault, 326, 331, 344–5, 348–9
 Whitehaven, 5
 Whitehaven Sandstone, 151
 Wigton Bay, 214–5, 217–22
 Wilkesley, 35, 37, 39, 175–8
 Wilkesley Halite Formation, 15, 37, 39, 247, 328
 Cheshire Basin, 166, 180
 Liverpool Bay, 400–1, 421
 Will's Strand, 143, 153
 Wilmslow Sandstone Formation, 2, 22
 Alderley Horst, 326, 328, 331, 334–5, 347
 Cheshire Basin, 166–81
 fault zones, 317–23
 Liverpool Bay, 406, 421
 Winnington Fault, 169, 175, 181
 Winsford Fault, 165, 168–81
 wireline correlation, 11–30, 123, 277–94, 400, 421
 see also wireline logs
 wireline logs, Cheshire Basin, 174, 241, 246
 Easton-1, 284–6, 287–8, 292
 EISB, 16–17, 21, 24–5, 28, 241, 259
 Larne, 105
 Liverpool Bay, 199, 400, 406–7, 422–4
 Millom–Morecombe, 376
 Wizard Mine, 329
 Wood Mine, 329, 334–50
 Worcester Graben, 3, 6, 161–4, 299, 316, 326
 Wych Mudstone Formation, 15, 166, 170–2, 180

 Yarmfield, 164
 Yoredale facies, 29, 146
 Easton, 279, 281, 289, 291

 Zechstein Salt, 163
 zinc, 217, 219–27, 325