

Index

- Aguas Valley, Upper and Lower 26, 28, 29–31, 29, 30, 33
- Alaknanda River 156, 156
- Alfios River, Kyparissiakos 89, 248, 251–2, 254, 256, 258, 260–1
- Apennines chain 57, 67
- Adria Plate 57, 59, 61, 66, 70, 73
 - Alpine-Betic orogen 57
 - thrust propagation 48, 57, 59, 61–2, 66
- Apennines foredeep basin 55–7, 56
- arc migration 57, 72
 - central sector 59, 61, 71–3, 71
 - depocentres 57, 61
 - northern sector 59, 61, 63, 72, 73
 - subsidence 55, 57, 59, 61, 66, 70, 72, 73
 - see also* Apennines chain; Bradanic Trough
- Apulian Foreland 57, 59, 59, 61, 66–7, 70–2, 73
- Apulian platform 59, 61, 72
- Apuseni Mountains 39, 40, 44, 45, 49
- uplift history 47–8, 48, 49, 50–1
- Arava Valley, Jordan 91–3, 92
- Argille subapennine Formation 61, 62–3
- Atchafalaya Basin 214, 215, 217
- Atchafalaya Bay 209, 210, 217–19
- Lower Atchafalaya Outlet 217, 220
 - suspended sediment influx 218
 - suspended sediment plumes 222–3, 234
 - Vermilion Bay 217, 222–3, 224
 - Wax Lake Outlet 217, 218, 220–1, 223
 - wind-induced currents (lagoonal) 222–3, 224
 - see also* sediment flux to Atchafalaya Bay
- Atchafalaya River Delta, Lower 210, 219–25, 220, 221, 223, 224–5
- Atchafalaya River system 3, 209–24, 210
- Grand Lake–Six Mile Lake complex 214, 220
 - Mississippi–Atchafalaya interchange 213–14, 213
 - Simmesport gauging station 214, 216–17, 216, 217, 218, 218, 219, 221
- base-level changes 47–50, 153, 153
- eustasy controlled 47, 51
 - induced by river capture (Sorbas Basin) 2, 23–34
 - discharge changes 33
 - knick points 31–3
 - radiometric dating 27
 - regional setting 24
 - river terraces 24–7, 26, 29
 - sediment flux 31, 33, 34
 - sedimentation 24, 27
 - stratigraphy 28
 - stream power 33
 - surface lowering 29, 31, 32, 33–4
 - tectonic uplift 24, 26, 29, 33
 - valley incision 2, 27, 29–30, 29, 30–4, 30
- basin subsidence 37
- Apennines foredeep 55, 57, 59, 61, 66, 70, 72, 73
 - Körös sub-basin 39, 40, 44, 47
 - Borneo sedimentation and tectonics 2, 16–19
 - basins 10–16, 12, 15, 18
 - carbonate rocks 14
 - climatic impact on orogenesis 5, 16–19
 - crustal thickness eroded 14–15, 18
 - denudation rates 14–16, 17, 18
 - depocentres 11
 - geographical/geological setting 5–7, 6, 7, 8
 - location map 6
 - marine basins 10, 11, 13, 14, 16, 18
 - Neogene sedimentation 10–14, 16
 - plate tectonics 9, 10, 18
 - rotation 6, 10, 18
 - sediment thickness and volume 11, 12, 13–17, 13
 - tectonic evolution 18
 - vitrinite reflectance 15–16
 - volcanism 6, 11, 14
- Bradanic Trough 2, 55–73, 60, 65, 71
- allochthon 57, 59, 61, 62, 66–7, 70, 72, 73
 - Argille subapennine Formation 61, 62–3, 70, 72
 - basin stratigraphy 59–61
 - Calcarenite di Gravina Formation 61–2, 67, 70–1
 - cannibalization 57, 66, 67, 71–3
 - depositional ramps 59, 61, 63–7, 70, 72
 - fault systems 66–7
 - filling and overfilling 71–3
 - geological map 56, 60
 - palaeogeography 67, 69
 - Pliocene–Pleistocene depositional history 66–7, 71–3
 - Pliocene–Quaternary succession 61–2
 - Regressive coastal deposits 61, 63, 64, 67, 70–1, 73
 - stratigraphic restraints on geodynamics 70–3
 - structural map 56
 - Taranto Gulf 55, 57, 63–6, 65, 67, 73
 - tectonic uplift 47, 57, 70–3
 - turbidite sedimentation
 - Apennines foredeep 55, 57, 59, 72
 - Bradanic Trough 59, 61, 66–7, 70, 73 - see also* Apennines chain; Apennines foredeep basin
- Brune curves 150–1
- Calcarenite di Gravina Formation 61–2, 67, 70–1
- Carboneras Basin 24, 25, 34
- Castellón Group 204–5
- Castellón Sands and Shales Formations 204–5, 205, 206
- catchment delivery ratios 151–2, 151, 154, 155
- Celebes Sea 6, 10, 13, 14, 15, 18
- channel pattern index 188, 189, 190
- Churchill curves 150
- climate and climate changes
- control of fluvial lithofacies 88, 89
 - coupled with fluvial sedimentological record 190–1, 191
 - effects on erosion rates 16, 18, 19

- climate and climate changes (*continued*)
 effects on fluvial development 37–8, 86–8, 87, 187–8
 impact on sediment supply 3, 86, 149, 187–8, 197
 influence on orogenesis 5, 16–19
 influence on turbidite emplacement 272–6
 Kyparissiakos Gulf coastal system 251, 252
 Late Glacial 187, 188
 Milankovitch cycles 39, 47, 51
 pluvial-interpluvial sequence 272–6, 275
 sediment yield variations 87–8, 149
 turbidite sedimentation 272–6, 275
 valley incision 38, 187–8
 variability 227, 229, 230–2, 231, 236–7
see also environmental changes
- climatic forcing of fluvial sediment flux 187–97
 process-based modelling 3, 188–97
- cluster analysis 41–2, 42, 43, 45, 45, 47, 50–1
- Colebrook White equation 126
- Coquet River, England 98, 111, 115–30
 annual budgets 125, 125
 avulsion 116, 124–5, 127, 129
 lateral instability 116
 location and physiography 117
 surface sediment grain size distribution 119–20, 123
 threshold and bankfull discharges 126–7, 127
see also sediment budgeting techniques
- cut-and-fill episodes 149, 150, 150, 152, 153
- dams 89, 214, 229–30, 238–41, 239, 240, 253, 260–2
- Darcy Weisbach equation 106, 126
- Dead Sea strike-slip fault system 91–3, 92
- delivery ratios *see* catchment delivery ratios
- deltas
 accretion rates 219–21, 220
 Ebro foreland basin 200, 205
 Kyparissiakos Gulf coastal system 248, 253, 256, 260–2, 264
 Lower Atchafalaya River 219–24, 220, 223
 Mediterranean drainage basin 239, 239, 241
 Mississippi River 209, 211, 224
 Valencian Trough 204
 Wax Lake Outlet 210, 219, 220, 221, 224
- drainage basin structure 149, 151–7
 aggradation patterns 154
 changes in sediment storage and release 152, 155, 157
 effect on sediment storage and flux 153
 modulates effect of environmental change on sediment flux 152, 157
 sediment yield variations 149
 topologies 155–6, 155
 tributary-mainstream interactions 152–3
see also Ebro drainage network; Ebro foreland basin; fluvial architecture; Mediterranean drainage basin
- drainage networks
 development 38, 49–50
 sediment erosion 86, 88
 topologies 155–6
see also drainage basin structure; Ebro drainage network; Ebro foreland basin; sediment flux from Iberian Peninsula
- drainage patterns *see* fluvial architecture
- DuBoys equation 106, 126
- Duero Basin 204, 205
- East African Rift System 91, 92
- Ebro Basin *see* Ebro foreland basin
- Ebro drainage network 199–201, 204, 205, 206
 catchment area 200, 201, 202
 depocentre 203
 sediment and water discharge 202–3, 202
 tectonic controls 206, 228–9
 violent episodic flows 199–200
- Ebro foreland basin (Ebro Basin) 3, 90, 90, 171, 173, 175, 176, 199–200, 205
 alluvial fans 203
 carbonate-dominated lacustrine sedimentation 206
 change of palaeo-slope 206
 delta 200, 205
 depocentre 203
 sediment export 205
 tectonic framework 200, 204
see also Ebro drainage network
- Ebro River 228, 230, 232, 235, 241
- environmental changes
 effect on sediment flux 149, 152–7
 complex response model 152–3, 153
 historical interpretation 157–9, 158, 159
- erosion 86, 88
 banks 98, 105, 106–8, 109, 121–4
 bedrock 181, 182
 crustal thickness 14–15, 18
 influence of thrust faulting 174, 176, 178
 Kyparissiakos Gulf coastal system 251, 253, 256, 261–2
 Mediterranean drainage basin 231–2, 241, 261
 soil erodibility 193–4, 195
 soil erosion model 193–4
see also valley incision
- erosion rates 14–19
 climatic factors 16, 18, 19
 extreme events 16, 17, 82, 89
 man-induced 16
- Feos Valley (Sorbas Basin) 26, 28, 29–31, 29, 30, 33
- Feshie River 153, 154, 158, 159, 159
- fluvial architecture
 basin subsidence 37
 climate changes 37–8, 86–8
 drainage patterns 91, 92
 network development 38, 49–50, 199–203, 204–6
 perennial rivers 86–7
 source area uplift 37, 86
 tectonic controls 89–93, 90, 206
 transverse drainage 2, 3, 90, 91, 200–1
see also drainage basin structure
- foraminifera, planktonic 269, 276, 157
- Góchar Formation 24, 26, 29–31, 32
- gravel-bed rivers 83, 88, 88, 97–111, 115–30, 133–46, 159, 172
 bank erosion 98

- instability zones 98, 116, 125, 126, 129
 priming and triggering sequence 129
 sediment storage 98, 108, 109, 111, 116, 120,
 123, 129, 146
 step-length 120, 124
 wash load 98–9, 120
see also riffle-pool maintenance
- Hack's scaling law 90, 196, 196
- Hellenic Arc-Trench system 251, 261, 262, 264
- Herodotus Basin 267–77
 core data 267, 269, 269, 270, 271, 272
 cyclothems 276–7
 debris flow deposits 269
 foraminiferal assemblages 269, 276
 Herodotus Basin Megaturbidite (MTB) 269, 272,
 277
 influence of climate 272–6, 275
 location map 268
 nannofossil zonation 269
 Neogene 274
 Nile Cone sediment source 267–9, 272, 274–7, 275
 radiometric dating 269, 270, 271, 272
 sapropels 272, 276, 277
 sediment cyclicity 276–7
 sediment sources 267–9, 268, 270, 272, 274–7,
 275
 sedimentary characteristics 267–9
 stratigraphy 270, 276
 turbidite emplacement 267–77
see also Mediterranean Basin
- human impact on sediment flux 84, 88–9, 89, 149,
 229–30, 253, 260–2, 264
- Iberian Peninsula *see* sediment flux from Iberian
 Peninsula
- incision and aggradation
 changing locations 153
 Maas valley 87
 patterns of 87, 87, 152, 156
 river terraces 156–7, 156, 158, 159
 valley fill 149, 151–2, 157
- Infierno-Marchalico lineament, Sorbas Basin 29, 33
- Java 17
- Ketungau Basin, Borneo 13
- Körös sub-basin, Hungary 2, 37–51
 basin evolution models 49–50, 51
 boreholes 39, 40–2, 41, 43, 44–5, 44, 45, 46,
 47, 49–51
 cluster analysis 41–2, 42, 43, 45, 45, 47, 50–1
 geography/geology 39–40
 methodology 40–2
 mineralogical data (heavy minerals) 40–3, 42,
 43, 45–7, 45, 46, 47, 50–1
 palaeo-drainage system 48–50
 palaeomagnetic dating 40, 42, 44, 46
 regional geology 40
 source areas 42, 44, 45, 51
 stream gradients 39–40, 39
- subsidence 39, 40, 44, 47
 syn-sedimentary trap 48–50, 48, 49, 51
 tectono-morphological model 47–50, 51
 transport directions 40–3, 42, 45, 46, 47–51
- Kutei Basin, Borneo 8, 11, 13, 14, 15
- Kyparissiakos Gulf coastal system 247–64
 climate 251, 252
 coastal zone 254–8, 257, 262
 coastline 258–60, 261
 dam construction, influence of 253, 260–2, 264
 deltas 248, 253, 256, 260–2, 264
 erosion 251, 253, 256, 261–2
 evolution 261
 geographical location 249
 geological setting 250–1, 261, 263
 geotectonic environment 249, 251, 261, 264
 longshore sediment transport 260, 262
 marine sub-system 248–50, 251, 262
 mass movements 252–4, 262
 morphological characteristics 248, 250, 261
 morphometric characteristics 250
 oceanographic setting 253, 263
 progradation 256, 258, 260
 sediment fluxes 248, 251–3, 262, 263, 264
 bed load 252, 261
 dissolved load 252
 influence of human activities 253, 260–2, 264
 suspended sediment load 251–2
 variability 252–3
 shore (beach) zone 248, 258–60, 259, 260
 sub-aqueous sedimentary deposits 253–4, 255
 accumulation rates 254, 262
 terrestrial sub-system 248, 262
 vegetation cover 252, 260
 wave activity 258–60, 262
 wave characteristics 256–8
 weathering processes 251–3
see also Herodotus Basin; Mediterranean
 drainage basin
- Lake Turkana, Kenya 91, 92
- Lambley, River South Tyne 129
- land-use changes 86, 149, 214, 238
- longitudinal river profiles 189
 transverse rivers 174–5, 174, 175, 178, 179,
 182, 183
- Maas valley sediments 87, 87, 189
- Makassar Strait 6, 10, 11, 14, 18
- Marion Dufresne* Cruise 81 267
- mass movements
 debris flow deposits 269
 Kyparissiakos Gulf coastal system 252–4, 262
see also turbidite sedimentation
- Mediterranean Basin *see* Herodotus Basin;
 Mediterranean drainage basin
- Mediterranean drainage basin, sediment fluxes to
 227–43
 annual rainfall 230–2, 231, 233
 bathymetry 228, 229
 catchment areas 230, 232, 233, 234, 234, 241–3
 climatic variability 227, 229, 230–2, 231, 236–7
 coastal retreat 230, 239–41

- Mediterranean drainage basin, sediment fluxes to
(continued)
 coastal zone 229, 230, 233, 237
 coastline 229, 237–9
 dam construction
 distribution 238, 239
 influence of 89, 229–30, 238–41, 239, 240
 drought 230, 231
 erosion 231–2, 241, 261
 flood events 236, 238
 fluvial sediment flux
 bed load 235–6, 238, 241, 261
 dissolved load 234–5, 235, 236, 238, 241
 influence of human activities 229–30
 retained by dams 214, 238–41, 239, 240, 261
 suspended sediments 229–30, 232–6, 235, 236,
 238, 241–3, 261
 total flux 232, 233, 236–7, 241
 geomorphology/geology 228, 229, 230–2, 233
 Nile River 230, 232, 234, 235, 236, 237, 238,
 241
 physiographical regions 230, 232, 233, 234, 234
 rivers 228–30, 232–41, 233, 234, 241–3
 deltas 237, 237, 241
 sea-level changes 227, 229, 230
 tectonic framework 227–9
see also Herodotus Basin; Kyparissiakos Gulf
 coastal system; Mediterranean drainage basin
- Mediterranean Sea 227–30
see also Kyparissiakos Gulf coastal system;
 Mediterranean drainage basin
- megaturbidites 3, 269, 277
- Melawi Basin, Borneo 13
- Milankovitch climatic cycles 39, 47, 51
- Mississippi Basin 214
- Mississippi Delta 209, 211, 224
- Mississippi River 209, 210, 211–12, 211, 214, 216,
 224
- modelling
 basin evolution 49–50, 51, 81–2
 BIOME3 global vegetation model 192–3
 channel incision-aggradation time lag 190, 194
 complex response 152–3, 153
 continuous fractionation 163, 168
 Cumulative Seasonal Erosion Potential model
 (CSEP) 193
 cut-and-fill cycles 149, 150
 Dimensionless Geomorphological Unit Hydrographs
 196
 discrete fractionation 2–3, 161–70, 162
 empirical models 191, 193, 196, 151
 European Hydrologic System (SHE) 191
 General Circulation model (GCM) 196
 general hydrological model 192
 geomorphological 188–91, 189
 landscape evolution 193
 process-independent 161–70
 process-orientated 3, 161, 187–97, 191–4, 196–7
 river channel evolution 188–9
 runoff 191–3
 sediment fluxes 151, 187–97
 sediment yield, storage and delivery 149–51,
 153, 161–70
 soil erosion 193–4, 195
 transport processes 150
 uncertainty growth 196–7
 Universal Soil Loss Equation 151
 vegetation cover 192–4, 195
 Water Erosion Prediction Project (WEPP) 193
see also sediment delivery into basins,
 modelling
- Morgan City, Louisiana 209–10, 220, 224
- Nedas River 248, 254, 256, 258, 260
- Nile River 230, 232, 234–8, 241
 sediment source 267–9, 272, 274–7, 275
- Pannonian Basin 2, 38–51, 39, 41
 periodicity in sediment flux 81–93
 flow and force related 86–93
 sediment related 82–6
- Peristera River 248, 251, 254, 258
- Piave River, Italy 88–9, 89
- plate tectonics
 Apennines foredeep basin 55–7, 59, 61, 66, 67,
 70, 72, 73
 Körös sub-basin 38–9, 47, 50–1
 Kyparissiakos Gulf coastal system 250–1
 SE Asia 6–7, 9, 10, 18
- Po Plain 55, 57, 72, 73
- Po River 228, 230, 232, 236, 241
- pollution problems 150
- Pyrenees, Spanish 171–83, 172, 173
- radiometric dating 3, 15, 157, 157
 Herodotus Basin 3, 269, 270, 271
 Sorbas Basin 24, 27
- Rambla de los Feos, Sorbas Basin 2, 24–7, 25, 26
- Red River, Louisiana 209–11, 212, 214
- Rheidol River 158, 159, 159
- riffle-pool maintenance 133–46
 channel obstructions 134
 flow events 136, 138–40
 grain-size
 characteristics 135, 137, 137, 138, 139
 depositional selectivity 143, 144–5
 methodology 135–7
 particle packing and velocities 134
 pool morphology 133, 135
 scour and deposition loci 2, 134, 135–6, 137–40,
 140
 sediment continuity 134
 sediment flux through riffle-pool sequence 135
 sediment sorting pattern 145–6
 shear stress gradients 134, 137
 study site 135, 136
 threshold for gravel mobilization 136–7
 tracer clasts 135–7, 137
 mobilisation 138–40, 144
 paths through pool-bar-riffle sequence 138–40,
 140
 retrieval 138–40, 143
 scour and deposition loci 137–40, 140
 tractive force reversal 133–4, 135, 145–6
- Río Aguas, Sorbas Basin 2, 24–7, 25, 26
- Río Cinca Formation, Spain 88, 88
- Río Cinca, Spain 83, 90, 90, 174, 175, 177, 201

- Río Gállego 176, 178, 179, 181
 River Rede site *see* riffle-pool maintenance
 Rothbury gauging station 117, 127, 127, 129
- sea-level changes 227, 229, 230, 262
 effect on base levels 27, 31–4, 47, 51
 effect on turbidite emplacement 272, 273, 273,
 276–7
- sediment budgeting techniques 97–111, 115–30
 applicability over different scales 109–11
 bank erosion 98, 105, 106–8, 109, 121–4
 channel profile (cross-profile) budget 2, 97,
 99, 101, 105–6, 106, 108–9, 116, 118
 comparative sediment fluxes 128
 discharge hydrographs 106, 107, 127
 limitations of techniques 98, 120
 morphological budget 98, 99, 102, 104, 105–6,
 105, 106, 109–10, 110, 118–30, 121, 122
 planform budget 98–9, 100, 105–6, 106, 108, 116,
 118, 120
 planform cyclicality 129
 sediment transfer 97–8, 108, 109, 111, 116, 120
 patterns of 121–5
 study sites methodology
 Coquet River 116–20, 117, 119
 River Severn, Llandinam 98, 99–109, 103
 tests for accuracy 109, 118–20
 threshold and bankfull discharges 106–8, 126–9,
 126, 127
see also Coquet River
- sediment delivery into basins, modelling 161–70
 continuous fractionation 163, 168
 discrete fractionation 2–3, 161–70
 bed-step volume 163, 164, 165, 169
 bed-thickness variation 162, 167–8, 167
 diverging and converging delivery paths 169, 169
 feed volume 162–3, 164, 166, 168
 fractionation coefficient 162–4, 164, 165–6,
 168–70
 frequency distribution of bed-step volume 164–
 6, 165, 166, 167
 model equation and variants 162–6
 parameter estimation 168–70
 variables and notation 162
 process-independent modelling 161–70
 process-orientated modelling 3, 161, 187–97,
 191–4, 196–7
see also modelling
- sediment erosion and deposition in transverse
 rivers 171–83
 Bagnold equation 180
 bed shear stress 171, 177–82, 181, 183
 bed-load transport 177, 180–2
 bedrock erosion 181, 182
 channel slope changes 174, 175, 176–7, 181, 183
 extrinsic and intrinsic controls 182, 183
 influence of thrust faulting 174, 176, 178
 methodology and location 172–4, 172, 173
 river diversions 176
 river longitudinal profiles 174–5, 174, 175,
 178, 179, 182, 183
 river spacing ratio 176
 river terraces 176, 177
 sedimentation patterns 176
 stream power 171, 177–82, 181, 183
- sediment flux
 bed shear stress 83, 86, 134, 137, 171, 177–82,
 181, 183
 bed-load transport 97, 106–8, 115–16, 120, 126,
 177, 180–2, 235–6, 238, 241, 261
 climatic influences 86–8, 87
 dissolved load 234–6, 235, 238, 241, 252
 drainage diversion 38
 extreme events 84, 86
 human impacts 84, 88–9, 89, 149, 229–30, 253,
 260–2, 264
 influence of tectonic activity 86, 89–93, 90,
 91, 92
 influences on 1–3, 81–93
 retained by dams 214, 238–41, 239, 240, 261
 Sorbas Basin 31, 33, 34
 suspended load 16–17, 84–6, 85, 189, 189, 261
 Atchafalaya Bay 214–17, 216, 218, 218, 219,
 221, 224
 Mediterranean Sea 229–30, 232–6, 235, 236,
 238, 241–3
 temporal changes 81–2, 86–93
 total flux 232, 233, 236–7, 241
 variations 47, 48, 51, 82, 85, 85
 wash load 98–9, 120
see also Mediterranean drainage basin;
 Mediterranean Sea; periodicity; sediment
 flux from Iberian Peninsula; sediment flux
 to Atchafalaya Bay
- sediment flux from Iberian Peninsula 199–206
 Catalan Ranges 199–200, 203, 204, 205, 206
 catchment area 201–3, 202, 203
 depocentres 203–4
 direction of flux 203, 205, 206
 drainage basins 201, 203–4
 drainage network 199–203
 Duero Basin 204, 205
 Messinian low sea level 204–5, 206
 sediment discharge 201–3, 202, 203
 stratigraphic succession 204–5, 204, 205
 Tajo Basin 203–4, 205
 tectonic framework 200, 204
 temporal variations 203–5
 Tertiary basins 200
 transverse drainage 200–1
 Valencian Trough 199, 204, 204, 205, 206
 water discharge 201, 202, 203
see also Ebro drainage network; Ebro foreland
 basin
- sediment flux to Atchafalaya Bay 209–25
 channel deposition bed forms (parabolic banks)
 221, 222, 223
 delta accretion rates 219–21, 220
 flood discharges 215–16
 history of Atchafalaya system 209–13, 212
 land-use influence 214
 location map 210
 sediment supply 216, 221
 sediment transport 214, 216, 218, 219
 sediments in bay 217–24
 suspended sediment load 214–17, 216, 218, 218,
 219, 221, 224
 water discharge 211–12, 214, 216–17, 216, 218, 219
see also Atchafalaya Bay

- sediment storage in reservoirs 98, 108–9, 116,
120, 123, 146, 149, 150
Brune curves 150–1, 151
changes in storage and release 152, 153, 157
Churchill curves 150–1, 151
net storage volume 152
retention period (residence time) 111, 150, 151
space for 129
temporary 84–5, 87, 89–90
trap efficiency 150, 151
within floodplain 85–6
- sediment supply 1–3, 38, 189, 190, 190, 194, 196
Atchafalaya Bay 216, 221
climate 3, 86, 149, 187–8
tectonic influences 3, 38–9, 47, 51, 86, 149
temporal variations 82
- sediment transfer 97–8, 108, 109, 111, 116, 120
patterns of 121–5
- sediment yields from drainage basins 149–59, 153
controlling factors 17
cut-and-fill histories 149, 151–2
- sedimentation
cyclicality 2, 62, 129, 276–7
in reservoirs and catchments 150–2
zones 156, 156
- sediments, fluvial
bed shear 83, 86, 134, 137, 171, 177–82, 181, 183
bedform migration 82–3
bedload transport 82–4, 83, 84, 86, 89
framework gravels 82–3, 83
suspended load 16–17, 84–6, 85
volcanic ash 86
- Segama River, Sabah 16
- Severn River 98, 99–109, 100, 103, 109, 129
see also sediment budgeting techniques
- Shields entrainment function 126, 137
- South China Sea 6, 10, 18
- South Palawan Basin, Borneo 13, 14, 15
- stream power 127, 129, 137, 139, 171, 177–82, 181,
183
bedload transport 83, 84, 86
increased by thrusting 90
Sorbas Basin 33
suspended load 86
- Sulu Sea 6, 10, 14, 18
- Sunda Shelf 6, 7–10
- Sundaland 10
- Tajo Basin 203–4, 205
- Tarakan Basin, Borneo 11, 13, 14
- Taranto Gulf 55, 57, 63–6, 65, 67, 73
see also Apennines foredeep basin; Bradanic
Trough
- tectonism 2, 200, 204, 227–9
Borneo 2, 16–19
Dead Sea strike-slip fault system 91–3, 92
drainage controls 2, 89–93, 90, 206, 228–9
fault systems, Bradanic Trough 66–7
Körös sub-basin 47–50, 48, 49, 51
Kyparissiakos Gulf coastal system 249, 251, 261,
264
sediment supply 3, 38–9, 47, 51, 86, 149, 187–8
Sorbas Basin 24
thrust faulting *see* thrust movements
uplift 10, 15, 18, 37, 50, 86, 171
Apuseni Mountains 47–8, 48, 49, 50–1
Bradanic Trough 47, 57, 70–3
Sorbas Basin 24, 26, 29, 33
valley incision 90
see also basin subsidence
- thrust movements 2, 156, 204, 206
Apennine chain propagation 48, 57, 59, 61–2, 66
increase of stream power 90
inducing cycles of incision 90
influence on sedimentation and erosion 18, 174,
176, 178
- Tisza river, Körös sub-basin 39, 40, 42, 44, 48
- tracer pebble entrainment *see* riffle-pool
maintenance
- turbidite sedimentation
Apennines foredeep 55, 57, 59, 72
Bradanic Trough 55, 57, 59, 61, 66–7, 70, 72, 73
Herodotus Basin 267–77
influence of climate 272–6
influence of sea-level 272, 273, 276–7
megaturbidites 3, 269, 277
- Turnbull Bend, Mississippi 211, 213
- Valencian Trough 199, 204, 204, 205, 206
- valley cross-sections 27, 28, 31, 33
- valley incision 2, 23, 27, 29–34, 29, 30
influence of climate change 38, 187–8
knick points 31–3
rates of incision 27, 30, 30, 33
tectonic control 90
wave of 31–3
- valley system 156
- valley volumes 27
- valley-fill
evolution 151, 152
incision and aggradation 149
storage 150
- vegetation modelling 192–4
- Vera Basin, Hungary 27, 34
- water discharge 188, 189, 189, 190, 190, 194
Atchafalaya Bay 211–12, 214, 215–17, 216, 218, 219
bankfull 106–8, 126–9, 126, 127, 137, 139
Ebro drainage network 202–3, 202
hydrographs 106, 107, 127
Iberian Peninsula 201, 202, 203
Wax Lake Outlet Delta 210, 219, 220, 221, 224
- Zagros Mountains, Iran 90, 91