

Index

Page numbers in *italics* refer to Figures and page numbers in **bold** refer to Tables.

- acanthodians 74, 75, 77, 78
accuracy and database management 172, 173
acrotetides 26
Actinodonta 41
Actinostereon gregareum 133
age of fossils, reliability assessment 173, **174**
Allonychia 43
Aloconconcha 38
alpha diversity 2, 99
Amadeus Basin 72
Ambonychia 43
Ambonychiopsis 43
Amorphognathus Biofacies 90
amphibian diversity 183–187, 188, **188**, 189, 191, 192,
193
analytical time averaging 174
Ananterodonta 41
anaspids 74, 75, 78
Anatolepis 70, 72, 76, 79
Andean Basin Jurassic bivalve populations
 diversity 128, 134–136
 effect of Hispanic Corridor 131–134
 extinction rates 129, 130
 immigration rates 131
Angarella 19
angiosperms 1, 5, 5–6
 Cenozoic biodiversity 158
 Cretaceous radiation 141, 143–144
 Antarctic Peninsula 145, 146–147
Anomalocoelia 43
Anomalodesmata 44–45
Anomalodonta 43
anoxic events and planktonic foraminifera 122
Antarctic Peninsula
 Cretaceous flora 144–147
 plate setting 141–142
 role in floristic radiation 147–149
Antarctica, geographic isolation 154–156
Anti-Atlas (Morocco) bivalves 35, 36
Apatobolus micula 101, 102
Apedolepis 72
Aphelognathus-Oulodus Biofacies 90
Appalachignathus 90
Arabia, species diversity 183
aragonitic foraminifera 121
Arandospis 69
Arca spp. 37, 40
Arcomytilus pectinatus 133
Arctic Ocean isolation 156
Arctochedra spp. 16, 17
Arenigomya 44
Armorica and rynchonelliformean brachiopods 15
Asaphopsis province 53
Asaphopsis-Taihungshania-Neseuretus Fauna 55
ash deposition effects 4, 101–104
 ostracode case study 106, 107, 108–111
Astraspis 77
athyridides 27
Atlantic, Caribbean and East Pacific (ACEP) realm
 153, 160, 163, 164
atrypides 27
Australia 63, 183
Australia/New Guinea block collision 160–162
Autolamellibranchia 39–45
Avalonia 19
 biodiversity 86, 92, 95
 brachiopod diversity profiles 31
 conodonts 88, 89, 91
 Ordovician bivalves 36
 Ordovician palaeogeography 28
 palaeolatitudes 95

Babinka 41–42
Baltica
 biodiversity 92, 95
 conodont provinces 90
 Ordovician 18–19, 19–20, 28
 rychonelliformean brachiopods 15, 18
Baltoscandian conodont provinces 86
Bambachian megaguilds 25
Bavarilla hofensis 56, **58**
Belodella 90
Belodina 90
Bennettitales 144, 145
beta (between habitat) diversity 2, 99, 157
Billingsella Association 15, 16, 17, 20
biodiversity in Cenozoic 154, 158–164
biofacies
 architecture 88–91, 93–95
biogeographic cladogram, trilobites 61, 62
biogeography, Palaeozoic 53–54, 76–78
biotic provincialism 1
birds radiation 1
bivalve molluscs 35–36
 Andean Basin – NW Europe study
 database and analytical methods 128–130
 results 128, 130, 131–134
 heteroconch evolution 5
 Mesozoic-Cenozoic diversity 154
 Ordovician 4, 105
 Autolamellibranchia 39–45
 Protobranchia 36–39
Black Mountain eustatic event 20
Bohemia, rynchonelliformean brachiopods 15
Bornholm 90–91
Brachilyrodesma 40
brachiopods
 Ordovician
 diversity 105

- mid Wales range chart 110
radiation 19–20
rhychonelliformean 4, 13, 15, 16, 26
Cambrian 14–16
distribution 14, 15
migration potential 19
Ordovician 16–18, 25, 26–27, 29–31
radiation and palaeogeography 19–20
Breviorthodonta 45
Bryantodina 89
bryophytes 145
bryozoans 5, 19, 26, 101, 105
Burgess Shale Lagerstätte 72
Burj Formation 16
- Cadomia* 39
Calymenacean–Dalmanitacean Province 53
Calymenella 56, 58, 62, 63
Calymenesun spp. 56, 57, 58, 63
Cambrian
bivalves 35, 45
diversity decline 26
mid-late period sea level 19
palaeogeography 70
rhychonelliformean brachiopods 14–16
skeletonized fauna 13
vertebrates 69, 72, 74, 76, 78–79
Cambrian Evolutionary Fauna 13, 14, 26
cameralloideans 18, 19
Camnantia 42
Camptonectes laminatus 133
carbonate deposition in Ordovician 20
Cardiolaria 39
Cardoilarioidea 39–40
Caribbean Cenozoic coral diversity 160, 163
Carminodonta 41
Carotidens 43
Catamarcaia 42
Celtic faunas 27, 28, 29
Celtoconcha 42
Cenozoic biodiversity and climate 154–164, 160–163
Central American Isthmus (CAI) uplift 156, 163–164
Central Asia, rhychonelliformean brachiopods 15, 18
Cephalochordata 74, 75
Ceratomya concentrica 133
cheilostome bryozoan, evolution 5
Chengyang Lagerstätte 72
Chile, Jurassic bivalves 132
China fauna 63, 75, 77, 86
chondrichthyans 74, 75, 78
Cimmeria 61
cladograms, Reedocalymeninae 60, 61, 62, 64
Clarkella Fauna 15, 17, 18, 20
Classopolis 148
Clauconychia 43
Clavatipollenites hughesii 148
Cleionychia 43
climate and biodiversity 4, 154–157, 162–165, 179, 184
clitambonitidines 18, 19
Colpantyx 44
Colpocoryphe 55
Compactogerina stellapolaris 122
Coniferales 145
Coninae 5
conodonts 4, 70, 72, 73, 74, 75, 76
see also euconodonts
Conoglobigerina 118, 121
continental breakup and radiation 1, 6
Copidens 41
Corallidomus 44
corals, Cenozoic diversity 160–163
Cosmogoniophorina tenuicostata 44
Coxiconcha 42
craniformeans 26
Cretaceous
floristic radiation 143–144, 145, 146–149
Gondwana breakup 141–143
ocean circulation 159
planktonic foraminifera 115, 116, 117, 120, 121, 122–123
Cretaceous–Recent biodiversity 1, 5–6, 7
Creux de l'ours 118
crocodilians 176, 179
Crozonaspis 54
crustacean evolution 5
Cryptolichenaria 19
Ctenodonta 38
Ctenostreon rugosum 133
Cuneameya 44, 45
Curtognathus 90
Cycloconcha 41, 42
Cymatonota 45
Cymbithyris 16
Cyrtodonta 43
Cyrtodontula 43
cyrtomatodonts 26–27
- Dacryomya lacryma* 133
Dactiloceras 118
Dalmanellidina 26
databases 6, 180–182
application 175–177
use in diversity analysis 182–190
use in palaeoclimate analysis 190–197
scale 172–175
structure 169–172
taxonomy 175
decapod evolution 5
Deceptrix 37
delta diversity 2
deltoidodonts 26–27
Denticelox 43
Derenjal Formation 16, 17
Devonian fauna 2, 25, 78, 79
Diaphelasma 18
differentiation diversity 2
Diraphora Association 15, 16
discinoideans 26
dispersal potential 19
Distomodus 92, 93
diversification and Ordovician volcanism 99–100, 103
case study 106, 107, 108–111
ecology 101–103
gene pool 103–104
Dob's Lin 86

- Drake Passage opening 156
Dulcinea 41
- East Uralian microcontinent 19
echinoderms and Ordovician diversity 18, 26, 105
Ectillaenus 55
Ekaterodonta 38
energy flux and diversity 180, 195
Entolium corneolum 133
Eocene
 Messel Shale 190–191, **195**
 ocean circulation 155, 159
Eocene–Oligocene ocean cooling 154, 156
Eohomalonotus 54
Eopecten spondyloides 133
epsilon diversity 2
Eridodychia 43
Erismodus 90
Eritropis 39–40
escalation, Cenozoic 158
euconodonts 72, 73, 76
 presence–absence matrices analysis 86–95
Euramerican vertebrate phylogeny 75
Europe 183
 Jurassic bivalve population
 diversity 128, 136–138
 effect of Hispanic Corridor 131–134
 extinction rates 129, 130
 immigration rates 131
extent defined 172
extinction events
 late Ordovician 78
 Pliensbachian–Toarcian 127
 methods of analysis 128–130
 results 130–131
 testing hypothesis 131–134
extinction rates in bivalves 128–129, 130, 131–133
- Falcatodonta* 43
Favusella 120, 122
Fidera 36
fish, teleost 5
flat file format 169, 170
floristic development in Cretaceous 1, 5, 5–6,
 143–144, 145, 146–147
 role of Antarctic Peninsula 147–149
 role of global warming 149
foraminifera (planktonic) 5
 evolution 121–123
 Jurassic–Cretaceous distribution 118, 120, 121
 Mesozoic development 115, 116, 117
 origins 118–121
Fordilla 35
- galeaspids 74, 75, 77, 78
gamma diversity 2, 99
genetic diversity and ash falls 103–104
geographical range, role of 3
geographic information systems (GIS) 169–170
Gervillaria daeformis 133
ghost ranges, vertebrates 76, 78
glaciation 4, 86
glacioeustasy and diversity 163
global warming and floristic radiation 149
Globigerina 122
Globuligerina spp. 122
Glyptarca 39, 40, 42
Glyptonichia 43
Glyptoria spp. 16, 17
Glyptotrophia 18
Gondwana
 area cladogram data 61, 63
 brachiopods 15, 16, 18, 20, 31
 breakup 141–143
 Cambro-Ordovician faunal replacement 20
 floristic provincialism 146, 148
 Ordovician bivalves 36
 Ordovician palaeogeography 28
 trilobites 53–54
 vertebrates 74, 77
Goniophorina tenuicosta 44
grain 172, 173–175
graptolite blooms 101, 102
graptoloids, Ordovician diversity 105
Great Basin of Laurentia, brachiopod radiation 25, 26
Gresslya peregrina 133
gymnosperms 145
- habitat islands 179–180
Haeuslerina helvetojurassica 122
Haikouella 72
Haikouichthys 72
Hamarodus-Dapsilodus-Sabbardella (HDS)
 Biofacies 90
Hanchungolithus 55
Harding Sandstone 69, 70, 72
Harpoceras 118
Hemiprionodonta 40, 42
Hepatophytes 145
Heteroconchia 40–42
Heterodonta 40
heterostracans 77, 78
Heterostraci 74, 75
Hirnantian glaciation 4
Hispanic Corridor 5, 128
 effect on immigration of bivalves 129, 131–133, 134
Homilodonta 37
Huenella spp. 17, 18
Huenella-Palaeostrophia Association 15
- Iapetus Ocean 27–28, 28–29, 71, 86
Iberocoryphe 54
Icriodella 92, 93
immigration of bivalves 129, 131
 role of Hispanic Corridor 131–133
Inaequidens 40
Indo-Pacific gateway 160, 161
Indo-West Pacific (IWP) realm 153, 160, 164, 165
 glacioeustasy and diversity 163
 Miocene coral diversity 160–162
Inoperna sowerbyana 133
inventory diversity 2
island biogeography theory 179

- Jamesella* 16
Johnmartinia 39
 Jurassic
 bivalve study in Andean Basin–NW Europe
 database and methods of analysis 128–130
 results 128, 130, 131–134
 planktonic foraminifera 115, 116, 117
 distribution 118, 120
 evolution 121–122
 origins 118–121
 Pliensbachian–Toarcian extinctions 127, 128
- Kerfornella* 54
 Kerguelen Plateau 143
 Koagash Formation 17
Kockelella 92
 Kutorginata 14–16
 Kutorginide Fauna 15, 16
Kutorina 16
 Kyjandy Formation 16
- Lamellodonta* 35
 land bridges 5
 latitude and biodiversity 153, 154
 Laurentia
 biodiversity 86, 91, 95
 conodonts 86, 87, 89, 91
 Iapetus margin 71
 Ordovician
 brachiopod radiation 15, 18, 19–20
 faunal replacement 18–19
 palaeogeography 28
 vertebrates 74, 76, 77
- Leconychia* 43
 Lingulide Fauna 15
 linguliformeans 26
 linguloideans 26
Liomegalaspides 54
 lithofacies preservation potential 78–79
 Llangynog (Wales), bivalves 36
Lophoconcha 39
 lycophytes 145
Lyrodesma 40
- mammals 1, 5, 183, 187–188, 186, 189, 190, 191–192
 Marnes de Villers 122
Maryonychia 43
Merlinia 54
 Mesozoic–Cenozoic boundary and biodiversity 1, 5–6, 7
 Miaopu Formation 63
 Messel Shale 190–191, 195
Microcachyridites antacticus 148
 Midcontinent Province, conodonts 86
 migration potential 19
 Milankovitch cyclicity 6, 162–163
 Miocene
 coral diversity 160–162
 ocean circulation 155, 159
 Miocene–Pliocene, global cooling 154
Modioliodon 44
Modiolopsis 44
Modiolus imbricatus 133
Modiomorpha 44
 molluscs 163
 see also bivalve molluscs
 mongolepids 72, 76, 77
 Montagne Noire bivalves 35, 36
Moridunia 41
Moyeronia 19
Myllokunmingia 72
Myodakryotus 43
Myoplusia 39
 Myxinoidea 74, 75, 76
- Na Mo Formation 63
Natasia 38
 negative difference vegetation index 185, 186, 187, 188, 190
 neogastropod evolution 5
 Neogene climate change 162–165
Neseuretinus turcicus 58
Neseuretus spp. 54, 56, 57, 58, 62, 63
Neseuretus Association 54–56
Nicaniella voltzii 133
Nileus 63
 Nimra Formation 16
Noradonta 40
 North America species diversity 183
 North Atlantic Deep Water (NADW) 156
 North Atlantic Province (NAP) conodont biofacies 88–89
Nuculana ovum 133
Nuculites 39
Nuculoida 36–39
- Obelellata 14–16
Oberhauserella quadrilobata 118, 119
 Obolid Fauna 15
 ocean circulation patterns 154–156, 159
 ocean gateways 5
Ogyginus 54
 Old Red Sandstone continental assembly 70, 71
 Olenty Formation 18
Opisthoptera 43
Opsiconidion nudum 101
 orbital forcing and range dynamics 163
 Ordovician
 biogeography and biodiversity 3–5
 bivalves 35–45, 46, 47
 brachiopods 16–18
 development in Iapetus 29
 diversification 26–27
 diversity profiles 30, 31
 radiation 19–20
 carbonate deposition 20
 diversification 85, 99–100, 105
 effect of ash on 101–104, 106, 107, 108–111
 euconodonts presence-absence matrices analysis 86–95
 faunal replacement 18–19
 glaciation 86
 palaeoplate faunal exchange 13

- Ordovician (*continued*)
 plate reconstructions 37, 55, 70
 radiation 1, 7, 25–26
 sea-level change 19, 20, 30
 tectonic activity 19
 trilobites 99, 53–54
 vertebrates 69–70, 72–73, 74, 76–77, 78–79
 organophosphatic forms 26
 Orthida 26
 Orthide-Polytochoidean Association 15
 Orthide-Syntrophiodean Association 15
 orthides, endopunctate 18, 19
 Orthidina 26
 orthotetides 16
 Ortonella 43
 Osteichthyes 74, 75
 osteostracans 74, 75, 77, 78
 ostracoderm 72, 76–79
 ostracodes and Ordovician volcanism 106, 107,
 108–111
 Oulodus 91, 92
 oxygenation and ash falls 102, 103
 Ozarkodina 92
- palaeoclimate and diversity 190–197
 Palaeoconcha 36
 palaeogeography
 early Palaeozoic 37, 55, 70–71, 70
 role in radiation 1, 6
 Palaeoheterodonta 40
 palaeolatitude and planktonic foraminifera 122–123
 Palaeoneilo 39
 palaeontological uncertainty principle 174
 Palaeonucula hammeri 133
 Palaeopteria 43
 Palaeostrophia 18
 Palaeozoic Evolutionary Fauna 13, 16, 18, 19, 26
 Parallelodon hirsonensis 133
 Parallelodus 44
 Paramytilarca 43
 parental imprinting 104
 Paulinea 36
 pelromyzontids 76
 Pensarnia 36
 Pentamerides 26, 27
 Perunica, brachiopod diversity profiles 31
 Petromyxinoidea 74, 75
 Pharcidoconcha 43
 Pharoostomina oepiki 56, 58
 Pholadomya fiducula 133
 Phragmodus 90
 Phragmodus-Icriodella-Plectodina Biofacies 90
 phylogenetic analysis, trilobites 56–61
 phylogeny, vertebrates 73–76
 Pipiscius 72
 Pirchanchaspis rinconensis 72–73
 Pituriaspida 74, 75
 placoderms 74, 75, 77, 78
 Plaesiacomia 54
 Plagiostoma rodburgensis 133
 planktonic blooms 102, 103
 planktonic foraminifera *see* foraminifera
 plate reconstructions *see* palaeogeography
 plate tectonics and biodiversity 4
 plectambonitiodeans 18, 26
 Plectodina 90
 Plegagnathus 91
 Plethocardia 43
 Pliensbachian–Toarcian extinctions 127, 128
 Pliocene ocean circulation 157
 Pojetaia 35
 Polyplacognathus 90
 polytoechiides 18
 polytoechinoideans 16
 Porophoraspis 69, 72
 Posidonia 118
 Posidonotis semiplicata 132
 potential evapotranspiration (PET) 180, 185, 191, 196
 Pradoella spp. 58, 62
 Praeanomalodonta 43
 Praegubkinella spp. 118, 119, 120
 Praenucula 36
 precipitation and diversity 184, 186, 187, 188, 190
 precision defined 172
 predator pressure 132
 presence–absence matrices analysis 86–95
 Prolobella 43
 Propeamussium pumilum 132
 Protambonites 17, 18
 Prothyris 45
 Protobranchia 36–39
 Protocalymene mcallisteri 56, 58
 Protopanderodus 90
 Protopanderodus-Periodon Biofacies 86
 Protorthide Fauna 15, 16
 Protorthis 16
 provinciality changes 2
 Pseudarca 40
 Pseudolimea duplicata 133
 Pseudolonchodina 92
 Pseudopecten barbatus 133
 Psiloconcha 45
 Psilonychia 43
 Psiloria 16
 Pteridophytes 145
 Pteriomorphia 42–44
 Pteronychia 43
 Pterospathodus 92
 pyroclastics *see* ash
- radiation and diversity 184, 186, 187, 188, 190
 Ramsey Island (Wales), bivalves 36
 Rapoport's rule 180
 Redonia 41
 Reedocalymeninae 4, 56–61
 relational databases 169, 170
 reptile diversity 183, 186, 187, 187, 191, 192, 193
 resolution *see* grain
 Rhipidognathus 89
 rhynconelliformean brachiopods *see under*
 brachiopods
 Rhytimya 44
- Sacabambaspis 69
 Salta Province (Argentina) bivalves 35, 36

- Salterocoryphe* 55
Sarrabesia spp. 58, 62, 63
scale problems in databases 172–175
sea level
 change and biodiversity 4–5, 163, 165
 Palaeozoic 19, 20, 30
 relation to tectonism 104
Selenopeltis Province 53
Semicorallidomus 44
Shirgesht Formation 17, 18
Siberia
 Cambrian fauna 16
 conodont provinces 86
 early Palaeozoic 71, 75, 77
 Ordovician fauna 18–19, 19–20, 28
Siberocenia 38
siliciclastic input and diversity 4
Silurian
 diversity 92–93
 endemism and cosmopolitanism 79
 palaeogeography 70
 provincialism 2
 vertebrates 73, 74, 77–78
Similodonta 38
siphonotretides 26
skeletonized fauna 13
Sküchthys halsteadi 69
snakes radiation 5
Solemyoida 39
Solenomorpha 45
Sort Tepe Formation 63
South Africa species diversity 183
South America 63, 148, 183
spiriferides 27
Stairway Sandstone 69
Sthenodonta 39
stratigraphic reliability codes 174
stromatoporoid reefs 25
Strophomenata 16
Strophomenida 26
strophomenides 16, 19
sympatric speciation 104
Synhomalonotus 62
Synhomalonotus 55, 56
synonymization 175
syntrophiidines 18
syntrophioids 18, 19

Taconic Orogeny 4
Taihungshania 54
Tancrediopsis 38
taphonomic time averaging 174
taxonomy, role in database management 175
tectonism, role in radiation 1, 6
teleost fish evolution 5
temperature and diversity 184, 186, 187, 188, 190, 192, 197
Tethyan Ocean closure 156, 160
Tetralobula 18
tetrapod diversity 182–183, 185, 186, 197
thelodonts 72, 74, 75, 76, 77, 78
Thorslundia 43
Thysanotos-Leptembolon Fauna 15
Tironucula 38

Toquima-Table Head faunas 27, 28, 29
Tornquist Sea closure 71
Trecanolia 42
tree diversity 189
Tremadoc 19, 20–21
Trematobolus 16
Trematosia 16
Trigonoidea 40
Trigonoconcha 38
trilobites
 asaphide 18
 Cambrian Evolutionary Fauna 26
 Neseuretus Association 54–56
 Ordovician 4
 diversity 99, 105
 provinciality 53–54
 phylogenetic analysis 56–61
 triplesiides 19
Tritoechia 18
Tritoechia-Protambonites Association 15
Tromelinodonta 40
Tuarangia 35
Tunicata 74, 75
Turkey, trilobites 61, 62, 63
Turukhansk-Irkutsk facies 16
Tuva, vertebrates 75, 77
Tuvaella 77

uncertainty principle 174
Uralian margin uplift 19, 20, 21
Uskardita 42

Vanuxemia 43
Veneridae evolution 5
vertebrates
 biogeography 76–78
 early Palaeozoic 69–70, 72–73
 phylogeny 73–76
 Vietnam, trilobites 63
 Vietnamia douvillei 57, 58, 63
 Villicumia 38
 volcanism and diversity 4, 19, 101–104
 ostracode case study 106, 107, 108–111

Warburgia 43
Welsh Basin 19, 99, 101
 ostracode development 108–111
Whiterock Fauna 4, 26
within-habitat diversity *see* alpha diversity

Xestoconcha 44
Xidazoon 72

Yangtze Platform, trilobites 63
Yunnanozoon 72

Zadiemrodia fastigata 41
Zeehanian 39
Zeliszkeella 55