

Index

Note: Page numbers in *italic* type refer to illustrations; those in **bold** type refer to tables.

Abitibi

mafic-felsic sequences 161

Pb ratios 109

absolute plate motion, Western Superior Province 35

Acasta gneisses 155, 262

adakites 188

Adirondack Mountains 128

V_P/V_S ratios 129

advective thickening 22

aeolian dust, as ocean fertilizer 294

Akilia Island 348

alkali basalts 46, 66

Ameralik dykes 153

Amitsoq Gneiss 329, 331, 332, 347

ammonia 276

Ancient Gneiss terrane 4

Andean margin 19

Andes, accretionary events 22

anisotropy

shear-wave splitting 136, 144–147

surface waves 31–32

and velocity structure 53

vertical variation 32

Western Superior Province 27–44

anorthosite-mangerite-charnockite-granites 125

anorthositic

Archaean 125

evolution 131

mantle source 125–134

Proterozoic 125

Aquaspirillum 324

Aquificales 288

Ar/Ar ratios 214

arc accretion 162

arc magmatism, Zimbabwe Craton 195–199

arc volcanism, CO₂ source 236, 261

archaea

methanogenesis 280

symbiotic 293

Archaean, rock record 153–155

Archaean cratons

basement-cover relationships 156–158

formation 1–26

lateral accretion 171

lateral heterogeneity 164–165

U/Pb ratios 118

Archaean crust

reworking 19

thickness 19

Archaean provinces 107

Archaean sea floor, microbial mats 293

Archaean tectonics, review 151–181

Archaean-Proterozoic boundary 1

Archean ocean, model section 323

Arcturus Formation 199, 201, 203

argon, atmospheric 214, 269–270, 280

asteroids, carbonaceous 224

asthenosphere, freezing 92

Atlantic, opening 40

atmosphere

bathtub model 294–295, 298

chronological constraints 220

controls on 294–297, 303

formation and evolution 213–229

hydrogen-rich 220

influence of mantle and crust 300–301

inorganic controls 302

modern 276–280

organic controls 302–304

vertical structure 279

volatile recycling 219–220

atmosphere and ocean

biology and temperature 299–300

carbonates in 232

atmospheres, Earth and Venus 279

atmospheric escape 220, 221

Australian Shield, waveform models 62

Avalon Formation 198

azimuthal anisotropy 30, 32, 53

Bababudan hills 163

bacteria

denitrifying 276

planktonic 286

purple 293, 299

sulphate reducing 321

bacteriochlorophylls 290

Baltic Shield 117

banded iron formations 158, 331

Barberton greenstone belt 98, 155

platinum group elements 115

Barberton terrane 4

basalt

carbonatized 242

hydrothermal alteration 253

spilitization 276, 284

basalt-eclogite transition 23

basaltic crust, melting 22–23

Beggiatoa 322

Belingwe Greenstone Belt 85, 106, 158

age and structure 312

continental rifting 191–195

geochemistry 161

life in 292–294

map 310

sampling 312–313

sedimentary rocks 190

stable isotopes 309–328

Belingwean Supergroup 190

Bend Formation 191

Bengal Fan 270

biochemical pathways, microbial mats 289

biofilms 288

biogeochemical processes, Archaean 285–291

biological control, speed of 295

biosphere

Belingwe belt 292

development of 297–299

Walkerworld model 296

biotic weathering 234

Black Range dykes 153

- Black Sea, environment 296, 299, 315, 325
 body-wave tomography 58
 boninites 5, 171
 Bouguer gravity anomalies, cratonic crusts 19
 Buhwa greenstone belt 190
 Bulawayo greenstone belt 195, 198
 buoyancy-driven processes 169
 Burwash Formation 170
 Bushveld event
 effect on craton keel 3
 emplacement 94
 low velocity anomaly 76
 mafic body 20
 as plume event 302
 Bushveld event layered intrusion 77
 Bushveld Province 5, 12
 geotherms 18
 seismic velocities 20
- C4 metabolism 278
 calc-alkaline volcanics, Zimbabwe Craton 191, 198
 calcite compensation depth 270
 Calvin cycle 278
 Canadian Lithoprobe 29
 Canadian National Seismograph Network 29
 Canadian Shield
 high-velocity root 29
 lithospheric thickness 136
 surface-wave analysis 30–32
 velocity structure 29
 Cape Fold Belt 83
 carbon, recycling 218, 296, 325, 326
 carbon dioxide
 cycling 231–257
 in present atmosphere 276–278
 pressures 270
 production 294
 reservoirs 251, 264
 carbon dioxide drawdown 259–274
 capacity 271
 and chemical weathering 260–261
 and crustal recycling 270–272
 carbon isotopes
 Belingwe data 317, 318
 controls 277
 fractionation 320
 Isua 331, 347–348
 Jimmy Member 322
 in shallow-water sediments 320–321
 split 278
 carbon-sulphide layers, Belingwe 292
 carbonate cycles 232–233
 ancient 239–253
 Archaean 240–247
 carbonate fluxes 252, 253
 carbonate metamorphism 233
 carbonate subduction 254
 carbonate weathering 232, 233, 260
 carbonates, reactions 232
 catastrophic events 282, 302
 Ce anomalies, and redox conditions 314
 Central Slave Basement Complex 164
 Central Slave Cover Group 159
 Chemical Index of Alteration 260–261, 271
 chemical weathering, and CO₂ drawdown 260–261
 Cheshire Formation 191, 193, 195, 312
 Chilimanzi Suite 166, 169, 204
 Chinamora batholith 204
 Chingezi Suite 191, 206
 chloroplasts 293, 299
 chondrites
 carbonaceous 217, 224, 226
 enstatite 223
 chondritic veneer 218, 226
 circum-cratonic areas 80
 clastic basins 169, 170
 climate, and carbon dioxide cycling 231–257
 climate buffering 233
 CO₂ *see* carbon dioxide
 comets, composition 213, 223
 conglomerates
 late-kinematic 169–170
 Slave Craton 167
 continent denudation 270
 continental area, and weathering rate 235
 continental crust
 formation 91–103, 93
 intermediate 21
 continental flood basalts 106, 116–117, 161
 continental freeboard 261
 continental growth
 accretionary 4
 progressive 85
 continental lithospheric mantle 83–86
 continents, carbonates in 233–236
 convection, sub-cratonic 39
 Coonterunah Group 153
 core, formation 215, 221
 core complexes 168
 core-mantle interactions 113, 114, 115, 152
 Coté Township, tonalite 162
 craton formation 21–23
 southern Africa 1–26
 craton margins
 magmatism at 136
 tectonism 147
 craton-mantle boundaries 18
 cratonic crust, composition 19
 cratonic keels
 loss of 136
 and mantle plumes 135–150, 137
 crust
 Archaean 2
 delamination 115, 117
 dry 301
 first 221
 initial 97, 261
 recycling 261, 269
 crust formation, Kimberley region 82
 crust mass 266
 and time 267–270
 crust-mantle decoupling 207
 crust-mantle discontinuity, Archaean 2, 3
 crust-mantle evolution, Kaapvaal Craton 82–83
 crust-mantle recycling 266, 267, 270
 crust-root fusion 21
 crustal composition, and seismic velocities 127–128
 crustal contamination 116, 161

- crustal differentiation 86
 crustal formation ages, Kaapvaal 6
 crustal growth
 models 261–263, 265
 Zimbabwe Craton 192, 202, 205, 206–207
 crustal melting 207
 crustal reworking 172
 crustal structure
 Kaapvaal Craton 19–20
 southern Africa seismic experiment 14–17
 crustal thickness
 Isua 347
 Limpopo Belt 4, 17
 cumulates 84, 93
 cyanobacteria
 blooms 297
 chloroplasts as 299
 global spread 294
 planktonic 290, 291
 cyanobacterial mats 290, 292

 D/H ratios 216, 222, 223–225, 285
 decompression melting 57
 degassing
 catastrophic 215
 impact 221
 Dharwar Craton 158, 163
 diamond mines, Okwa-Magondi Belt 4
 diamond-graphite phase boundary 46
 diamonds
 abundance 19
 Siberian 70
 dimethyl sulphide 280
 Dindi greenstone belt 204, 205
 dinitrogen *see* nitrogen
 diopside 59
 dioxygen *see* oxygen
 Dismal Ashrock 163
 dome structures 165
 drip tectonics 172
 Duluth igneous complex 171
 DUPAL anomaly 106, 116–117
 dyke swarms 136
 mafic 158, 163, 164

 early Earth, events and processes 154–155
 Earth
 as ‘Goldilocks’ planet 301
 Hadean temperature 285
 secular evolution 153
 ‘snowball’ 254, 284, 300
 water inventory 281
 Earth evolution
 Hadean 282–285
 models 283, 284
 East African plume 140
 East African rift systems 141, 142, 146–147
 Eastern Goldfields domain 164, 170
 eclogite residues 172
 eclogites
 compositional layering 40
 Kaapvaal Craton 5, 18, 94
 production 188
 ejecta weathering 251

 English River belt 165
 enstatite 59, 96
 erosion, and recycling 264
 erosion law 264, 267, 268
 erosional unroofing, Limpopo Belt 21
 Ethiopia, plume 144
 Eu anomalies, hydrothermal activity 314, 315
 eukaryotes
 earliest 288, 299
 as recyclers 294
 extensional basins, intraplate 172
 extreme ultraviolet radiation 221, 222

 Farm Lowrencia kimberlite 73, 83
 feeder dykes 158
 felsic complexes 164
 felsic magmatism, Zimbabwe Craton 190
 ferruginization 195
 Fig Tree Group 170
 final granite bloom events 169
 Finland, Pb ratios 110
 fires, and methane 279
 folding, regional 168
 fractional crystallization 93, 188
 Fresnel zones 33, 37

 gabbro 94
 garnet zoning profiles 333–346, 334, 338, 340, 342, 344
 garnets
 elliptical 333, 337
 fe-number plots 336, 345
 Isua 333–343
 metamorphic history 343–344
 geochemical constraints, greenstone belts 161–162
 geochronological data, Zimbabwe Craton 184–187
 geothermal gradient, tectosphere 2
 geothermal gradients, Kaapvaal 7
 glaciation, Archaean 259, 272
 Gondwana, flood basalts 116
 grain boundaries 62
 granite-greenstone terranes 156, 160
 granodiorite-granite-monzogranites 106
 granodiorites, Vredefort 5
 granulite facies, Zimbabwe Craton 190
 graphite, Isua 331
 Great Dyke, emplacement 205–206, 207
 greenhouse gases 243–246, 259, 280–281
 Greenland, Pb ratios 109
 Greenland Craton, peridotites 66–67, 85
 greenstone belts
 erosion 156
 geochronological constraints 162–163
 interpretation of 158
 komatiites 98
 stratigraphic constraints 163–164
 structural geology 158–160
 greenstone successions
 Type 1 191–195
 Type 2 195–199
 Grenville Province
 map 126
 meta-anorthosites 125
 growth zoning 335

- Hadean, Earth evolution 282–285
 Hadean ages 83–84
 Hadean cycle, and impact ejecta 248–253
 Hadean temperatures 254
 Harare greenstone belt 195, 199, 201
 harzburgite 22, 96, 98
 Hawaii 153
 He fluxes 237
 He/Ne ratio, mantle 218
 heat flow
 and CO₂ 242
 mantle plumes 140, 141
 tectosphere 2
 heat production, Archaean 183, 188
 heavy rare earth elements, depletion 116
 heterocysts 291
 Hf data 162
 Hf-W chronometer 221
 high field strength elements, anomalies 96
 high-velocity lid, southern Africa 47, 48, 51, 62
 Himalayan margin 19
 Huronian Supergroup 259, 272
 hydrogen loss, atmospheric 279, 285, 295, 298
 hydrothermal carbonatization 237–238
 hydrothermal habitats 288, 290, 292, 296
 Belingwe belt 315, 324
 hydroxyl 278–279
 hypersaline environments 295
 hyperthermophiles 286
- Iceland 153
 ID-TIMS 161, 162
 imbricate stacks 207
 impact events 115
 impact mass 225
 impact rates, lunar basins 248–250
 incompatible elements
 Belingwe belt 199
 crustal residue 99
 India, Pb ratios 109
 interplanetary dust particles 213
 inverted ecologies 296
 iron content, lithosphere 98–99
 iron deposition, Archaean 315, 316
 Iron Mask Formation 199, 201, 203
 ironstones, deposition 316, 317
 island arcs, accretion 28, 40
 Isua Greenstone Belt
 map 330
 metamorphic history 329–350
 samples 348–349
 tectonic domains 331–333
 thermobarometry 346
 timing of metamorphism 344–346
 Isua supracrustals 153
 evidence of life in 290
- Jagersfontein, peridotites 67
 Jericho peridotites, Re depletion ages 73
 Jimmy Member 292, 311, 312, 316, 318, 322–326
 Juan de Fuca ridge, CO₂ 237
- Kaap Valley pluton 170
 Kaapvaal Craton 2, 46
 crust-mantle evolution 82–83
 eclogites 5
 greenstone belts 98
 keel modification 3
 keel structures 20
 kimberlites 84
 magmatic events 93–94
 mantle root 5, 136
 mineralogy 91
 Pb ratios 110
 peridotites 66–67, 76–77
 Re-Os and PGE case study 80–83
 stabilization 85
 xenoliths 66
 Kaapvaal Project 2–3
 location map 3
 Kaapvaal shield 4
 Kaapvaal-Zimbabwe collision 17
 Kalahari Craton 46
 peridotites 85
 petrology 59–60
 Kam Group 159, 161
 Kambalda volcanic sequence 163
 Kamiskotia Complex 162
 Karelian Craton 172
 Karoo volcanism 94, 136
 keel formation 21
 Kensington Formation 198
 kerogens, carbon signatures 292
 Keweenaw plume 39
 Keweenaw rift 136, 171, 172
 Kheis overthrust belt 4, 17
 Kidd-Munro assemblage 161
 Kimberley 7, 76
 kimberlite pipes
 Kaapvaal Craton 2, 5, 19
 mantle nodules 46
 kimberlites
 Kaapvaal Craton 84
 Lesotho 80
 production mechanism 148
 rarity 100
 Slave Craton 66
 knallgas reaction 288
 komatiites
 abundance 92
 Barberton 4
 Kaapvaal Craton 5
 melt depletion 22
 orthopyroxene cumulates 96
 Pb isotope ratios 115
 Koodoovale Formation 191
 Kostomuksha greenstone belt 172
 Kudryavy 236
 Kuiper belt 224
 Kurile arc 236
 Kwekwe complex 190, 198
 kyanite, Isua 331, 332, 335, 341
- Lake Superior 39
 Lalla Rookh basin 170

- large ion lithophile patterns, Belingwe belt 199
 late bombardment 224–226
 lattice preferred orientation, olivine 144, 147
 layered ultramafics, Zimbabwe Craton 201
 Leeward Antilles arc 28
 Lesotho, kimberlites 80
 lherzolites, high-T 12
 life
 Belingwe study 292–294
 influence of 275–307
 pre-photosynthetic 297
 light rare earth element signatures, greenstones 161
 lighting, effect on nitrogen 276, 291
 Limpopo Belt 4, 12, 46, 190
 crustal thickness 17, 19
 mantle root 21
 North Marginal Zone 201, 207
 Limpopo Orogeny 205
 LITHOPROBE SNORCLE transect 160
 lithosphere, thermal evolution 145
 lithosphere-asthenosphere boundary 147
 lithospheric composition, secular variation 99–100
 lithospheric keels, development 65–90
 lithospheric mantle
 earliest continental 83–86
 evolution 86
 formation 91–103, 93
 isotopic studies 65
 thickness 85, 116
 lithospheric roots, imbricate 29
 lithospheric stacking 22
 lithospheric stretching 57
 lithospheric thickness
 Africa 143
 Canadian Shield 136
 Kalahari Craton 59
 Tanzania Craton 144
 location maps, for tomographic inversions 7
 Love waves
 southern Africa 12, 48
 Western Superior 31, 32
 low-velocity zone, absence of 12, 18
 low-velocity zones, southern Africa 53
 Lower Bulawayan Group 191
 lower crust
 below cratons 2
 bulk composition 126
 mafic 132
 tectonothermal evolution 6
 Lower Greenstones 190
 Lower Shamva Formation 199
 lunar basins, impact rates 248–250
 lunar regolith 224

 M-discontinuity 14, 15, 20
 Mackenzie dyke swarm 136
 Mafic Formation 199, 203
 mafic granulite 94
 mafic rocks, velocity signatures 127
 magma chamber, stratified 130
 magma ocean, Hadean 97, 100, 218, 221
 magmatic arcs, Zimbabwe Craton 201
 magmatism, Kaapvaal Craton 21
 Magondi Belt 4, 12, 20
 Makaha belt 202, 204, 205, 206
 Maliyami Formation 190, 199, 201
 manganese, sea bed 291
 Manjeri Formation 191, 201, 309–310
 mantle
 chondritic composition 216, 217
 CO₂ exchange 236–239
 conductive layer 2
 degassing 271
 depleted 262
 harzburgitic 98
 heat storage 300
 temperature 99–100
 volatiles in 216–218
 mantle and crust, interactions with atmosphere 300–301
 mantle flow 148–149
 mantle keel, Kaapvaal Craton 6
 mantle lithosphere *see* lithospheric mantle
 mantle melting
 flux 271
 residue 92
 mantle models, global 53–57
 mantle nodules, pressure-temperature diagrams 59
 mantle overturn events 152, 155
 mantle plumes 93, 96, 113, 117
 and cratonic keels 135–150, 137
 origin 152
 thermal halo 144
 mantle recycling 188
 mantle roots 1
 Limpopo Belt 21
 mantle structure, tomographic analysis 2
 mantle temperatures 22
 mantle transition zone 55
 mantle velocities, high 12
 mantle-atmosphere exchange 216, 221
 Maparu Formation 199
 Marcy Anorthosite 125, 128
 MARCY model 188
 Mars 152, 220
 atmosphere 281
 Mashaba Ultramafic Suite 201
 Mashaba-Chibi dykes 201
 Masvingo belt 205
 mean degassing duration 216
 melt depletion 22
 melt depletion histories, peridotites 66–67
 melt removal, Kimberley 77
 melt residues, proportions 95, 100–101
 melt-rock interactions 80, 85
 melting, high-degree 92, 99, 113
 metal-silicate partitioning 115
 metamorphic conditions, Isua 346, 347
 metamorphic grade, Belingwe 312
 metasomatism
 Isua 331, 346
 lithospheric base 98
 peridotites 18, 67–68, 85
 rheological effects 85
 meteor impact crater, Vredefort dome 5

- meteorites
 ice vaporization 285
 volatiles in 216
 methane
 as greenhouse gas 244–246, 254, 259, 280, 295
 in present atmosphere 279–280
 production 295
 in reduced atmosphere 296
 methane hydrate 280
 methanogenesis, archaea 280
 methanogens 290, 291, 292, 297, 320
 methanotrophs 280, 295
 Michipoten ironstones 321
 microbes, endolithic 319
 microbial ecosystems 285
 microbial evolution 286, 287
 microbial mats
 Archaean sea floor 293, 322, 325
 biochemical pathways 289
 early 288
 redox power 291
 mid-ocean ridge basalt 106
 mid-ocean ridge magmatism, Barberton 4
 mid-ocean ridges 57
 life at 296
 and water depth 301
 Midlands greenstone belt 195, 198
 Minnesota River valley terrane 162
 mitochondria 293, 299
 mobile belts, Kaapvaal craton 4
 modal mineralogy 60, 67, 68
 model parameters, CO₂ inventories 240, 241, 245, 247
 Moho
 depth to 16
 depth and topography 2
 Kaapvaal 15
 Western Superior 31
 Mont d'Or 'granite' 190
 Montcalm complex 162
 Moodies Group 170
 Moon, origin of 115, 221
 Morose Suite 165, 169
 Mount Darwin greenstone belt 195
 Mozaan Group 259, 272
 Mtshingwe fault 205
 Mungari Formation 199
 Murehwa batholith 203
 Mushandike granite 190
 mylonites, Zimbabwe Craton 202, 203, 204

 N/Ar ratios 219
 Nain craton 153
 Namaqua-Natal Belt 4, 83
 crustal structure 19
 deformation event 6
 velocities 12
 Namibian peridotites 78–80, 78
 nappe structures 204
 Nb depletion, Iceland 161
 Nd signatures 161, 262
 crustal models 266
 model erosion 265, 268
 neon, atmospheric and mantle 218, 219, 220
 Nercmar drillhole 311, 312

 Newlands kimberlite 81
 Ngezi Group 161, 190, 191, 309
 nitrogen
 fixation 276, 291, 295
 isotope systematics 223
 in present atmosphere 276
 recycling 219
 nitrogen cycle 288
 nitrogen oxides 276
 nitrogenase 276, 291, 295
 North America, allochthonous terranes 22
 North Atlantic Craton *see* Greenland Craton
 North Caribou terrane 164
 Northern Slave Craton, melting event 75

 obduction 158
 ocean chemistry 316
 ocean island basalt 106
 ocean temperatures 279
 oceanic crust
 carbonates in 232
 eclogitic 39
 hydrated 172
 oceanic crust thickness, Archaean 29, 39
 oceanic lithosphere, subducted slab 39
 oceanic pH 239
 oceanic plateaux 92
 oceans, depth of 301
 oil, Archaean 295, 318
 Okwa Belt 4, 12, 20
 olivine, magnesian 96–97
 olivine mg-number 67, 68
 Ontario-New York-New England transect 128
 Oort cloud 224
 Opatica gneiss belt 162
 ophiolites
 obducted 158
 stratigraphy 164
 organic compounds, delivery of 226
 orthopyroxene
 excess 98
 magnesian 96–97
 orthopyroxene-olivine ratios 94–96
 Os isotope data 72, 79
 initial crust 97
 and Pb isotope ratios 115
 Os isotope evolution 69
 outgassing, mantle 231
 oxidation, surface processes 295
 oxygen
 and carbon dioxide 276
 production 294, 296
 oxygen excess 285
 oxygen levels
 Archaean 299
 early atmosphere 244, 298–299
 ozone, in present atmosphere 278–279

 P- and S-wave events, for tomography 37
 P- and S-wave velocity ratios 126
 P-wave velocities
 anomalous 18, 37
 average crust 14
 Sierra Nevada 130

- P-wave velocity models, cross-sections 9–10
 palaeoenvironment, Belingwe belt 324–325
 palaeontology, molecular 285, 309
 palaeosols
 CO₂ 239, 243, 259
 mobile element depletion 260
 partial melting 93, 98
 lower crust 126
 particle motion analysis, Western Pacific 33
 particle-motion anomalies 30, 32
 Passaford Formation 199, 201
 Pb isotopes
 data 106
 evolution 108–117
 mantle 113
 methodology 106–108
 provinciality 112–113
 ratios 108, 109
 survival of 115–117
 variation 105–124, 111
 Pb/Pb isotope ratios 265, 266, 268
 pelagic carbonates 232, 233, 236
 peridotites
 Greenland Craton 66–67
 highly depleted 2, 18, 91
 KAAPVAAL 66–67
 off-craton 83
 Re–Os studies 66
 redepletion ages 6
 sample suites 66–68
 Siberian Craton 66–67
 Slave Craton 66–67
 southern Africa 81
 Tanzanian Craton 66–67
 Vredefort 5
 water content 96
 petrology, Kalahari Craton 59–60
 phase velocities, TWiST 30
 phasing depth images, southern Africa 15
 phosphorus, as nutrient 294
 photic zone 317, 321
 photosynthesis 278, 288, 290, 297
 anoxygenic 297, 320
 oxygenic 297, 320
 phytoplankton 320
 Pickle Lake 29
 picoplankton 290, 294, 321, 322, 324
 picrites 99
 Pilbara Craton 152, 153
 dome growth 168
 folds 169
 palaeomagnetism 171
 satellite image 165
 pillow lavas
 Slave Craton 159
 Zimbabwe Craton 191
Pirella 288
 Planctomycetales 288, 290, 299
 planetary accretion 218
 planetary atmospheres 213
 planetary tectonics 152
 plants
 and carbon dioxide 246–247, 278
 and weathering 235
 plate tectonics
 paradigm 152, 171
 planetary 281–282
 regulation 304
 platinum group elements 66
 Barberton Greenstone Belt 115
 data 72
 fractionation 71, 75
 Jericho and Kaapvaal peridotites 74
 plum pudding model 22
 plume head flow 137–141
 plume material
 spreading 140
 thickness 139
 plume tails 141
 plume-lithosphere interactions 137–141
 polar anisotropy 30, 53
 ponding, plume material 138
 Pongola basin 4
 Popoteke fault 205
 Porcupine Group 162, 170
 prebiotic molecules 226
 Preliminary Reference Earth Model *see* PREM
 PREM 51, 55
 Premier Mine 76, 81
 pressure-temperature diagrams, mantle nodules 59
 prokaryote ecosystem 325–326
 Proterozoic crust, thickness 19
 protosolar nebula 213, 216, 218, 221
 Ps conversions 14, 15, 19

 Quetico belt 165

 rare earth elements
 Belingwe 314–317, 315, 316
 harzburgites 96
 rare gases
 depletion 213
 fractionation 216, 221
 models 221–222
 ray density maps, velocity sections 11
 Rayleigh waves
 modes 50
 southern Africa 12, 13, 48
 Western Superior 31, 32
 Rayleigh–Taylor instabilities 166, 167
 Razi suite 205
 Rb–Sr systematics 70
 Re depletion ages 69–70
 Jericho peridotites 73
 Siberian peridotites 70
 Re–Os isotope studies 5, 66
 Kaapvaal Craton 76, 92
 Okwa-Magondi 12
 and PGE 71–80
 southern Africa 18
 systematics 68–71
 receiver function analysis 2
 red beds 299
 redepletion ages, southern Africa 6
 redox contrasts 288, 290
 boundaries 295
 microbial mats 291
 redox reactions, carbonatization 238–239

- reflection seismic profiles, Slave Craton 160–161
 refractory mantle 5, 21, 93
 proportions 94
 Rehoboth Subprovince 79
 Reliance Formation 191, 193, 312
 residue elimination 93
 residue segregation, models 97
 resolution problems 46, 55
 restites 93, 130
 rheological layering 188
 Rhodesdale batholith 191, 198
 ridge outgassing 236–237, 270
 rift systems 138
 rifting
 craton margins 86
 Slave Craton 164
 Zimbabwe Craton 201
 Rocas Verdes Complex 172
 root structures, Kaapvaal 12
 rRNA phylogenies 286, 309, 326
 rubisco 278, 288, 292, 295, 320, 322
 Rupemba 310
- S-wave velocities 12, 18
 average lithosphere 51
 Sachigo block 28, 40
 São Francisco Craton 41
 Sauerdale thrust stack 195, 203
 scale factors, cratonic evolution 173
 Scotland, Pb ratios 109
 sea water, crustal flux 237
 sea-floor spreading 242
 sea-floor weathering 239, 240, 245
 Sebakwe Poort 202, 204
 Sebakwe proto-craton 190, 191
 sedimentary rocks, Zimbabwe greenstone belts 190,
 201–203
 sediments
 juvenile 261
 redeposition 261
 reinjection 117
 seismic heterogeneity, Western Superior Province
 27–44
 seismic lithosphere, average thickness 51
 seismic refraction
 O-NYNEX 128
 Western Superior 39
 seismic studies, Kaapvaal Project 2, 7–17
 seismic velocities
 below shields 46
 and crustal composition 127–128
 seismograms, southern Africa 52, 54, 56
 Semail ophiolite 159
 sensitivity tests, velocity models 49
 serpentinites, Isua 331
 serpentinization 280, 285, 298
 Sesombi Suite 199, 201, 206
 Shamva greenstone belt 190
 Shamva Mine 198, 203
 Shamvaian Supergroup 199, 201, 202
 Shangani batholith 191, 201
 Shaw granitoid complex 169
 shear modulus, and temperature 61
 shear zones
 Isua 332
 Zimbabwe Craton 195, 198, 199, 202, 203, 204
 shear-wave splitting 33
 anisotropy 136, 144–147
 Kaapvaal Craton 53
 shear-wave velocity structure
 Kalahari Craton 57
 TWiST 30–31, 31
 Sherwood shear zone 198
 SHRIMP 161, 162
 Shurugwi greenstone belt 190
 sialic basement 163
 Siberian Craton, peridotites 66–67
 siderite stability field 243–244, 245
 siderophile elements, and impacts 224
 siderophores 290
 Sierra Nevada, P-wave velocities 130
 silicate weathering 232, 233–235, 240, 259, 272
 simple asthenospheric flow 33, 136
 SKS splitting
 southern Africa 12, 41
 Tanzanian Craton 146, 147
 Western Superior 32–36, 35
 slab melting 188
 slab structures
 imbricate 40
 in mantle 29
 slab-like anomaly, Western Superior 37
 Slave Craton 40
 basement complex 155
 complex history 152
 conglomerates 167
 cross-section 159
 detrital zircons 156
 geology 157
 peridotites 66, 73–76
 reflection seismic profiles 160–161
 structural-stratigraphic mapping 159
 turbidites 170
 see also Jericho peridotites, Northern Slave
 Craton
 Sleepy Dragon Complex 168, 170
 Sm–Nd fractionation 264
 Sm–Nd modelling 269
 Sm–Nd systematics 70, 79, 92, 262, 263
 Sm–Sm systematics 221
 Solar System
 condensation 220
 impact history 155
 solar wind 218, 223
 South-American–Caribbean plate boundary 28
 southern Africa
 crustal subdivisions 47
 density and velocity profiles 48
 geological outline 4–5
 low-velocity zones 53
 seismograms 52, 54, 56
 upper mantle 45–64
 velocity and density 60–62, 60
 velocity models 47, 51, 55
 southern Africa seismic array, location map 14
 southern Africa seismic experiment 7–17

- Southern Cross domain 163, 164
 splitting analysis, upper mantle 34
 Sr/Y fractionation 114
 stable isotopes
 analytical methods 313–314
 Belingwe belt 309–328, 319
 evidence 317–320
 Jimmy Member 322–324
 staurolite, Isua 341
 Steep Rock Group 163
 Stillwater Complex 130
 strain regimes 204
 strike-slip faults 171
 stromatolites
 Belingwe belt 292, 310, 312, 317–318, 324
 Steep Rock 299
 structural geology, greenstone belts 158–160
 sub-Moho layer, Western Superior 40
 subcontinental lithosphere, models 92–99
 subduction
 Archaeon 20, 84, 188
 fluid transport 96, 97
 Sachigo block 28
 subduction zones
 Barberton 4
 imbrication 22
 KAAPVAAL Craton 5
 sulphate reduction 288, 292
 sulphide separates, peridotites 70
 sulphides, Jimmy Member 313
 sulphur bacteria 325
 sulphur cycle 298, 322
 sulphur isotopes
 Belingwe belt 292, 317
 Jimmy Member 322–324
 in shallow-water sediments 321–322
 Sun, luminosity changes 231, 234, 236, 272, 282, 300
 Superior Craton 39
 dyke swarm 136
 tectonic systems 152
 supracrustal rocks, abundance 155
 surface temperature
 abiological model 300
 biological control 294
 and CO₂ 234, 242, 243, 244, 246, 248, 250
 surface water inventory 284
 surface-wave analysis
 Canadian Shield 30–32
 southern Africa 12–14
 Taba-Mali shear zone 199, 202
 Tahawus Complex 128, 130
 Tanzania Broadband Seismic Experiment 51
 Tanzanian Craton
 lithospheric mantle 82
 lithospheric thickness 144
 margins 136, 141
 peridotites 66–67
 tectonic stacking 190, 347
 tectonic styles, Archaeon 188
 tectonism, at cratonic margins 147
 tectosphere concept 1–2, 27
 tectospheric roots
 KAAPVAAL 17–19
 Western Superior 39
 Teleseismic Western Superior Transect *see* TWiST
 terrane accretion 204
 terrane docking 164
 Th–U–Pb systematics 268
 Th/Nb ratios, volcanics 266
 Th/Pb ratios 263
 Th/U ratios
 Archaeon 112, 115
 mantle 266
 thermal blanketing 22
 thrusting 159
 Thunder Bay 29
 Timiskaming-type deposits 170
 Tokwe Segment 190
 tomographic analysis
 location maps 7
 mantle structure 2
 South African Craton 57–59
 southern Africa 7–12
 Western Superior Province 36–39, 38
 tonalite–trondhjemite–granodiorites 106, 116, 170
 production 183
 Zimbabwe Craton 190
 tonalites, Abitibi 162
 tonalitic gneiss, Sachigo 28
 Tonga slab 39
 trace gases, in present atmosphere 279–280
 Trans-Hudson shear zone 29, 35, 40
 transport balance modelling 262, 263–267
 data 263
 trapped melts 84
 travel times 58
 trench rollback 22
 Trojan Mine 197
 turbidites, Slave Craton 170
 TWiST 29
 two-layer model, Western Superior Province 36
 U/Pb fractionation 114, 116
 U/Pb ratios
 Archaeon cratons 118
 core formation 263
 crustal models 265, 266, 269
 variation 113, 117
 Udachnaya kimberlite 70
 ultramylonites 203
 Umzingwane Formation 198
 Umzingwane shear zone 203
 underplating
 eclogitic 40
 Grenville 130
 KAAPVAAL craton 20, 81, 94
 Proterozoic 132
 uniformitarian systems 282
 unroofing, erosional 169
 Upper Bulawayo Group 201
 Upper Greenstones 191
 upper mantle
 anisotropy 136
 cooling 22

- upper mantle structure
 - southern Africa 7–12, 45–64
 - vertical resolution 55
 - Western Superior 41
- Urey cycle 241, 253, 260
- V_p/V_s ratios 126, 127
- Adirondack Mountains 129
 - continental crust 130
- velocity and density, southern Africa 60–62, 60
- velocity perturbation model, 3D grid 8
- velocity structure
 - global models 46
 - inversion method 8
- Venetia mine 81
- vent circulation 237–238
- Ventersdorp, volcanism 4, 6, 85, 94
- Venus 152
 - atmosphere 280–281
- vertically coherent deformation 33, 34, 136
- Vitim alkali basalt field 73
- Vitim peridotites 78–80, 78, 79
- volatile elements
 - abundance 217
 - depletion 217
 - major 222–223
 - recycling 214
 - reservoirs 215–220
- Vöring margin 172
- Vredefort Structure 5, 21, 82, 183
- Vumba greenstone belt 195

- Wabigoon greenstone belt 163
- Warrawoona Group 153
- water
 - chondritic origin 223
 - as flux 284, 301
 - liquid 221
- water cycle 281
- water-rock reactions 238
- Wawa gneiss 162
- weathering
 - biotic enhancement 234
 - and carbonates 232
 - depth 302

- Wedza suite 204
- Western Australia, Pb ratios 110
- Western Pacific, convergent zone 28
- Western Superior Province 27–44
 - absolute plate motion 35
 - map 28
 - tomographic analysis 36–39, 38
 - upper mantle structure 41
- wet melting 100
- What Cheer Formation 199
- Winnipeg River terrane 164
- Witwatersrand basin, development 4
- Witwatersrand succession 299
- Wyoming Craton 31, 41

- xenoliths, Kaapvaal Craton 2, 66
- xenon isotopic ratios 215, 220, 271

- Yarlung–Zangpo ophiolites 117
- Yellowknife 160, 170
- Yilgarn craton 159, 163, 164
- Yule dome 170

- Zambezi belt 190, 204
- Zeederbergs Formation 191, 193, 195, 312
- Zimbabwe Craton 2, 4–5, 46, 188–206
 - 2.75–2.58 Ga period 191–206
 - 3.57–2.75 Ga period 190–191
 - accretion tectonics 206
 - crustal growth 192, 202, 205, 206–207
 - geochronological data 184–187
 - greenstone geochemistry 199–201, 200
 - late granites 204–205
 - maps 189, 194–198
 - Moho 15
 - Pb ratios 110
 - tectonic evolution 183–211
- zircons
 - detrital 155
 - xenocrystic 155