

Index

Page numbers in *italics* refer to Figures and page numbers in **bold** refer to Tables.

- ABDB *see* Anglo-Brabant Deformation Belt
Acadian Deformation Phase 50, 52–53, 56, 67, 72–73.
82 *see also* Acadian Orogeny; Anglo-Brabant Deformation Belt
Acadian Orogeny 6
Alpine-Carpathian Front 4, 295
Alpine Deformation Front 1, 3, 19, 48, 218, 280
Alpine Orogeny 33, 296, 322, 324
Alps 3, 48, 158, 218, 238, 280, 289
Amazonian craton 1, 3, 9–13, 28, 55, 158, 169, 171
separation from Laurentia and Baltica 31
Anglian Basin 48, 52, 70, 80–81, 328, 340, 340
inversion 56
Megasequence 3, deep water facies 56
Anglo-Brabant Deformation Belt (ABDB) (also known as the Caledonides of the Midlands and Brabant Massif, the Caledonides of the Anglo-Brabant Massif and the Anglo-Brabant fold belt) 2–3, 5, 7, 10, 48–49, 52, 54, 56, 67, 69, 74, 76–82, 97, 327–343
intra-Avalonian mobile belt 6
magmatism, Ordovician-Silurian 65
marginal shelf sediments 7
overridden by Avalonian basement 7
rotation 81
shortening 81
Anglo-Dutch Basin 3, 48, 61
Appalachian-Ouachita Orogen 296
Ardennes 126, 305, 336–338
Ardennes inliers 52, 59–60, 70–72, 76–77, 79, 81–82, 338–340
High Ardennes Slate Belt 70, 72
models for deformation 78–81
see also Givonne Inlier; Rocroi Inlier; Serpont Inlier; Stavelot-Venn Inlier
Ardennes Massifs 3, 48, 116
Ardennian Deformation Phase 51, 53, 59–61, 71–73, 77, 79, 81–82, 339
Armorica 123, 158, 171, 304
Armorican Massif 3, 48, 53, 76, 158, 168–169, 238, 260, 265–268
Armorican Terrane Assemblage (ATA) 1, 6–8, 19, 48, 54, 63, 75, 82, 116, 125, 133, 149, 151, 158, 171, 177, 179, 191, 237, 263, 279, 280, 283–284
apparent polar wandering path 9–13
border with Avalonia 69
collision activity 6–7, 49
docking with Avalonia 7, 133, 149, 151
docking with Baltica 10, 12–13, 133, 149, 151
docking with Bruno-Silesian margin 7–8
exhumation 6–7, 151
fragmentation 8, 191
migration from mantle plume 170
pre-Variscan basement 169–170
rifting 8, 341
subduction-collision along margins of Laurussia 2, 159, 189
ATA *see* Armorican Terrane Assemblage
Avalonia 1–3, 5–6, 31–33, 40, 43–44, 48, 105, 115, 237, 263, 268, 279–280, 283, 295, 302–306
accretion to Baltica 2, 9–10, 13, 31, 159, 177, 302–303
accretion to Laurentia 159, 177
active continental margin 23
apparent polar wandering path 8–13
basin evolution 75–76, 80–81
border with Armorica 68
boundaries 43–44
calc-alkaline volcanism 5
collision with Baltica and Laurentia 53, 75–76, 311, 327
collision with Gondwana 134–135, 198
collision with Laurentia 6, 50
collision/docking with Armorican Terrane Assemblage 7, 133, 149, 151
collision/docking with Baltica 5–6, 43–44, 51, 55–56, 61, 65, 73, 75, 77, 79, 81, 95–96, 110, 302, 304
convergence with Baltica 95–113
convergence with Laurentia 6
deformation history 5, 80–81
detachment from Gondwana 10, 12, 33, 50, 54, 65, 81, 109
extension 4, 76
margin with the Rheic Ocean 327
Megasequences 81–82
Neoproterozoic basement 49
Neoproterozoic Orogeny 55
palaeogeography 49, 54, 283
rifting magmatism 65, 341
rotation of 65, 79, 82
separation from Southern North Sea-Lüneberg Terrane 6
subduction 5, 76, 80–82
suture with Baltica 311
tectonometamorphic history 52
Terrane Assemblage 61, 81–82
see also Far Eastern Avalonia; West Avalonia
Avalonia-Baltica suture *see* Trans-European Suture Zone
Avalonian-Cadomian arc 340–341
balanced cross sections 77
Baltica 2–4, 37, 38, 44, 48, 62–63, 105, 280, 283, 297, 303, 322–324
accretion of Gondwana terranes 19–36, 39, 133, 135
affinities of brachiopods 40–43
amalgamation with Central European Variscides 177
amalgamation with Phanerozoic terranes 159, 301
apparent polar wandering path 8–13
bridge to Gondwana 3
collision with Armorican Terrane Assemblage 149, 151
collision with Avalonia 5, 31, 43, 51, 56, 61, 73, 77, 79, 81, 95–96, 110, 296, 297, 302, 304

- collision with Avalonia and Laurentia 53, 159, 177, 311, 327
- convergence with Avalonia 95–113
- foreland-basin sedimentation 62
- passive continental margin 296
- rifting 9
- rotation of 37–39, 44, 109
- separation from Amazonia and Africa 31
- suture with Avalonia 311
- Svecofennian basement 29
- Bardo Basin 7, 134, 199, 239–240, 244–245, 247, 250–251, 255–259, 261, 265, 269
- Barrandian Terrane 263 *see also* Teplá-Barrandian Terrane
- biogeographic data 30–31
- biostratigraphic/palaeontological data 22, 25, 64, 77, 136, 253, 268
- acritarchs 22–23, 39, 43–44, 53–54, 56, 61–62, 72, 79, 96, 105, 107–108, 117, 119, 125
- brachiopod faunal affinity 30–32, 39–43, 53, 59, 98, 108
- chitinozoans 31, 44, 53–54, 56–57, 59, 61–62, 95–113, 115–131
- conodonts 31, 33, 108, 160, 254, 258
- faunal and floral provinciality of Avalonia 53
- graptolites 43–44, 56–62, 96, 98, 105–108, 115, 117, 119, 124–125, 127, 160
- methods of preparation 119
- ostracods 31, 61
- palynological 62, 73, 96, 99–104, 120–121, 286
- phyllocarids 61, 127
- trace fossils 22, 24, 40, 61, 125
- trilobites 22, 30–32, 39–40, 43, 53, 59, 61–62, 115, 125
- see also* Celtic Faunas
- Bohemian Arc, structure and evolution 279–293
- rotation of 286, 288
- Bohemian Massif 2–4, 6, 8, 38, 48, 53–54, 133, 149, 151, 158–159, 168–169, 171, 188, 191, 203, 209–210, 212, 217–218, 238, 260–263, 266, 281, 283–285, 290
- geological map 282–283
- palaeogeography 283
- 'Perunica' 8
- tectonic imbrication sequence 190
- see also* Central Sudetic Terrane; East Sudetes Terrane; Mariánské Lázně Complex; Münchberg Klippe; Sudetes Mountains; Sudetic Terranes; suture zone Saxothuringia/Bohemia; West Sudetes
- Brabant Deformation Phase (Acadian Phase) 50, 52–53, 72–73, 77, 79, 81–82
- Brabant Massif 3, 5, 48, 50, 52–61, 65, 76, 80–82, 110, 116, 121, 123–124, 126, 327
- basement 338–339
- Bierghes sill 65, 66
- biostratigraphy 51, 56–57, 110
- Cambrian 'steep belt' 339–341
- compressional wedge model 338–341
- failed separation from Gondwana 76
- foreland basins 70, 76, 79, 81–82, 328, 334
- geological subcrop 68, 329
- Intermediate domain 339
- kinematic model 328, 330, 339, 341
- Lessines sill 65, 66
- magmatism 64–66, 81–82
- Megasequence 1, megacycle I, deep-sea sediments 56–58, 76
- Blanmont sandstone Formation 56
- Chevlipont Formation 57, 64, 126
- extensional or rift basin 57
- Oisquerq mudstone Formation 56–57
- Mousty shale Formation 56–57
- Tubize Formation 56, 64, 70, 330, 332, 337, 338
- Megasequence 2, megacycle II, terrigenous shallow shelf, intertidal and turbidite sediments 57–58, 76, 78
- Abbaye de Villers Formations 57, 126
- Bornival Formation 57, 126
- hiatus/condensed sequence 56, 126
- Ittre Formation 57, 126
- Rigenée Formation 57, 126, 126
- Tribotte Formation 57, 126
- Megasequence 3, megacycle III, shelf and basinal sediments 57–58, 76, 78
- Brutia Formation 57, 126
- Fallais Formation 57
- Fauquez Formation 57, 126–127
- foreland basin development 57–58, 78
- Hsodin Formation 57
- Huet Formation 57, 126–127
- Latinne Formation 57
- Madot Formation 57, 126–127
- tectonic loading 78
- models for deformation 78–81
- Nieuwpoort-Asquemont Fault Zone 68–69, 78, 328–339
- Northern Ordovician-Silurian deformed foreland basin 339
- Quenast neck 65, 66, 81
- rift basin 79
- Southern Ordovician-Silurian deformed foreland basin 339, 339
- subduction beneath Avalonia 65, 81
- tectonometamorphic evolution 67–70, 81, 328, 337, 340
- thrust faults 69
- Tienen Lineament 336–337, 339
- Brévenne Complex 238, 260–261
- Brévenne-Violay-Beaujolais rift 260–261
- Brno Massif 253, 261
- Bruno-Silesian Massif (Brunovistulian or Brunovisticulum Block/Terrane) 1, 3–7, 10, 23, 28, 30–33, 37–39, 43–44, 253, 261–262, 264–266, 268, 295
- accretion 2
- amalgamation with Małopolska Block 33
- apparent polar wandering path 9–13
- basement 29, 239
- collision with Moldanubian Terrane 269
- collision/docking with Armorican Terrane Assemblage 7
- continental affinities debate 2
- deformation 5
- displacement along TESZ margin 4–5
- ocean 268
- overprinting by Carpathian/Alpine movements 8
- overthrusting 5
- provenance 268
- rotation of 268

- subduction 4, 261
 timing of ophiolite generation and deformation 2
see also Upper Silesian Block
- Brunosilesia-Moesia crustal block 9–13
- Bukówka Sandstone 39, 42
- Cadomian deformed basement 2, 4, 191
- Cadomian Orogen 177, 284
- Caledonian accretionary wedge 96
- Caledonian deformation belt 5, 33, 49, 297, 305
- Caledonian Deformation Front 3, 20, 48, 96, 280, 297, 302–303, 312–313, 322–323, 328, 328, 338–340
- Caledonian (Eo-Variscan) metamorphism and magmatism 6
- Caledonian Orogeny 53, 258, 263, 279, 296, 319, 322 foreland 96, 323
- Caledonian Suture 311, 312
- Caledonian tectonometamorphic event 71, 262, 324
- Caledonides 6, 48, 80, 305
- Capidava-Ovidiu Fault 3, 48
- Carpathians 3, 5, 20, 24, 38, 48, 218, 238, 280, 296 basement inliers 8, 13
- Celtic faunas 6, 8, 10
- Central Brittany Terrane 3, 48
- Central Dobrogea Terrane, Romania 3, 4, 48
- Central European Variscides 157, 159, 177, 191, 197, 238
 amalgamation with Baltica 177
- Central Sudetic Ophiolite 244, 250
 Nowa Ruda Ophiolite 160–161, 165, 203, 244–247, 256–259, 261
 Słęża Ophiolite 159–167, 170, 189–190, 197–215, 244, 267
- Central Sudetic Terrane 263–264, 269 *see also* East Sudetes Terrane; Sudetes Mountains; Sudetic Terranes; Sudetic Batholith Terrane; West Sudetes
- cluster analysis 98, 104, 105, 125
- Condroz Inlier, Belgium (also known as the Condroz ridge or strip or Sambre and Meuse strip) 44, 48, 50, 52–54, 60, 72, 74, 76–78, 80–81, 125
 biostratigraphy 51
 magmatism 64–65
 Megasequence 1, distal turbidites 57
 Chevlipont Formation (Wépion Formation) 57, 59, 126
 hiatus 57
 unconformity 57
- Megasequence 2, graptolitic mudstones 57, 76
 hiatus 59, 126
 Huy Formation 125–126
 Oxhe Formation 125–126
 Sart-Bernard Formation 125–126
 Vitriaval-Bruyère Formation 57, 125–126
- Megasequence 3, carbonate and argillaceous shelf sediments 59, 76
 Fosses Formation 59, 72, 126
 Jonquoi Formation 59
- Condrozian Deformation Phase 53
- Cornubian Massif 3, 48, 63
- Cornubian Rheno-Hercynian nappes 125
- Cornubian Variscan granites 75
- Cracow Fault 23–24
- Crozon Peninsula, Armorican Massif 48, 51
- Danish-North German-Polish Caledonides 6, 73 *see also* Heligoland-Pomerania Deformation Belt
- Danish North Sea Basin 320, 320, 322–324
- dating/geochronology 109, 253, 268
⁴⁰Ar/³⁹Ar 8, 62, 133–155, 179, 181, 219, 243
⁴⁰Ar/³⁹Ar of micas 73, 138, 286, 289
 Ar/Ar single grain 29, 44
 K-Ar 72, 137, 146–147
 K-Ar muscovite cooling ages 20, 21, 28, 28
²⁰⁷Pb/²⁰⁶Pb 26, 28, 136–138
²⁰⁷Pb/²⁰⁶Pb zircon 138, 159, 169, 171
 Rb-Sr 8, 65, 136–139, 148–150, 161, 243–244, 253
 SHRIMP U-Pb and Pb/Pb 138–139, 149, 169, 171, 181, 267, 286
 Sm-Nd geochronology 138–139, 150, 157–176, 179, 203, 219, 225, 244
 U-Pb 61
 U-Pb monazite 7, 138, 149, 244
 U-Pb zircon 26, 27, 56, 63, 135–139, 146, 150, 159, 160–161, 169, 171, 181, 203, 212, 234, 244, 251, 267
 zircon 20, 23–28, 82
see also biostratigraphy; Nd isotope studies
- Dinant Synclinorium 60, 78–79, 82
- Dolsk Fault Line 5, 281, 288, 302–306
- Dowsing-South Hewett Fault Zone-Lower Rhine Lineament 5, 48, 52, 61, 77, 80, 328, 340
 mantle reflectivity (subduction underflow) 64
- Drosendorf Unit, Bohemian Massif 3, 48, 218
- East Elbian Suspect Terranes 48, 302
- eastern England Caledonides (also known as the concealed Caledonides of eastern England) 48, 50, 52, 56
 boundary with Midlands Microcraton 56
 foredeep 61
 magmatism 63–64
 Neoproterozoic basement 56
- East European Craton/Platform (EEC/EEP) 1, 4, 6, 19–20, 22–23, 29–30, 37, 48, 62, 95–97, 133, 159, 218, 238, 279–281, 286–289, 295–297, 299, 301, 301, 306
 basement accreted block debate 2
- East Sudetes Terrane (Silesicum) 238, 250, 252–253, 261–262
 Branná Unit 252–253, 262, 264, 266
 Desná Dome 252–253, 262, 266, 268, 286
 Kepník Nappe 252–253, 262, 266, 286
 Strzelin Crystalline Massif 253, 266, 268
 Velké Vrbno Nappe 252, 262, 266, 285
see also Central Sudetic Terrane; Sudetic Terranes; Sudetic Batholith Terrane; West Sudetes
- Ebbe anticline Inlier, Far Eastern Avalonia 3, 48, 51, 53, 60, 73, 77–81, 110, 115–131
 affinity to Avalonia 125
 Herscheider Schichten 60–61, 115, 117–119, 122
 Megasequence 1 77
 Megasequence 2 77–78
 Nd isotope results 121, 123–125, 123
 Oberer (Solinger) Tonschiefer 61, 115, 117–119, 121–126
 Plettenberger Bänderschiefer 60, 115, 117–124, 126, 126
 (Rahlenberger) Grauwackenschiefer 61, 115, 117–127

- stratigraphy 123–127
 Unterer (Kiesberter) Tonschiefer 61, 115, 117–119, 121–122, 124, 126, 126
- Ecke Gneiss, Harz Mountains 5, 82
- EEC *see* East European Craton
- Elbe Fault Zone 3, 48, 134, 157, 160, 170, 178, 218, 238–239, 254, 281, 283–288
- Elbe Lineament 3, 43, 48, 61, 302, 305, 322, 328
- Eo-Variscan orogenesis 268–269
- Eo-Variscan Suture (Massif Central Suture) 238, 260
- Erzgebirge 158, 281, 284
- Far Eastern Avalonia 2, 3, 48, 49, 53, 64, 77, 80, 82
 docking/collision with Baltica 62
 Neoproterozoic basement 78
 palaeogeography 82
- Fore-Sudetic Block, Sudetes 159–167, 170, 178, 198–199, 203, 251, 256, 264, 267, 284, 299 *see also* Central Sudetic Terrane; East Sudetes Terrane; West Sudetes
- geochemistry 2, 65–66, 181–187, 191, 197–215, 224–228, **230–231**, 241, 253, 261, 335, 338
 crustal contamination 167, 169, 184, 186–187, 191, 210–211
 depleted mantle source (N-MORB to P-MORB and low-Ti meta-tholeiites) 161, 167, 169–170, 184–187, 211
 enriched mantle source (plume) 167, 169–170, 184–187, 210
 fractional crystallisation 170, 184–188, 208, 210
 fractionation 205–213
 HFS (high field strength elements) 183–184, 205
 HFSE ratios 170, 225
 HREE enrichment 170
 island arc chemistry (IAT) 208, 209
 LIL (large lithophile elements) enrichment 183, 205–207
 LREE depletion **182**, 206, 224
 LREE enrichment 162, 170
 MORB-normalised multi-element diagrams 183–186, 207, 207
 MORB-type chemistry 206, 208, 209, 211, 231, 237, 243, 248
 MREE enrichment 170
 Nb/Y-Zr-TiO₂ diagram for distinguishing tholeiitic metabasites from alkali metabasites 183, 184, 189, 227
 Ti-V diagram for distinguishing high-Ti/low-Ti tholeiitic metabasites 183, 184, 206, 209
 Zr v. Zr-Y plot for fractional crystallisation 187, 187, 206
- geothermal gradient 70–71, 79
- geothermobarometry 179, 181, 229, 256
- German-Polish Basin 238, 297
- Gföhl Unit/Terrane, Bohemian Massif 3, 48, 218, 257, 263–268 *see also* Moldanubian Terrane
- Giessen-Werra-Südharz/Selke Nappe 7, 63, 289
- Givonne Inlier, Ardennes 59, 71, 125
- Gondwana 2, 4, 30–33, 37, 54, 105, 149, 279, 285
 Cadomian orogen 33
 collision with Avalonia 134–135
 collision with Baltica 19–36, 134–135, 198, 268
 detachment of Avalonia 10, 12, 33, 50, 81, 109, 116
 displacement with respect to Laurussia 287
 fragmentation 149, 179
 marginal Terranes 20
 ‘Pacific-type’ active continental margin 10
 rifting 3, 8, 31, 65, 116, 198
 subduction 10, 11, 81
- Góry Pieprzowe Shale Formation 22, 39
- Góry Sowie Block/Massif 6, 134–138, 143–144, 149–150, 159–166, 189–190, 198–199, 203, 227, 239–240, 244–245, 248–268, 284–285
- Góry Sowie-Kłodzko domain/Terrane 258–261, 265–269
- gravity data 69, 74, 78, 188, 257, 302, 323, 328, 333–338
- Harz Mountains, Saxothuringia 3, 48–49, 51, 115, 158, 289
- Heligoland-Pomerania Deformation Belt (also known as North German-Polish Caledonides, English North German-Polish Caledonides or the Danish-North German-Polish Caledonides) (HPDB) 3, 6–7, 49, 53, 61–63, 80, 82, 95, 97, 109–110
 accretionary wedge 54
 biostratigraphy 62
 deformation 63, 96
 foreland-basin sedimentation 62
- Hercynian Event (Late Variscan compression) 260, 263
- Hirnantian glaciation eustatic sea-level fall 59, 72
- Hlinsko Fault 281, 283, 286
- Holy Cross Fault/Thrust 22–23, 39
- Holy Cross Mountains, Poland 2–4, 21–25, 32, 37–44, 48, 281
 as continental margin of Baltica 43
- HPDB *see* Heligoland-Pomerania Deformation Belt
- Iapetus Ocean 9–12, 31, 53–55
 closure 67, 76, 97, 159, 341
 opening 55
 subduction 54, 56, 64, 79, 81
- Iapetus Suture 1, 3, 48, 79–80, 280, 289, 328, 340
- ICP-MS 162, **182–183**
- Iberian Massif 158, 158, 168–169, 171, 191
- Intra-Sudetic Fault 134, 140, 147, 160, 160, 162, 170, 178, 199, 238–242, 254–256, 263–266, 281, 284–286, 288
- isotope studies 55, 62
- Italy 9–13
- Izera Massif 134–135, 139, 159–166, 171, 189–190, 199, 239–243, 253, 256, 281
- Jesiniky Mountains, arc-related magmatism 4, 285
- Kaczawa Unit/Terrane 7, 134, 159–167, 178, 189, 199, 209–210, 239–241, 254–258, 262–268, 281, 284–285
- Karkonosze Granite 134–135, 137, 140, 151, 159–160, 239, 241–243, 256, 265, 281
- Karkonosze Terrane 7, 134–151, 178, 240–243, 253–254, 258, 262–264, 269, 284
- Kielce facies 39, 41
- Kłodzko metamorphic complex 7, 159–166, 178, 189, 199, 239–240, 244–247, 255–265, 269, 285
- Kłodzko Złoty Stok Granite 239, 244–245, 247, 251, 256, 259

- Koszalin-Chojnice Structural Zone 96–97, 110, 127
 Kraków-Lubliniec Zone 3, 48
 Krefeld high subsurface 48, 51, 60, 72–73, 77–78, 80–81
 Krems-Vienna Line, Austria 5, 24
 Krkonoše Granite *see* Karkonosze Granite
 Krkonoše-Izera Granite (Polish spelling) *see* Karkonosze Granite
 Krkonoše-Jizera Granite (Czech spelling) *see* Karkonosze Granite
 Krkonoše-Jizera Terrane *see* Karkonosze Terrane
- Lake District, England 6, 44, 48, 50, 53, 61, 79, 82, 116, 123, 123, 327, 340
 arc-related granitic plutonism 63
 back-arc rifting and subsidence 55
 fore-arc basin 55
 foreland basin 76
 Megasequence 2, Borrowdale Volcanic Group 55, 67
 Megasequence 3, Windermere Supergroup 55, 76
 rotation of 54, 80, 81
 subduction-related magmatism, Ordovician 56, 64
see also Northern England tectonometamorphic evolution
- Laurentia 3, 6, 9–13, 31, 48, 54, 80, 280
 amalgamation with Avalonia 31
 collision with Avalonia 50
 collision with Avalonia and Baltica 53, 177, 311, 327
 rifting 9–10
 separation from Amazonia and Africa 31
 subduction 10
- Laurussian Supercontinent ('Old-Red Continent') 177, 283, 283, 287–289
 accretion of Armorican Terrane Assemblage 2, 7, 159, 171, 189
 Avalonian margin 63
- Leszno-Wolsztyn Basement High 3, 7, 48
 Lizard-Giessen-Harz 'ocean' back-arc basin 7–8
 Lizard-Giessen ophiolites 63, 267
 Lower Rhine Lineament 48, 77
 Lüneburg-North Sea Terrane 48, 302, 328, 338–340
 Łysogóry Block, Poland 2–4, 20–33, 38–41, 43–44, 48, 285
- magmatism 63–66
 fractional crystallisation 184–187
 magnetic data 1, 68, 71, 188, 322, 330–334, 337–338, 340
- Małopolska Block/Massif, Poland 2–4, 20–33, 38–44, 48, 285, 295
 accretionary wedge 4, 43
 amalgamation with Łysogóry Block 4
 collision with Baltica 32–33
 forearc-trench system 23
- Małopolska Terrane 283
 mantle sources 210–213
- Marginal Sudetic Fault 160–161, 170, 178, 199
 Mariánské Lázně Complex, Czech Republic 2, 158, 167, 177–195, 209–210, 217–236, 254, 284
 Doupov volcanic complex 179
 geochemistry 182–189
 Kladrupý pluton 180
- Kladská Unit 178–181, 187–191, 218, 219, 221, 225
 Lazurový Vrch amphibolites 181, 184, 188, 189
 Lestkov pluton 180, 189, 229
 Sedmíhoří stock 180
 Štěnovice stock 181
 subduction 181
 Teplá Crystalline Unit 180, 190, 217–223, 225, 225, 229–234, 257
 Výškovice metagabbro 234
- Massif Central 8, 158, 168, 169–170, 191, 238, 260, 265, 267–268 *see also* Eo-Variscan Suture
- Massif des Maures 8, 191, 287, 290
- MGCH *see* Mid-German Crystalline High
 microprobe analyses 145, 146
- Mid-German Crystalline High (MGCH) 10, 12, 20, 63, 158, 169, 171, 177, 238–239, 263–267, 280–289
 arc volcanism 7–8
 palaeogeography 283–284
- Mid-North Sea High 3, 48, 61, 73
- Mid-Ocean Ridge Basalts (MORB) (depleted mantle source) 136, 167, 171, 187
- Midlands Microcraton 3, 5, 48–82, 327–328, 331, 336, 338–340
 back-arc uplift 76
 boundary with eastern England Caledonides 56
 Charnia Supergroup 55, 64, 67
 magmatism 64
 Megasequence 1, Cambrian overstep sequence 55, 76
 Megasequence 2 55, 76
 Megasequence 3, Silurian mudstones and limestones 55–56, 76
 Neoproterozoic basement 55, 64, 78
 rotation of 81
- Midlands Platform 48, 50, 76
- Moesian Platform, Romania 3, 4, 48
- Moho 22, 61, 299, 301, 301, 304, 306
- Mójcza Limestone 39, 41
- Moldanubia crustal block 6, 158
- Moldanubian Ocean 268
- Moldanubian Thrust 5, 6, 281, 285–289
- Moldanubian Zone/Terrane 3, 20, 48, 75, 158, 158, 169, 177, 191, 217, 218, 238–239, 257, 260–261, 263, 265–267, 269, 279–281, 283, 286, 288, 289
 collision with Moravian and Brunovistulian Terranes 269
- Montagne Noire 123, 125
- Moravian Line/Suture 5, 7
- Moravo-Silesian Belt (Silesian Terrane Assemblage) 19, 24, 285–288, 288
 rotation 281, 288
- Moravo-Silesian Terrane/Zone (Moravian Terrane) 3, 20, 48, 136, 150, 171, 217–218, 238, 239, 252, 261–269, 286
 collision with Moldanubian Terrane 269
- MORB *see* Mid-Ocean Ridge Basalts
- Münchberg Klippe 6, 167, 178, 179, 191, 284
 accretionary wedge 179
 mafic magmatism 167
 Saxothuringian subduction/collision 284
 tectonic imbrication sequence 190
- Münchberg Massif 189, 219, 260, 266
- Münchberg Nappe, Bohemian Massif 3, 48, 158, 218, 254

- N-MORB 159, 161
 Nd isotope studies 51, 56, 61, 64, 66, 66, 76–77,
 115–131, 160–170
 crustal contamination 167, 169, 184
 depleted mantle source (N-MORB to P-MORB
 and low-Ti meta-tholeiites) 161, 167, 169–170,
 209
 enriched mantle source (plume) 167, 169–170
 palaeogeography 116
 Neoproterozoic active margin 245–246
 Neoproterozoic continental reconstructions 158
 Neutron Activation Analysis 198
 Normannian Terrane 48, 63
 North Armorican Shear Zone 3, 48
 North Brittany Terrane 3, 48
 North Dobrogea Orogen 3, 48
 North German Basin 3, 48, 49, 312, 312, 316–317, 320
 North Sea Basin 1–2, 312, 340
 Northern England tectonometamorphic evolution 67
 Northern Phyllite Zone, Germany 7, 63, 239, 263,
 266, 280, 283, 287
 palaeogeography 283–284
 Norwegian-Danish Basin 62, 312, 312, 314–315,
 320–321, 324
- Ocieski Sandstone Formation 24–27, 39–40
 Odenwald 158, 168–169
 Odra Fault Zone 20, 24, 134, 160–161, 170–171,
 238–239, 281, 303–306
 Odra Lineament 178
 Oxhe Inlier 52, 53
- ‘Pacific-type’ margin 1, 9
 palaeogeography 109–110, 116, 125, 281, 283, 285, 289
 palaeolatitude 44, 53, 77, 96, 98, 125
 palaeomagnetic data 1, 4, 6, 20, 32, 38, 54, 79, 109,
 268, 281, 288
 ‘Palaeozoic Amalgamation of Central Europe’
 Project (PACE) 1–2, 217, 221
 Palaeozoic deformation belts 3, 313
 Panafrican magmatism 50–51
 Panafrican Orogeny 2, 4, 80
 Pannonia 9–13
 Pannotian supercontinent 9, 9, 55
 active continental margin 9
 calc-alkaline volcanism 9
 partial melting 161, 167, 169, 208, 211–212, 252
 crustal contamination 167, 184
 element mobility 183
 fractional crystallisation 184–187
 geochemical modelling 184
 Peceneaga-Camena Fault 3, 48
 Pennine inliers 48, 50, 55
 Megasequence 2 55
 Megasequence 3 Windermere Supergroup 55
 Peri-Pieniny Lineament (Carpathian Suture) 5, 24
 Perunian Blocks/microcontinent 2, 179
 Pieprzowe Mountains 22, 29
 plume (enriched mantle source) 8, 161, 167, 171, 187,
 191, 210–211
 Polish Trough 2–3, 5, 48, 74
 Pomerania, Poland 3, 37–38, 43–44, 62–63, 77, 105,
 126, 297
 biostratigraphy 51, 53, 63, 95–113
 palaeogeography 95–113
- Pomeranian Caledonides (Polish part of Heligoland-
 Pomerania Deformation Belt) 49, 53, 74
 Pomeranian Terrane (Pomorze Terrane) 97
 Potential field data 74–75, 329–338 *see also* gravity
 data; magnetic data
 Prague Basin 48, 51
 Proto-Tethys Ocean 10, 12–13
 provenance 4, 6, 20, 25–29, 31–32, 43–44, 51, 62,
 76–77, 96, 157
- Rare Earth Element geochemistry 8, 65, 157–176,
 181–189, 205–213, 221–231
 E-MORB REE patterns 231
 fractional crystallisation 170, 184–187
 fractionation 208–209
 geochemical modelling of magma contamination
 184, 186–187
 HFSE ratios 170
 HREE enrichment 170
 LREE depletion 182, 211, 224
 LREE enrichment 162, 170
 MORB-normalised multi-element diagrams
 183–186, 207, 207
 MREE enrichment 170
 relationship to continental crustal melting 8
 see also dating/geochronology, Sm-Nd method;
 geochemistry; Nd isotope studies
 Remscheid Inlier, Far Eastern Avalonia 48, 51, 60–61,
 73, 77–81
 Rhenic Ocean 7, 10, 12, 109
 back-arc extension 63
 closure 327
 magmatic arc 63
 opening 54, 63–64, 76
 subduction 10, 12–13, 63, 177
 Variscan closure 7, 63, 177, 323
 Rhenic Suture 3, 6–7, 38, 48, 63, 75, 125, 177, 218, 238,
 264, 267, 305
 Rheinisches Schiefergebirge 115–116, 125, 127, 158
 Rhenish Massif, NW Germany 3, 5, 44, 48, 60–61,
 77–78, 81, 280, 304
 Rheno-Hercynian Basin 63, 76, 80, 82
 transformation to a foreland basin 63
 Rheno-Hercynian Belt 19, 60, 115, 288, 289
 Rheno-Hercynian deformation Zone/Suture 3, 7, 48,
 61, 63, 75, 80, 82, 125, 127, 158, 158, 170, 177,
 218, 238–239, 262–264, 267, 279–281, 283, 285,
 304–305
 Rocroi Inlier, Ardennes 71, 76, 125
 Megasequence 1 59–60
 Deville Group 71
 Revin Group 71, 127
 Salm Group 71
 Megasequence 2 60
 Vieux-Moulins de Thilay Formation 60
 Rodinia supercontinent 31, 55
 Rønne Graben 3, 48
 Ronse-Veurne Line 52, 57, 68
 Rügen Island 3, 37, 38, 43–44, 61–63, 74, 77, 96, 127,
 297, 305
 biostratigraphy 51, 53
 foreland basin sedimentation 96
 link to Avalonia 63
 Megasequence 1 77, 126
 Megasequence 2 77, 126

- Rügen Caledonides 49
 Rychnov Fault 281, 283–284
 Rynkøbing-Fyn High 3, 48, 61, 73, 312, 312, 316–318, 320, 323
- San Block 22–23
 Sandomierz Deformation 2, 4
 Sandomierz Phase 32
 Saxothuringian crustal Block/Terrane 6–7, 24, 63, 76, 158, 167, 217, 253–254, 260, 281, 285, 290
 flysch sedimentation 179
 magmatism 179
 palaeogeography 284
 rotation 281
 Saxothuringian Klippen 284–285
 Saxothuringian Ocean 266, 268–269, 284
 Saxothuringian Suture/Zone (Lugicum; also known as Münchberg-Teplá Suture or Teplá/Saxothuringian) 3, 20, 48, 125, 133–136, 150, 169–171, 177, 179, 191, 218–219, 238–239, 253–255, 262–265, 269, 279–289 *see also* suture zone Saxothuringia/Bohemia
 Cheb-Dyleň Crystalline Unit 219
 Karlovy Vary granite pluton 219
 Slavkov Crystalline Unit 219
 Scandian Deformation Phase 51, 53, 61
 Schwarzwald 158, 168–169
 Scythian Platform 3, 48
 seismic interpretation 311–326
 seismic profiling 2, 5, 63–64, 302, 306, 322
 EUGENO-S 1 & 2 323
 LT-7 297–299, 302–305
 MOBIL 6 and 7 78
 MONA LISA deep lines 1–4 311–313, 319–322, 324
 NP85N survey 312, 313, 315–318, 322
 Polonaise P1-P5 5, 297–305
 RTD-81 survey 312–319, 322
 TTZ 5, 297–300, 303–304
 seismic reflection 61, 63, 78, 96
 seismic refraction 295–309
 Serpont Inlier, Ardennes 59, 71, 125
 Shelvian Deformation Phase, 50, 53, 55, 61, 67, 73
 Siberian palaeocontinent 10–13, 37
 Silesia 283, 285
 Silesian Terrane Assemblage *see* Moravo-Silesian belt
 Sm-Nd systematics 8, 169
 SNSLT *see* Southern North Sea-Lüneberg Terrane
 Solingen-Remscheid-Altena anticlines 60, 115
 Sorgenfrei-Tornquist Zone 3, 48, 312, 312
 South Armorican Shear Zone 3, 48
 South Hunsrück Massif 3, 49
 Southern North Sea 311–326
 Central Graben 312, 312, 320, 320, 322–324
 East North Sea High 312, 314–324
 Holmsland-Grindsted Block 312, 316–317, 320–322
 Horn Graben 312, 312, 314–324
 Mid North Sea High 312, 324
 Rotliegend unconformity 314–316, 322–323
 Southern North Sea-Lüneburg Terrane (SNSLT) 3, 6, 49, 52–53, 61–62, 64, 73–74, 76–77, 80–81
 basin evolution 77
 docking/collision with Baltica 62
 see also Lüneburg-North Sea Terrane
 Southern North Sea Terrane 48, 61
- Spessart 158, 168–169, 171
 Stavelot-Venn Inlier, Ardennes 48, 51, 59–61, 71, 76–80, 123–126
 biostratigraphy 51
 Megasequence 1, shallow shelf and turbidite sediments 59, 76
 Deville to Revin Groups 59, 71, 338
 hiatus 59
 Jalhay Formation 59
 La Gleize Formation 59
 Lierneux Member 59, 72
 Solwaster Member 59
 Spa Member 59
 Megasequence 2, deep-water sediments 59–60, 76
 Bihain Formation 59
 Otrré Formation 59
 Roer Valley Graben System 71
 Salm Group 126, 127
 thrusts 71
 Xhoris-Monschau 71
 structural interpretations 2, 4, 32, 62
 subsidence curves 55, 57–58, 76, 82
 Sudetes Mountains 3, 48, 159, 161, 211, 237–277, 296
 Sudetic Batholith Terrane 263
 Sudetic Marginal Fault (Sudetic Boundary Fault) 134, 238, 239, 245, 250–251, 256, 265
 suture zone Saxothuringia/Bohemia 284
 Sudetic Terranes 265
 accretionary setting 268–269
 rotation 281
 see also Central Sudetic Terrane; East Sudetic Terrane; West Sudetes
 Sveconorwegian Front 3, 48
 Sveconorwegian basement 62
- Taconic Arc 10, 11–12
 Taurus 9–13, 44
 Teisseyre-Tornquist Zone (TTZ) 1, 3, 19–20, 23, 48, 95, 98, 110, 238, 288, 297–304, 306, 312
 Teplá-Barrandian crustal Block/Terrane (Perunica microcontinent) 3, 6–7, 20, 48, 76, 158, 177, 179–183, 187–188, 191, 217–219, 234, 238, 248, 254, 257, 260, 265–269, 279–284, 288
 Cadomian Orogen 179–181
 extensional passive margin 179
 Variscan collision 181
 Teplá-Domazlice Zone 234
 terrane concept 170
 TESZ *see* Trans-European Suture Zone
 thermal maturation data 22, 39
 Thor Suture, Denmark 1, 3, 48, 96–97, 110, 280, 302–303, 328
 Thor-Tornquist Suture 1, 54, 64, 67, 77, 80
 Thüringenwald, Saxothuringia 48, 51
 Tornquist Margin 32, 37, 44 *see also* Trans-European Suture Zone
 Tornquist Ocean 44
 closure 6, 53–56, 76, 79, 97, 110, 159, 311
 subduction beneath Avalonia 56, 64
 Tornquist Suture 74, 263
 Trans-European Suture Zone (TESZ) 1, 4–5, 8, 19–22, 37–39, 43, 95–96, 109–110, 133–134, 158–159, 177, 237, 280, 287–289, 295–309
 accretionary setting 20

- amalgamation history 22
 TTZ *see* Teisseyre-Tornquist Zone
- Upper Silesian Block/Massif 20–24, 29–32, 39, 48
 Uralides, Baltica 2, 4, 9
 ‘Cadomian’ basement 43–44
- Variscan Deformation Front 3, 5, 20, 23, 48, 52, 59,
 67, 71, 77, 80, 150, 238, 297–306, 328
 Variscan mobile belt 1, 19, 33, 70, 75, 158, 198, 237,
 256, 260, 262, 267–268, 279, 303
 Variscan Orogeny 7, 33, 52, 63, 71, 125, 133, 149–151,
 159, 161, 170, 179, 189, 198, 203, 251, 261, 263,
 287–290, 296, 305–306, 311, 323
 tectonothermal development 133–155
 Variscan overthrust (Moravo-Silesian belt) 24
 Variscides 301, 303
 Vosges 158, 168–169, 238
- wander paths 8–13
 wells/boreholes 19–21, 23, 56, 61, 63–64, 252, 260, 299,
 305
 Arkona 101, Rügen, Germany 62
 Białogóra 1, Poland 96
 Białogóra 2, Poland 96
 Binz 1, Rügen, Germany 62, 109
 Bolland 48, 51, 60
 Borek Strzeliński 161, 164
 Brda 2, Poland 96–100, 104–106, 109
 Brda 3, Poland 96–100, 104, 106, 109
 Brøns 1a 73
 Budziszow, Poland 161
 Cesarzowice, Poland 161
 Chojnice 5, Poland 96–98, 100, 101, 105–107
 Cox’s Walk, England 63
 Danish (Baltica) 48, 51
 Dębki 3, Poland 96
 Deerlijk 66, 66
 Flechtingen 82
 Flensburg-Z1 73
 Frederikshavn-1 313
 G14 3, 54, 61–62, 77
 Glington, England 64
 H2, Rügen, Germany 62, 109
 Harelbeke 66
 Ibenholt-1 311, 313
 Jurcz, Poland 161
 K5, Rügen, Germany 62, 106, 109
 Karsina 1, Poland 96, 97, 98, 100, 101, 106, 107, 109
 Klewno 1, Poland 97
 Kobierzyce 161
 Kościernica 1, Poland 96, 97, 98, 100–101, 102, 106,
 107
 Krefeld High 60, 77
 KTB 167, 189, 217, 234
 L2–1, Rügen, Germany 62
 Łeba, Poland, 96
 Løgumkloster-1 73, 313
 Lohme 2, Rügen, Germany 62, 109
 Loissin 1 74, 302
 Mioszyno 8, Poland 96
 Moorby, England 64
 North Creake, England 64
 North Sea 54
 Nøvling-1 62
 Nowa Wieś 1, Poland 96, 97, 98, 101, 102, 106,
 107–108, 109
 Okuniew IG-1, Poland 21
 Okunino 1, Poland 96, 97, 98, 101, 106, 107
 Orton, England 64
 Oxendon Hall, England 64
 P-1 313
 Penkun 48, 82
 Per-1 313
 Pernille 1, Denmark 62, 73, 110
 Piaśnica 2, Poland 96
 Pomerania (Far Eastern Avalonia) 48, 51, 121
 Przedmoście, Poland 161
 Rügen wells, Germany (Far Eastern Avalonia) 48,
 51, 63, 95–96
 Rügen 3, Rügen, Germany 62
 Rügen 5, Rügen, Germany 62, 106, 109, 125
 Sarbinowo 1, Poland 96–98, 101, 102, 106, 108–109
 Skibno 1, NW Poland 38, 44, 96–98, 101–104, 106,
 108–110
 Slagelse 1, Denmark 62, 73, 110
 Sokolica 1, Poland 97
 Środa-Śląska, Poland 161
 Terne 1 62
 Ugle-1 313
 Viersen 1001, Germany 72
 Wyszebórz 1, 96–98, 104, 104, 106, 108
 Welsh Basin 48, 50, 53, 61, 79–82, 116, 123–124, 327,
 338, 340
 arc-related volcanism 55–56
 Carmel Head Thrust 67
 Megasequence 1, Dyfed marine volcanic
 Supergroup, 54, 76
 Megasequence 2, Gwynedd marine Supergroup
 54–55, 76
 back-arc marginal basin 54–55
 hiatus/condensed sequence 54
 Megasequence 3, Powys turbiditic Supergroup 55,
 67, 76
 Menai Straits 67
 Padarn Tuff 64
 Pontesford-Linley Fault 67
 pull-apart basin 76
 Rhobell Fawr calc-alkaline magmatism 64–65
 rifting 76
 subduction-related magmatism, Ordovician 56
 tectonometamorphic evolution 66–67
 Tywi Anticline 55, 67
see also Welsh Borderline Fault System
 Welsh Borderline Fault System 55, 67
 West Avalonia 28, 33
 West Sudetes, Bohemian Massif 133–176, 237–277
 Dobromierz thrust sheet 161, 190
 exhumation 7
 Fichtelgebirge orthogneisses magmatism 169
 geochronology 136–149, 159
 Görlitz Slate Belt 240–241, 253–256, 264
 Imbramowice Metamorphic Complex 160–161, 167
 Intra-Sudetic pull-apart Basin 134, 160, 239–240,
 247, 254–258, 262–265, 285–286
 Jęstřed Mountains Range 134–135, 178, 240–243,
 254, 264
 Kamieniec Metamorphic Belt 39, 239, 249–251,
 256, 265, 267
 Leszczyńiec Unit 240–243, 254, 264

- Lusatia-Izera Terrane 264–265, 268–269, 286
 Lusatian Granitoid Complex (Zawidów granodiorite and Lésna gneisses) 134–137, 141, 146, 151, 190, 239–241, 243, 253–254, 256, 262–264
 magmatic activity 149, 209
 Niedźwiedź Amphibolite Massif 239, 250, 252, 267
 Niemcza Shear Zone 134, 239, 245, 248–251, 256, 262–267
 Nové Město Belt 248–249, 257, 262, 264–265, 281
 Orlica-Śnieżnik Dome 7, 134–144, 149–151, 160, 165, 167, 189, 199, 239–240, 248–252, 256–259, 262–267, 281, 284
 rift-related Palaeozoic magmatism 164
 rifting of Cadomian basement 135
 Rudawy-Janowickie Complex 159–166, 178, 189, 199, 209–210, 263, 285
 Rýchory Mountains 160, 163, 166–167, 178, 189
 Skrzynka Shear Zone 239, 248–251, 256, 264, 266–267
 South-East Karkonosze Terrane 264, 266, 268
 Staré Město Belt/Suture 239, 250–252, 256, 261–262, 264–265, 268–269, 284
 Strzegom-Sobótka Granite 161, 199, 203, 205, 265
 Strzelin Crystalline Massif 239–240, 250, 267
 Świebodzice pull-apart Basin 134, 239–240, 244, 254–255, 258–259, 263–265, 281
 Świerzawa thrust sheet 161, 190
 tectonic imbrication sequence 190
 tectonostratigraphic affinity 157, 169
 terrane status 157
 Źelezný Brod 178, 199
see also Bardo Basin; Central Sudetic Ophiolite; Central Sudetic Terrane; East Sudetes; Elbe Fault Zone; Fore-Sudetic Block; Góry Sowie Block/Massif; Góry Sowie-Kłodzko domain/Terrane; Intra-Sudetic Fault; Izera Massif; Kaczawa Unit/Terrane; Karkonosze Granite; Karkonosze Terrane; Kłodzko metamorphic complex; Kłodzko Złoty Stok Granite; Krkonoše Granite; Krkonoše-Izera Granite; Krkonoše-Jizera Granite; Krkonoše-Jizera Terrane; Marginal Sudetic Fault; microprobe analyses: Niemcza Shear Zone; Odra Fault Zone; Sudetic Marginal Fault
 Windermere Supergroup, Lake District 6, 48, 55
 Wisniówka Sandstone Formation 29, 39–40, 43
 Wolsztyn Front 297, 299, 305
 XRF spectrometry 162, 182–183, 198, 221, 230–231
 Zone of Erbendorff Vohenstrauß. Münchberg Massif 167, 178, 189, 219, 234
 Zonguldak Terrane, Turkey 6, 8, 12