

Index

Page numbers in *italics* refer to figures; those in **bold** type refer to figures

- Acidalia Planitia, Mars 44–45, 299, 301
aeromagnetic data 3, 146, 331, 337–355
Alexander Island, Antarctica 167, 249
Álfaver rootless cones, Iceland 296–299, 303, 307, 313
alluvial deltas 105, 107–108, 110
alluvial fans 63–65, 63, 68, 77
Amazonian period, Mars 33–36, 42, 274
Amazonis Planitia, Mars 45, 276, 302–307, 310, 313–314
amphibole residual phase 263, 269
andesite, Mars 275, 275–276, 284, 289
Antarctic Peninsula, Antarctica 141, 143
Antarctic Sound, Antarctica 92, 94
Antarctica
 basaltic tuyas 213, **214**
 subglacial deposits 179–180, 319
 see also Alexander Island; Antarctic Peninsula; Antarctic Sound; Bentley Subglacial Trench; Cape Washington; Cray Mountains; Crater lake; crevasses; Dufek intrusion; Ellsworth Land; Hedin Nunatak; Icefall Nunatak; James Ross Island; James Ross Island Volcanic Group; Kirkpatrick basalt flows; Marie Byrd Land; ‘Mount Casertz’; Mount Early; Mount Erebus; Mount Frakes; Mount Kirkwood glacier; Mount Melbourne; Mount Murphy; Mount Petras; Mount Pinafore; Mount Pond glacier; Mount Rees; Mount Steere; Mount Takahe; Prince Gustav Channel; Sechrist Peak; Shield Nunatak; Sinuous Ridge; South Shetland Islands; Tabarin Peninsula; Transantarctic Mountains; Trinity Peninsula; Turtle Peak Nunatak; Vega Island; West Antarctica Ice Sheet; West Antarctica Rift system
Aram Chaos, Mars 275, 281–283
Argyre Planitia, Mars 34, 276–277
Arsia Mons, Mars 38, 39
Askja fissure eruption, Iceland 16
autoclastic deposits 239, 250 *see also* breccias, lava
axial rift zone 150–151

back-arc extensional setting 94
Bárdarbunga–Veidivötn volcanic system, Iceland 81–88, 319–320, 321
Barrier flow, British Columbia, Canada 196, 202
basalt–andesite transition, Mars 275
basaltic glass, alteration
 bio-alteration 407–421
 palagonitization 393–405
 pedogenic weathering 393–405
 see also palagonite; sideromelane
base surge deposit 125, 239
bench collapses 99, 102–103, 105, **106**
Bentley Subglacial Trench, Antarctica 338, 344
bio-alteration of oceanic crust 3, 407–421
Bláhnúkur rhyolite volcano, Iceland 203, 208, 213, 215, 232–233
breccias, lava 91–113, 115–134, 151, **153**, 154, 169, 184–185, 191, 225–233, 239, 246, 247, 257, 259, **264**
 flow-foot 104, 122, 145, **240**
 see also deltas
British Columbia, Canada
 basaltic tuyas 213, **214**
 subglacial deposits 2, 179–211, 255–271, 319
 table mountains 115
 see also Barrier flow; Clinker Mountains; Cauldron Dome; Cheakamus River Valley flows; Clinker Mountains; Cordilleran Volcanic Province; Ember Ridge; Fraser Glaciation; Garibaldi Volcanic Belt andesites–dacites; Hoodoo Mountain phonolites–trachytes; Iskut volcanic field; Little Ring Mountain; Monmouth Creek Complex; Mount Cayley volcanic field; Mount Garibaldi; Pali Dome; Salal Glacier; Slag Hill; Tanzilla Mountain; Watts Point volcanic field
bubble-burst’ mechanisms 308, 311
bulk density, magma 6–7, 11, 13
buoyancy pressure gradient 6

calderas 278, 280, 290, 319, 321, 342–350, 352
 see also Jemez Mountains, New Mexico, USA; Kilauea volcano; trapdoor calderas
Candor Chasmata, Mars 277, 283, 283, 286, 288, 368, 374
Candor mesa, Mars 288
Cape Washington, Antarctica 116, 141
carbonate platforms, Mars 276
Cascade volcanic arc, North America 197, 203
 andesitic subglacial deposits 179
 see also Clinker Mountains; Garibaldi Volcanic Belt andesites–dacites; Hoodoo Mountain phonolites–trachytes; Mount Cayley volcanic field
catastrophic drainage 101, 105, 173, 278
Cauldron Dome, Mount Cayley volcanic field, British Columbia, Canada 196, 198–201
Cerberus plains, Mars 46, 276, 283, 304, 314
channel, magma flows 13, 42
chaos, Mars
 eruptions 282
 formation 280, 289
 materials 283
 see also Aram Chaos; collapse chaos formation; Hydraotes Chaos
chasmata, Mars 3, 48, 275, 277, 283–286
 eruptions 281
Cheakamus River Valley flows, British Columbia, Canada 196, **199**, 202–203
chilled crust, sill 14–16, 18–20, **23**, 23, 136
Chryse Planitia, Mars 44–45, 289
cliffs, Mars 274
climate
 change 99, 149, 154, 172–173, 251
 cycles 197
 evolution of Mars 3, 34–35, 296
 models 358
Clinker Mountains, British Columbia, Canada 188, 202
CO₂ clathrate 51–52
collapse depressions 47, 277 *see also* ice cauldrons
collapse pits, nested, Mars 282
Columbia River Basalt series, USA 16, 415
cones 12, 49, 64, 68, 73, 94 *see also* tuff rings and cones
Cordilleran Volcanic Province, Canada 179–194, 209, 256, 260–261, 263
Costa Rica Rift 408, 416, 416–418

- Crary Mountains, Marie Byrd Land, Antarctica 237–253
- crater-counting analyses 313
- Crater lake, Deception Island, Antarctica 60, 76
- crevasses
Deception Island, Antarctica 62, 64, 72–73
Gjálp eruption, Iceland 323, 325–327
- crust, Mars 27–57
- cryosphere, Earth 251
- cryosphere, Mars
dehydration 29
global seal 41, 42
model 28
processes 29–31, 35, 38, 40, 43
thickness 36, 38, 47, 51
- crystallisation processes 264
- crystallite size distribution 396–398, 398
- dating 85, 175, 197, **197**, **199**, 233
⁴⁰Ar/³⁹Ar 2, 119, 181, 191, 239–245, 248–250, 252
K–Ar 94, 119, 199, 238, 243, 245, 247, 352
²²⁶Ra/²³⁰Th 268
radiocarbon 202
- debris chutes 107–110
- debris-flow deposits 36, 42, 51, 135–136, **152–153**, 169, 229, **231**
- Deception Island, Antarctica 116
1969 eruption 2, 59–79, 173
1970 eruption 60
fissures 62–69, 72
fluid dynamics 73–76
fluvial features 67
seismicity 69–71
strand line 68
see also Crater lake; crevasses; Goddard Hill glacier; ice chimneys; Mount Kirkwood glacier; Mount Pond glacier; Pendulum Cove; seismicity; supraglacial overflow channels
- Deep Sea Drilling Project/Ocean Drilling Program wells 407–418
- deglaciation 2, 118, 145, 175–176
- delta-front collapses 105, 108
- deltas 331
flow-foot 238
hydrovolcanic 91–113, 115–148, 278
see also alluvial deltas; Gilbert-type deltas; Hjulström-type deltas; sediment fans
- Deuteronilus Mensae, Mars 44
- DGPS *see* Differential Global Positioning System
- diamictite/diamicton 93, 94, 105, **152**, 156, 156, 158, 165–172, 175, 187, 189, 225
- diatremes, lava-capped 295
- differential compaction 136
- Differential Global Positioning System (DGPS) 323, 333
- digital elevation models 325
- DNA analyses 414–415, 417
- Dorsa Argentea Formation, Mars 31, 36, 48, 48–49
- Dufek intrusion, Antarctica 338, 341
- dunes 33, **152**, 166, 273, 279, 286–287 *see also* palaeodunes
- dykes, englacial and subglacial 1, 5–26, 30–31, 36–41, 115, 132–134, 145, 185, 201, **240–242**, 250, **264**, 278, 286
crack generation 71
- Eastern Volcanic Zone, Iceland (EVZ) 47, 81–85, 88, 150, 151, 215, 215
- Eldgjá basaltic eruption, Iceland 86
- Ellsworth Land, Antarctica 116, 124, 138, 143
- Elysium, Mars 35–36, 41–46, 49, 276, 289, 299, 314
- Ember Ridge, Mount Cayley volcanic field, British Columbia, Canada 196, **199**, 200, 201
- EMORB *see* enriched mid ocean ridge basalt
- Endeavour Ridge 256, 260–261, 262, 264, 267, 269
see also Juan de Fuca Ridge
- englacial lakes and deposits 91, 99, 151, 154, 173–174, 245, 248
- englacial vaults 3, 72, 74, 75, 78
- enriched mid ocean ridge basalt (EMORB) 262, 265, 269
- eolian deposits 33, 277, 286 *see also* dunes; palaeodunes
- Eos Chasma, Mars 275
- equipotential surfaces 38
- erosional features, Mars 358
- eruption frequency 81, 88, 88
- eruption style 1–2, 31–34, 204
central vent 6
curtain of fire 6
fissure 6, 299
see also explosive eruptions; fissure eruptions; lava fountains; Pelean eruption; Strombolian eruptions; Surtseyan eruption; Vulcanian eruption
- esker formation 168 *see also* Röthlisberger-type tunnel
- evaporite deposits, Mars 279
- EVZ *see* Eastern Volcanic Zone, Iceland
- exobiological evolution 273, 288, 296, 407–421
- Explorer Ridge 256, 260–261, 262, 264, 267
- explosive decompression 23
- explosive eruptions 31–33, 41, 115, 187, 232, 233
Icelandic model 155
magma–water interactions 213, 232
site geometry 314
- explosive fragmentation 1, 19–20, 157, 187, 191, 207–208
- Eyjafjallajökull volcanic system, Iceland 2, 82, 83, 85–88
facies analysis 149–178
magma productivity 151
- ferrihydrite 3, 357–370, 374, 383–386, 399, 403 *see also* goethite; hematite, crystalline, Mars; magnetite, Mars
- fissure eruptions 16, 81, 83, 151, 172, 278, 326, 328, 333
see also Askja fissure eruption; Hágöngur fissure zone; Krafla fissure eruption; Laki eruption; Laki fissures; Prestahnúkur fissure zone; Vatnafjöll fissure system; Veiivötn fissure system
- flank zones 150–151
- flood discharge rates 72, 173
- floor-fractured craters 34, 45
- fluid dynamics, Deception Island, Antarctica 73–76
- fluidization of sediments 166
- fluvial deposits 239, 273
- fluvial features, Mars 49, 314
- Fraser Glaciation 2, 197, **199**, 202, 257, 266, 269
- fuel-coolant interactions 308
- fumaroles 63, 77, 279, 290, 394

- Gale impact crater, Mars 287, 288, 290
- Gangis Chasma, Mars 277, 278, 284, 287
- Garibaldi Volcanic Belt andesites–dacites, British Columbia, Canada 2, 195–211
- geochemistry 230
- cation exchange capacity 376, 380, **399**, 401, 403
 - electron microprobe 258, 375, 377–378, 381, 394–396, 399–401
 - isotope studies 197, 408, 415–417
 - major elements/oxides 82, 154, 175, 198, 204, **242**, 243, 260–264, 267, 269, 375, **376**, **379**, 380–381, **385**, 388, **399–400**, 403, 415
 - soil chemistry 394
 - trace elements **262–265**, 266, 266, 269
 - X-ray diffraction 358–362, 366, 376, 380, 381, 387, 394–399, 403
 - X-ray fluorescence 359
 - X-ray mapping 414, 415
 - see also* crystallite size distribution; DNA analyses; mixed-layered clay structure calculation; spectroscopy
- geological history, Mars 33–36
- geophysical modelling 126, 343–352
- geothermal
- activity 175, 331
 - field 216
 - gradient *see* temperature gradient
- Gilbert-type deltas 107–110
- Gjálp eruption, Iceland 2–3, 71–76, 81–82, 109, 154, 173, **214**, 319–335, 341, 404
- glacial
- deposits 239
 - history 2, 118, 145
 - removal hypothesis 343
 - unconformity 246
- glaciations 195, 197, 199, 243, 267, 269, 358
- nucleus for 352
- glaciers
- alpine 12, 27, 149–178, 195–211
 - continental-scale 12, 27, 195–211
 - deloading 251
 - densification 78
 - hydrology 173
 - structure 78
 - valley-confined 2, 154
- glacio-eustatic sea-level change 99
- glass transition temperatures 204–205, 206
- Goddard Hill glacier, Deception Island, Antarctica 60, 77
- goethite 361–362, 366–368, 381, 399
- Gondwanaland reconstruction 118
- graben 37, 40, 41, 47, 277
- grain flows 107, 110, 135–136, **153**, 158, **231**, 231–232
- grain size distribution data 126
- gravity-driven processes 105, **106**, 134–136, 229, **231**
- collapse 188, 228–229
 - slides 98, 107–108, 110, 122, 124
 - see also* debris chutes; debris-flow deposits; delta-front collapses; grain flows; landslide deposits; mass flow/wasting; rock avalanche deposits; traction currents; turbidites
- gravity surveying 323, 325–329, 331, 343
- Grímsvötn volcanic system, Iceland 81–88, 143–144, 173, 175, 320–322, 326
- 1938 subglacial eruption 323
 - subglacial lake 331, 331
- groundwater, Mars 27, 31–36, 40–42, 45, 51–52, 276, 280
- model 28
 - seepage 358, 367
 - vaporisation 70–71
- Hadriaca Patera central vent volcano, Mars 41, 46, 52
- Hágöngur fissure zone, Iceland 213
- Hawaii
- eruption 22, 32, 32, 67, 69, 74, 179, 374, 383, 393–405
 - lava-fed deltas 94, 97, 99, 105, 117
 - see also* Kilauea volcano; Mauna Kea tephra; Mauna Loa
- heat exchange
- efficiency 173
 - model 214
- heat flow 70, 150, 173
- heat flux 35, 233, 332
- heat transfer 17, 75, 204–208, 233, 320
- Hebes Chasma, Mars 275, 277
- Hedin Nunatak, Marie Byrd Land, Antarctica 117, 138, 141, **240**, 243–245
- Hekla eruption, Iceland 84, 85, 217, 223, 225, 229
- Hellas Planitia, Mars 34, 276, 279
- hematite 366, 368, 383–384, 386
- crystalline, Mars 275, 279, 281, 286, 289, 367, 372, 374, 381
- Herdubreid table mountain, Iceland 142, **204**, 204
- Hesperia Planum volcanic plain, Mars 35, 49, 279
- Hesperian period, Mars 33–36, 274, 274
- highland paterae, Mars *see* paterae
- Hjulström-type deltas 108
- Hlöufell tuya, Iceland 372–387
- Höfdárjökull eruption, Iceland 83
- Hofsjökull ice cap, Iceland 81, 82, 87
- Hoodoo Mountain volcano, British Columbia, Canada 2, 179–194, 256
- hyaloclastite breccias 1, 12, **106**, 115, **130**, 131, 134, 137, 149–178, 237–253
- hyaloclastite deposit 20, 23, 37, 52, 119–145, 149–176, 186, 187, 202, 232, **234**, 239–248, **264**, 321, 339, 341, 343, 350, 352, 372, 407–408, 417
- delta 278
 - formation 143–144, 207–208
 - models 319
- hyaloclastite ridges 12, 48–50
- in Iceland 3, 151, 319–335, 341, 348, 352, 353, 404
 - width/height ratios 328
 - see also* Skriðutindar hyaloclastite ridge; Thórólfsfell hyaloclastite ridge
- hyalotuffs 3, 151, 154, 155, 157, 160, 167, 169, 171, 173, 239, 245, 278, 331, 371, 375–376, 380–381, 385, 388, 403–404
- Hydraotes Chaos, Mars 277, 282
- hydrological patterns 2, 34, 214, 214, 234, 313
- hydromagmatic eruptions 83–85, 239, 320
- hydrosphere, Mars
- model 28
 - processes 29–31
- hydrothermal activity 3, 31, 37–38, 41, 73, 77, 216, 289, 367, 371, 403–404, 418–419
- hydrovolcanic deltas *see* lava-fed deltas

ice

- bridge 65, 66
 - canyon 323, 324
 - cauldrons (depressions) 2, 17, 22, 22–23, 204, 221, 232, 233, 265, 319–335, 340
 - chimneys, Deception Island, Antarctica 62–63, 65–69, 72, 76
 - collapse 30, 37–38, 49, 340
 - deformation 17–18, 232
 - divide, eruption beneath 352, 353
 - flow 266, 323, 332–333, 333, 352
 - history 86, 179
 - levels 2, 118, 145, 247 *see also* palaeowater/ice
 - melting 6, 20, 41
 - gas-driven 2, 73–77
 - rate 71, 75, 154, 173–174, 207, 232
 - moat 233
 - sheet behaviour and stability 146, 247
 - thickness 78, 83, 141, 151, 176, 179, 191, 203, **262–264**, 265–269, 341
 - control of hyaloclastite formation 207–208
 - estimation 188, 296
 - to suppress magma eruption 12, **12**, 161, 208
 - to suppress vesiculation 184–185, 188, 192
 - tunnels 66, 66, 73, 154, 249 *see also*
 - Röthlisberger-type tunnel
 - type, wet-based v. dry-based 179
 - vault 218, 231–232, 234 *see also* englacial vaults; ice cauldron
- ice-dammed lake eruption 216
- ice-marginal lakes 154
- Icefall Nunatak, Marie Byrd Land, Antarctica 117, 138, 141, **240**, 243, 244, 245
- Iceland volcanic eruptions 2–3, 10, 13, 16, 21, 52, 81–90, 108, 141, 143, 149–179, 234, 267, 276, 332, 337, 339, 348, 352, 367, 371, 403, 407–408
- basaltic tuyas 213, **214**, 234
- flow-foot deltas 238
- hyaloclastite formation 151, 319
- lava-fed deltas 108, 117
- magnetic anomaly map 343
- moberg ridges 49, 151
- rhyolite tuyas 213, **214**, 288
- rootless cones 44, 46, 296–299, 303, 306–308, 310–313
- subglacial 5
- table mountains 49, 115, 138, 151, 278
- tripartite form 343
- see also* Álftaver rootless cones; Bárðarbunga-Veidivötn volcanic system; Bláhnúkur rhyolite volcano; crevasses; Eastern Volcanic Zone; Eldgjá eruption; Eyjafjallajökull volcanic system; explosive eruptions; ferrihydrites; fluvial features; Gjalp eruption; Grímsvötn eruption; Hágöngur fissure zone; Hekla eruption; Herdubreid table mountain; Hlöufell tuyas; Höfdárjökull eruption; Hofsjökull ice cap; hyaloclastites; hyaloclastite ridges; hyalotuffs; Katla volcanic system; Kerlingarfjöll rhyolitic volcano; Kirkjufell rhyolite tuyas; Krafla fissure eruption; Lakagigar eruption; Laki fissures; Landmannalaugar region; Langjökull ice cap; Laugavatn Mountains; lava-fed deltas; Myrdalsjökull ice cap; Myvatn District rootless cones; Öraefajökull volcanic system; Prestahnúkur fissure zone; pseudocraters; Rauufossafjöll rhyolites; Reykjanes Ridge Volcanic Zone; Sellandafjall tuyas; Skriutindar hyaloclastite ridge; Snæfellsnes Volcanic Zone; Solheimajökull; supraglacial overflow channels; Surtsey volcano; Thórólfsfell hyaloclastite ridge; Torfajökull volcano; Vatnafjöll fissure system; Vatnajökull ice cap; Veiivötn fissure system; Vestmannaeyjar; Western Rift Zone
- ignimbrites 276, 279–280, 288
- impact cratering 32–34, 47, 275, 280–281, 285, 295, 343 *see also* Gale impact crater
- interior layered deposits, Mars 273, 275–279, 283–286, 289
- Isidis Planitia, Mars 299, 305, 306, 307, 313
- Iskut volcanic field, British Columbia, Canada 181, 191–192
- isostatic rebound 151, 251, 267, 352
- James Ross Island, Antarctica 117, 144, 143
- James Ross Island Volcanic Group, Antarctica 91–113
- Jemez Mountains, New Mexico, USA 282, 343
- jökulhlaups 5, 20, 23, 72, 76–77, 83–84, 87, 109, 143, 173, 195, **234**, 265, 296, 298, 307, 331, 340
- JSC Mars-1 3, 394–395, 395–397, 399–403
- Juan de Fuca Ridge 260–261, 262, 264, 267
- Juventae Chasma, Mars 283, 283–284
- Karoo collapse structures 46–47
- Katla volcanic system, Iceland 82–88, 151, 172–173, 296
- Kerlingarfjöll rhyolitic volcano, Iceland 213
- Kilauea volcano, Hawaii 13, 16, 97, 143, 307, 383, 387–388, 393–405
- East Rift Zone 40
- Kirkjufell rhyolite tuyas, Iceland 288
- Kokelaar's intrusion model 166
- Krafla fissure eruption, Iceland 71, 87–88
- kubbbager lava bodies 124
- La Palma seamount, Canary Islands 115, 141, 145
- lacustrine deposits 154, 273, 277, 280, 284 *see also* englacial lakes and deposits
- lahars, Earth 87, 129
 - meltwater-generated 71
- lahars, Mars 30, 36–37, 41, 46 *see also* mega-lahars
- Lakagigar eruption, Iceland 16
- Laki fissures, Iceland 47, 86, **204**, 204, 296
- Landmannalaugar region, Iceland 357–370
- landslide deposits 39, 208, 285–286
- Langjökull ice cap, Iceland 81, 82, 87, 372
- laser altimeter 341, 343 *see also* Mars Orbiter Laser Altimeter
- latent heat of crystallization 204–207
- latent heat of vitrification 204
- Lau Basin 408, 416, 416–418
- Laugarvatn mountains, Iceland 371–387, 403–404
- lava
 - apophyses 238–239 *see also* dyke intrusions
 - bench 307
 - cliffs 181–184, 188–189, 191
 - composition 179, 195, 198, 203, 205
 - dome 195, **199**, 201, 203, 208, 228–229
 - eruption temperature 204–207

- lava (*continued*)
- flows 31, 34, 42, 47, **153**, 341
 - dry or clastogenic 238–239, 245, 247, 248–251
 - ‘esker-like’ 202–203
 - hackly 238, 250
 - ice-confined 201, 213, 232, 234
 - ice-dammed 181–184, 188, **189**, 191
 - ice-marginal 195, 200, 202–203
 - jointing 183, 188, 238
 - morphology modelling 175
 - sheet 176
 - subglacial 170–171, 184–202
 - supraglacial 185–188, **189**, 191
 - structures, subglacial 21
 - velocities 208
 - wet 245, 247, 248–251
 - see also* hyaloclastite breccias; pahoehoe lava; pillow lava; hackly lava flows
 - fountains 20, 23, 31, **106**, 276–277, 307–308
 - lobes, morphology 102, 203, 284, 287, 290
 - tubes 103, 105, 107, 167–168, 296, 298, 301, 307, 310, 314
 - see also* kubbaberg lava bodies; magma
- lava-fed deltas 2, 91–148
- terrain 195
 - see also* deltas; Hawaii lava-fed deltas; Icelandic lava-fed deltas; passage zones
- lava–ice interactions 295–317
- ‘leaky vault’ 232
- liquidus temperatures 204, **204**, 206
- lithofacies analysis 2, 110, 149–178, 213, 216–234, 238–239, 244, 371
- Little Ring Mountain, British Columbia, Canada 196, 198–201
- littoral cones 295, 307
- LMT *see* mesa outcrops, layered, massive and thin
- Lo’ihi Seamount 142
- standard 258
- Lunae Planum ridged plains volcanism, Mars 274, 279, 368, 374
- maars 37, 47, 51, 276–277, 286, 298, 309
- magma
- degassing 255, 264–269
 - differentiation 264, 268–269
 - extrusion rates 83, 105, 151, 173–176, 203, **214**, 232, 352
 - fragmentation 12, 23, 85, 91–113, 119, 133–137, 145, 151–157, 172, 174, 187, 218, 226, 231–234, 307, 320, 341
 - mechanical granulation 239
 - mechanisms 207–208, 296
 - injection speed 15–16
 - productivity 151
 - relationship to glaciation 175
 - rise modelling 10–11
 - rise speed 10, 13, 71
 - stratified chamber model 268
 - supply ceases 17, 23
 - temperature **214**, 309
 - vesiculation 20
 - inhibition 184, 185
 - viscosity **214**, 275
 - volume flux 16, 36
- magma–cryosphere interactions 1, 3, 27–57
- magma–volatile interactions 51
 - magma–water/ice interactions on Earth 216, 218, 226, 231, 234, 237, 306–308
 - magma–water interactions on Mars 27–57, 299, 314
 - magmatism, Mars 31–33
 - magnetite, Mars 367–368, 373, 380–381, 385
 - Maja Valles, Mars 283
 - Malea Planum volcanic plain, Mars 35, 49
 - Mangala Valles Formation, Mars 40, 41
 - mantle plume 81, 82, 87, 247, 277, 337
 - Margaritifer Chaos, Mars 275, 280–282
 - Marie Byrd Land, Antarctica 2, 115–148, 341, 352
 - see also* Crary Mountains, Marie Byrd Land, Antarctica
 - marine deposits 160
 - Mariner 9 3, 389
 - Mars Exploration Rovers 289, 367, 389
 - Mars Express 368, 389
 - Mars Global Surveyor (MGS) 2, 27, 35–36, 47, 273, 275–276, 279, 281, 288–289, 295, 358
 - Mars Orbiter Camera (MOC) 3, 27, 45, 49, 273–306, 313–314, 358
 - Mars Orbiter Laser Altimeter (MOLA) 27, 39, 48, 49, 50, 52, 275–276, 281, 282–283, 288, 290, 290, 305, 306, 358
 - martian surface evolution 296
 - mass flows/wasting processes 32, 38, 51, **106**, 138, 149–174, 188, 239, 306, 358
 - rates 208
 - ‘massive’ units, Mars 284
 - Mauna Kea tephra, Hawaii 394–395
 - Mauna Loa, Hawaii 134, 143, 394, 395
 - Medusae Fossae Formation, Mars 31, 36, 273–277, 279, 283, 288–289
 - mega-lahars 1, 30, 41, 42, 51–52
 - megaregolith 1, 30, 31–32, 33, 37, 43
 - Melas Chasma, Mars 278, 279–280, 283, 284, 287
 - melting processes, magma 264, 268–269 *see also* partial melting
 - MELTS: model for phase equilibria 204–205, 206
 - meltwater, glacial 5, 10, 21–23, 59–79, 169, 226, 320, 321, 339
 - drainage 15, 83, 176, 203, 213–214, 229–234, 323, 331, 331 *see also* ‘leaky vault’
 - flood 67, 68
 - lakes 278, 331
 - lens 14
 - ponding 163, 213
 - vault 151, **165**, 372
 - volume 43
 - see also* englacial lakes; ice cauldron; jökulhlaups; lahars, meltwater-generated; surge events
 - mesa outcrops, layered, massive and thin (LMT) 274–276, 283–284, 286, 286, 288–289
 - methane 51–52
 - MGS *see* Mars Global Surveyor
 - microbes 407
 - mid ocean ridge basalt (MORB) 260, 262, 267, 268
 - see also* enriched mid ocean ridge basalt
 - mineralogical analyses 371–405
 - mineralogy, Mars magma 29
 - mixed-layered structure calculation 397–398, 398
 - moats on Mars 277
 - moberg ridges 49, 151
 - MOC *see* Mars Orbiter Camera

- modal analyses 126, **130**
 MOLA *see* Mars Orbiter Laser Altimeter
 Monmouth Creek Complex, British Columbia, Canada 196, 197, **199**, 201
 MORB *see* mid ocean ridge basalt
 'Mount Casertiz', Antarctica 338, 339, 341, 352
 Mount Cayley volcanic field, British Columbia, Canada 196, 197–201, **204**, 208
 Mount Early, Antarctica 116, 141
 Mount Erebus, Antarctica 116, 141
 Mount Frakes, Marie Byrd Land, Antarctica **242**, 243–244, 247–252
 Mount Garibaldi, British Columbia, Canada 196, 197–201
 Mount Kirkwood glacier, Deception Island, Antarctica 60, 76–77, 117
 Mount Melbourne, Antarctica 338, 341, 350–352
 Mount Murphy, Marie Byrd Land, Antarctica 103, 115–121, 124, 127–136, 138, 141, 145, 237–253
 Mount Petras, Marie Byrd Land, Antarctica 116, **130**, 237–238, 238, 352
 Mount Pinafore, Antarctica 154, 168
 Mount Pond glacier, Deception Island, Antarctica 60, 61, 62–67, 69, 72–77
 Mount Rees, Marie Byrd Land, Antarctica **240–241**, 244, 247–252
 Mount Steere, Marie Byrd Land, Antarctica **241–242**, 244, 247–252
 Mount Takahe, Marie Byrd Land, Antarctica 115–145
 Myrdalsjökull ice cap, Iceland (previously known as Sólheimajökull) 81, 82, 86, 171–172, 357 *see also* Landmannalaugar region, Iceland
 Myvatn District rootless cones, Iceland 296–299, 303, 306, 306, 313
- neutral buoyancy zone 38, 38
 Noachian period, Mars 33–35, 274
 northern lowlands, Mars 32–36, 38, 48, 51, 276, 282, 299
- oceanic biosphere, depth of 407–421
 oceanic crust, bio-alteration 3, 407–421
 oceans, Mars 358, 367
 Olympus Mons volcano, Mars 276, 289, 299
 ophiolite, bio-alteration 408–412, 417, 419
 Ophir Chasma, Mars 277, 283, 283, 288
 Óræfajökull volcanic system, Iceland (previously known as Knappafellsjökull or Hnapparvallarjökull) 82–88
 outflow channels 32–38, 40, 41, 43–45, 47–49, 51, 275, 277–278, 281–283, 358 *see also* Maja Valles, Mars
 overflow channels 27, 28 *see also* supraglacial overflow channels
- pahoehoe lava
 flows 44, 46, 91–113, 238, **240**, 307
 toes 13, 129, 133
 palaeoclimatological tool 195, 296
 palaeodunes 287
 palaeoenvironment 109–110, 172, 251
 palaeoflow direction 164
 palaeolatitudes 2, 51
 palaeopolar deposits, Mars 274, 276, 279
 palaeotopography 167, 198, 201–202
 palaeovalley 154, 167–168, 171, 175
 palaeowater/ice 3, 223, 237–239, 245, 249, 251–252, 273
- palagonite 3, 37, 52, 121, 124–126, 127, 129, 136, 145, 149, **153**, 154, 168, 186, 202, **234**, 239, 245, 247, 259, 278, 319, 332–333, 371–374, 377, 379–389, 407
 product of subglacial volcanism 403–404
 palagonitization of Mars surface 3, 374
 Pali Dome, Mount Cayley volcanic field, British Columbia, Canada 196, 200, 202
 para-pillow lava 102, 105, 238
 partial melting 261, 269, 276
 passage zones 97–99, 101, 103, 109, 143–145, 172, 238, 245, 252 *see also* bench collapses; slope failure, retrogressive
 paterae 33–36, 41, 51 *see also* Alba Patera; Hadriaca Patera; Tyrrhena Patera
 Pathfinder 3, 276, 373, 375, 387–389
 Pelean eruption 32, 103
 Pendulum Cove, Deception Island, Antarctica 61, 62, 65, 67, 77
 peperite generation 99, 133–134, 225–228, 233
 perched aquifer 37
 periglacial features 49, 69
 perlitization 223–225, 228–231
 permafrost, Mars global layer 1, 27–57
 petrography 126, 127, **130**, 142–144, 154, 155, 163, 175, 377–378, 381, 395
 epifluorescence microscopy 414
 optical microscopy 408–414, 417
 scanning electron microscopy 408–409, 412, 414, 415
 phreatomagmatic eruptions 2, 10, 20, 22, 23, 44, 47, 74, **106**, 126, 129, 145, 161, 165–173, 232–234, 257, 259, **264**, 266, 269, 286, 306–309, 313, 394
 confinement by ice walls 218, 234
see also base surge deposits
 pillow basalts/lava 3, 102, 105, **106**, 151–174, 213, **234**, 238–248, 255, 257, 278, 278, 319–332, 343, 371–392, 403, 407–408, 416, 416
 breccia 119, 341
 nested 119–121, 124, 126, 124, 141
see also deltas
 pingoes 44, 295, 302
 Plinian eruption 30, 32–33, 34, 37, 84, 275, 289, 309
 plutonic intrusions 33, 34, 37–38, 39
 polar ice caps, Mars 1, 27–31, 35–36, 48–49 *see also* palaeopolar deposits
 polar wandering, Mars 274
 pressure
 confining 187, 213, 234
 differentials 10, 268
 gradient, vertical 6
 hydrostatic 173, 269
 in dyke emplacement 6–10
 in sill emplacement 11–18
 magma reservoir 6, 30, 37, 40, 41, 175, 214, 226
 modelling 10
 static ice overburden 328
 vapour saturation 2, 265–266, 268, 310–311
 vault 232
 water 15, 328
 Prestahnúkur fissure zone, Iceland 213
 Prince Gustav Channel, Antarctica 92, 94
 proglacial
 channels 166
 deposits 160
 environments 175

- pseudocraters 37, 44–47, 49, 51 *see also* Acidalia Planitia; Chryse Planitia; Deuteronilus Mensae
- pyroclastic deposits 33, 34, 41, 44, 52, 76, 119, **152**, 187–189, 216, 217, 225, 225, 273–288, 296, 323, 325, 394
- surges 218, 221, 239, 246
- see also* hyaloclastite deposits; ignimbrites; tephra
- Queen Charlotte Transform Fault 256–257, 256
- radar ice soundings 3, 52, 191, 320, 337–355
- radio echo soundings 323, 325–327, 325–329
- Raufossafjöll rhyolites, Iceland 2, 213–236
- rampart craters 295, 302
- Reykjanes Ridge Volcanic Zone, Iceland 82, 150, 267
- relative sea level 91, 97, 99, 251
- remote sensing 2–3, 341, 358, 368
- rhyolite ash 216–221, 228, 230–232, **234**, 234
- ridged lava plains, Hesperian, Mars 35, 46, 49, 279, 283
- formation 278
- see also* Lunae Planum volcanism
- rock avalanche deposits **231**
- rootless cones 2, 37, 44, 46, 47, 295–317
- explosion dynamics 310–313
- formation model 309–314
- morphology 296, 299, 308, 310, 313
- see also* Acidalia Planitia; Amazonis Planitia; Chryse Planitia; Deuteronilus Mensae; Iceland volcanic eruptions, rootless cones; Isidis Planitia; littoral cones; Myvatn District rootless cones; pseudocraters
- Röthlisberger-type tunnel 168
- Salal Glacier, British Columbia, Canada 196–198, 202
- San Francisco Volcanic Field, Arizona, USA 280–281
- seamounts 115, 141 *see also* La Palma seamount, Canary Islands; Lo'ihī Seamount; Tuzo Wilson Seamounts
- Sechrist Peak, Marie Byrd Land, Antarctica **240**, 243–245, 246, 252
- sector collapse 135, 175
- sedimentary deposits on Mars 273–293
- seismic reflection profiling 323, 328, 342
- Sellandafjall tuya, Iceland 278
- Shield Nunatak, Marie Byrd Land, Antarctica 116, 141
- shield volcano 13, **240**, 247
- shoreline 49
- sideromelane 105, 124–129, 132, 144, 149, 156, 239, 393–394
- sill intrusion 115, 132, 132–134, 145
- sills, englacial and subglacial intrusion 5–6, 30–31, 33, 34, 37–38, 42–47, 49
- geometry 21–23
- injection 16
- intrusion along ice-basalt interface 10–23
- thickness 16
- Sinuuous Ridge, Antarctica 337, 338, 343, 352
- Sinus Meridiani, Mars 368, 374
- Skriutindar hyaloclastite ridge, Iceland 328, 330, 352, 353
- Slag Hill, Mount Cayley volcanic field, British Columbia, Canada 196, **199**, 201
- slope failure, retrogressive 99
- slope-ice interactions 251–252
- slumping 38, 93, 95, 99, 100, 105, 107, 110, **153**, 168, 328
- smectite 126, 128, 146, 361–367, 376, 383–389, 394, 396–403
- Snæfellsnes Volcanic Zone, Iceland 82
- SOAR data 342, 344
- Solheimajökull palaeovalley, Iceland 154, 171–172
- South Shetland Islands, Antarctica 60, 92
- southern highlands, Mars 32, 33, 299
- spectroscopy
- crystal field theory bands 358, 361, **363**, 368
- Fourier transform interferometry 360, 375
- imaging spectrometer for Mars 368, 374
- infrared reflectance spectroscopy 257, 357–367, 373–375, 381–389, 394, 401–403 *see also* smectite
- Mössbauer spectroscopy 357, 359
- Omega spectrometer 368, 389
- visible reflectance spectroscopy 358, 360–363, 373–375, 394, 401–403
- see also* Thermal Emission Spectrometer (TES)
- steam explosivity/flashings 70–71, 157, 174, 207
- Strombolian eruptions 31, 32, 67, 69, 74, 76–78, 94, 119, 121, 124, 126, 129, **130**, 145, 239, 245, 312, 312
- subaerial deposits 160
- subaerial eruptions 21, 22, 232, 257, 266, 269, 350, 351
- subaerial intrusions 21, 22
- subaerial lava flows 13, 94, 115, 117, 176, 188–189, **189**, 202–203, 213, 221, 223, 232, 233, 238–239, **240**, **242**, 249, 257, 278, 319, 343
- subaqueous lava flows **106**, **165**, 170, 188, 238–239, 276
- subdued unit, Mars 273–283, 283, 288–289
- subglacial channels 166, 169
- subglacial deposits 87, 180–194, 249, 257
- of alpine glaciers 12, 27, 149–178, 195–211
- of continent-scale glaciers 12, 27, 195–211, 337–355
- models for formation of 179
- preservation potential 343
- subglacial domes 195, **199**, 201, 203, 208
- subglacial drainage 73
- subglacial eruptions 2, 5–26, 83, 87–89, 166, 172–176, 198, 228–230, 234, 255–271, 278, 341
- basaltic v. rhyolite 214, **214**
- dynamics 214
- hydrology models 72
- processes 179
- valley-confined 154, 249
- see also* Iceland volcanic eruptions, subglacial
- subglacial lakes 320, 331 *see also* englacial lakes and deposits; englacial vaults; ice vaults; meltwater lakes; meltwater vaults
- subglacial leakage 73, 173
- subglacial melting 74
- subglacial tunnels **165**, 168, 173–174 *see also* ice tunnels; Röthlisberger-type tunnel
- subglacial vaults/caverns 151, 173, 207 *see also*
- subglacial volcanoes 115, 337–355
- andesitic 179
- basaltic 179–180, 188
- dacitic and rhyolitic 179
- phonolitic to rhyolitic 179
- rhyolitic 188, 232
- subsidence
- chaos, Mars 280
- of ice 17, 18, 20, 37
- tectonic 99, 245

- supraglacial flow 72, 173, 184–189, 191
 supraglacial overflow channels
 Deception Island, Antarctica 64–65, 66, 72–73, 74, 77–78
 Gjálp, Iceland 323, 324
 supraglacial sheet flooding 2, 73, 78
 surge events 168
 Surtsey volcano, Iceland 37, 332–333, 371, 403–404
 Surtseyan eruption 22, 75, 94–98, 103, 109, 126, 129, 145, 309
 Syria Planum, Tharsis region, Mars 34–35
 Syrtis Major Planitia volcanic plain, Mars 35, 49, 279, 374
- Tabarin Peninsula, Antarctica 94, 96, 97
 table mountains 48, 141–142, 142, 154, 191, 200, 245
 see also Herdubreid table mountain; Iceland table mountains
 talus deposit 233, 274, 284
 Tanzania Mountain, British Columbia, Canada 2, 255–271
 tephra 3, 52, 76, 83–88, 96, 103, 106, 107, 109, 119, 121, 124, 126, 129, 152–153, 161, 165, 167, 170, 173, 232–234, 273–293, 307, 320, 323, 331–332, 373–374, 388
 altered basaltic 393–405
 blanket 67, 69
 isochron dating 85–86
 near-vent deposits 68–69, 172
 resedimented 176
 Terra Meridiani, Mars 275, 279–281
 TES *see* Thermal Emission Spectrometer
 Tharsis region, Mars 34–36, 38, 40, 41, 45, 49, 274, 279, 289
 Thermal Emission Spectrometer (TES) 27, 274–275, 279, 281, 289–290, 367, 389
 mini 367, 389
 thermal gradient 35, 37–38, 70
 thermal inertia data 279
 thermal models for Mars 309
 Thórólfsfell hyaloclastite ridge, Iceland 372–387
 tills/tillites 152, 159, 169, 175–176, 202, 251
 topographically-confined volcanic deposits 151, 154, 165, 166–172, 174, 181–192, 203, 221
 Torfajökull volcano, Iceland 213–236
 traction current 231
 trapdoor calderas 275
 Transantarctic Mountains, Antarctica 116, 118, 341, 350
 Trinity Peninsula, Antarctica 92, 94
 tuff 126, 129, 130, 132, 136, 143, 152, 202, 245, 257, 264, 278, 373, 374–389, 393–394, 403
 tuff rings and cones 47–48, 62, 94, 103, 106, 118, 120, 130, 145, 237, 242, 245, 246, 276, 278, 279, 286, 295, 298, 299, 306, 323, 332
 turbidites 106, 107
 Turtle Peak Nunatak, Marie Byrd Land, Antarctica 117, 130–131, 141, 240, 243–245
 tuyas 3, 48–49, 115, 191, 203, 234, 278–279, 278, 284, 319, 332
 basaltic models 213, 233–234
 flow-dominated 195, 197–198, 199, 200, 208–209
 formation on Mars 278
 interior-deposit 289
 rhyolite 213–236, 288
 see also British Columbia, basaltic tuyas; Hlöufell tuyas; hyaloclastite ridges; Iceland basaltic tuyas; Iceland rhyolite tuyas; Kirkjufell rhyolite tuya; Sellandafjall tuya; table mountains
 Tuzo Wilson Seamounts 256, 260–261, 262
 Tyrrhena Patera central vent volcano, Mars 41, 52
- uplift 118, 245, 268, 343, 348, 350
 syn-volcanic 109
 Utopia Planitia, Mars 35–36, 42, 50, 299
 ice-retreat processes 49
- Valles Caldera, Mars 281–282, 282
 Valles Marineris, Mars 35, 47–48, 51, 273–277, 280, 283–289, 374
 valley-confined volcanoclastics 154, 167–169, 172, 176
 valley glaciers 151, 175–176, 191–192
 valley networks, Mars 31, 34–35, 38, 51
 vapour expansion 309
 Vatnafjöll fissure system, Iceland 215, 217, 223, 225, 229
 Vatnajökull ice cap, Iceland 81–87, 87, 88, 150, 151, 172, 319–335, 341
 Vega Island, Antarctica 92, 94, 95, 97
 Veivötn fissure system, Iceland 215
 Vestmannaeyjar, Iceland 150, 151
 Viking Orbiter 44, 50, 274–288, 295–303, 358, 373, 388
 volatile fragmentation depth 115, 141–142
 volatiles 2, 13, 296, 308, 329
 deposits 27, 31, 51–52 *see also* Dorsa Argentea Formation, Mars; Medusae Fossae Formation, Mars
 depth to 49
 exsolution of 19, 22, 257
 in magma/lava 7, 11–23, 27, 73–77, 173, 187, 203, 207, 255–271, 286
 loss of polar 36
 see also magma–volatile interactions
 volcanic edifices 29, 35–38, 51, 115, 134–138, 175–180, 185, 197, 203, 232, 234, 251, 281, 303, 312, 319–332, 337, 341, 345, 350–352
 mantling 290
 modelling 3
 morphology 189–191, 208
 removal by glacial action 337, 341, 345, 350, 352
 volcanic hazards 59–79, 195, 197
 volcanic landforms, Mars 23, 29
 volcanic sediments 228–229
 volcanism, distribution on Mars 35
 volcanism–glaciations links 197
 volcanism timing 245, 266
 volcano–ice interactions 273, 276, 288, 368, 374
 see also lava–ice interactions; magma–cryosphere interactions; magma–water interactions on Mars; magma–water/ice interactions on Earth
 volcano, magma volume erupted 329–332
 volcano morphology 2, 179–194, 326–328, 329–330
 volume flux, magma 13–14, 16
 Vulcanian eruption 32, 32
- WAIS *see* West Antarctica Ice Sheet
 water/lava mass ratios 308, 313
 water on Mars, evidence 1, 296, 358, 361 *see also* shoreline

- Watts Point volcanic field, British Columbia, Canada
196, 197–201
- West Antarctic Ice Sheet (WAIS) *2–3, 127, 237, 245, 251–252, 331, 337–355*
- age *145*
 - collapse *352*
 - fluvial features *348, 350*
- West Antarctic Rift system *116, 117, 141, 337, 339, 341*
- Western Rift Zone, Iceland *215, 330*
- 'White Rock', Mars *274*
- Xanthe Terrae, Mars *280–282, 289*
- yardangs, Mars *274, 284*
- zeolites *126, 128, 132, 146, 388*