

Index

- Aaiun-Tarfaya Basin, Cretaceous 399–401
Abaco *see* Great Abaco Formation
Abathomphalus sp. 68, 76
Abyssal plains
 Gambia 121
 Madeira 131–42
 Porcupine 88
 Sierra Leone 120–1
Africa
 External Continental Margin 423
 see also Rif Mountains
 North-west Margin site 608
 hiatuses 84–5
African plate, position 423–5
Agadir Basin, coastal, sediments 442
 Cretaceous 399–401
Alabamina sp. 195
Albian, Ireland, continental margin 17, 20
Albian, late
 carbon accumulation 305
 globigerinids 316
 nannofossils, palaeowater depth and
 upwelling 301, 303
 preservation 302
 Site 364 309
 Site 400 306
 Site 466 310
Albian, Site 547, organofacies types 380
Albian, Site 603, black shale, analysis 335, 341
Albian, Upper, Mauretanian, compositional
 change 427–9
Alboran Block 401–403
 mid-Cretaceous 425, 427
 model 441
Algae, evidence for 355, 359
Alkanes 349–59
 analysis 336–41
Alkanol, chainlength 336–41
Allerød Interstadial 151
Aluminium
 diatomaceous sediments 452, 455
 ratios V/Al, Mo/Al, S/Al 455–456
 sea water, ratios 452–4
Ammonites
 Mesozoic facies 314, 317
 Tethys/Atlantic/Pacific 286
Amino acid analysis, foraminifera 146–7
Anglo Basin 361–71
 site 530 342
 summary section 368
Anomaline 214
Anoxic events, late Cretaceous 67–76
 see also Oxygen
Antarctic Bottom Water 219–29
Antarctic Ice cap, expansion 29
Appennines, Cenomanian–Turonian sediments 442
Aptian–Albian, Cretaceous sedimentation 426
Aptian–Barremian, East and West sub basins,
 Atlantic 14
Aptian, coccolith index 44
Aptian, Early
 carbon accumulation 305
 plankton 316
Aptian, Site 534
 black shales 349
Archaeocretacea zone 427, 439, 440
Archaeoglobigerina sp. 72, 73, 75, 76
Arctica islandica, amino acid analysis 146–7
Arsenic, sea water 449–54
Bacteria
 microbe biomass, hydrogen content 380
 remineralization, organic matter 370–1, 373–5
Baffin Bay, meltwater discharge rates 176–7
Bahloul Formation, Tunisia 404–6
Bajocian, evolutionary event 315
 globigerinids 316
Baltimore
 Canyon Trough, Site 612 45, 48
 Late succession 75
'Banc du Large' Formation 390
Barium
 diagenesis 454–6
 sea water 449–54
 and Sulphur-34 456
Barremian coccoliths 44
Barremian, Ireland, continental margin 17
Barremian, Late, Site 367, nannofossils, relative
 abundance 308, 316
Barremian, Site 603, organofacies 384–5
Bascocantabric Basin, Spain 398
Bathonian, spread of proto Atlantic 259
Bay of Biscay margin
 Palaeocene-Eocene 27
 Sites 400, 401 83–4
Beni Ider nappe 401
Benthic foraminifera *see* Foraminifera, benthic
Bering Sea, meltwater discharge 179
Bermuda Ridge 87
Bermuda Rise Formation 256–9
 lithology 41
 Site 534, Organic Carbon 382
Berriasian–Barremian, pelagic limestones 426
Berriasian Site 603, organofacies 384–5
Berriasian Wealden, North-west Germany 364
Bigenerina sp. 214
Biscutum sp. (map) 300–2, 306–10
Bismuth, sea water 450–54
Black Mesa, Arizona 391, 414–16
Black shales
 basinal deposition 371–75
 Blake-Bahama Basin Site 534 347–56
 Blake-Bahama/Hatteras Formation Site 603 333–
 43
 Callovian Site 534 283–5
 accumulation 290
 origins 294–6
 Cenomanian–Turonian Boundary Event 389–422
 Cretaceous, Angola Basin Site 530 361–71
 distal fan turbidites 361

- Cretaceous (*cont.*)
 Ghana, offshore 361–71
 Hatteras Formation Site 603 361–71
 metals 369
 Wealden, North-west Germany 361–71
 ‘Cretaceous warming’ 325
 Hatteras Formation 256–9, 411–12
 Hatteras Rise, Site 603 347, 353–9
 major depositions 299
 marine *vs* terrestrial organic matter 294
 metal enrichment, origins 458–60
 Toarcian 315
 Unit 7, West Atlantic 255, 257–9, 268
- Blake-Bahama Basin
 black shales, Site 534 347–59
 Callovian, Site 534 283–93
 organic carbon data, Site 534, Cretaceous 381
 Jurassic 381
 redeposited siliciclastics 279
- Blake-Bahama Formation
 carbon-rich/carbon-poor 259
 geology 255–6, 258
 Outer Ridge formation 257
 physiography 256
 seismic reflection profile 258
 Site 603, black shales 333–43
 lithology 41
 slump folds 43
- Blake-Bahama Outer Ridge 87
- Blake Plateau, Core V26–125
 biostratigraphy 237
 comparison, DSDP, Site 552 237–40
 Pliocene 237–40
- Blake Spur
 damming effect 288
 interruption, seismic profiles 285
 magnetic anomaly 259
 age 261
 Jurassic quiet zone 260
- Bolivina* spp. 208, 212–14, 216
- Bølling chronozone 150–1
- Bonarelli Horizon, Umbria 322, 408
- Bonarelli ‘Livello’ layer, Umbrian Apennines 407
- BOUMA sequences 43, 432, 435, 443
- Broinsonia* sp. 302
- Brunhes event 159, 162
- Bulimena* sp. 196, 214
- Bulk sediment *see* Sediments
- Bunker Hill, Kansas 391, 414–16
- Cadmium, sea water 449–54
- Calcareous nannofossils
 biogeography 299–302
 Atlantic circulation 307–12
 carbon shift 312–15
 cyclic fluctuations 305–9
 discussion 315–18
 evolutionary rates 299, 312–15
 sea floor spreading rates 314
 Callovian, black shales 290, 292
 correlation of hiatuses 79–85
 Cretaceous 312–18
Discoaster accumulation, Pliocene 231–41
 dominant macerals 378
- Jurassic 312–18
 minimum abundance plots 303
 Neogene, correlations, with diatoms 247
 preservation, water mass structure 302–5
 stratigraphy, Sites 610, 611 92
 Triassic 312–15
 zonation, Miocene 210–11
- Calcspheres 442–3
- Carbonate Compensation Depth
 Calcium compensation Zone 304
 Callovian 296
 carbon and calcite cycles 272–3
 Cretaceous, North Atlantic 304
 Gibraltar Arch 443
 lowering, increased aridity 278
 magnetic anomaly reversals 262, 267–8
 Mesozoic facies 304, 314
 sea-level, correlation 268, 272
 variation with time 141
- Calcium carbonate, mass spectrometer analysis 334
see also Carbonates
- California, Gulf of
 diatomaceous sediments 452–60
 productivity 447
 sea water, plankton chemistry 448–9
 upwelling sediments, samples 448–452
- Callovian
 North Atlantic, circulation 288
 block diagram 289
 palaeogeography 259
 Site 534, accumulation rates 285
 black shales 294–5, 349, 353–6
 calcite compensation depth 290
 geological setting 283–4
 organofacies 381
 Oxfordian transition 295–6
 sediment, drifts 291–4
 sources 288–90
 succession 285
 theoretical circulation 286–8
- Calpionellids 316
- Campanian
 nannofossil distribution 300
 ocean ventilation 311
- Canary Basin DSDP sites 132
- Cape Hatteras *see* Hatteras Formation
- Cape Verde Basin, Site 367 342, 390–97, 456–60
- Cape Verde Islands, Maio, Jurassic and Cretaceous 390
- Cape Verde Rise, regional setting 132
- Carbon
 C/N ratios, Site 603 334–6
 continental margins 373, 374
see also Black shales
- Carbon cycle 317–18
 variations 269–70
- Carbon dioxide
 correlation, nannofossils 317
 early Cretaceous 323–30
- Carbon-13
 analysis, method 334
 fractionation, air-water interface 324, 327–9
 fluxes, effect on ocean 329
 photosynthetic preference 326

- Carbonate
 mid Mesozoic shift 312
 preservation, bioturbation, cessation 290–1
 production, Cretaceous 324–30
 dissolution, sediments 305
 nannofossils 299
see also Calcite Compensation Depth
- Carbonate platform, development 270–1
- Caribbean
 and Gulf of Mexico 178
 open connection, Pacific 310
- Carlo-Erba Mega Gas chromatograph 347–9
- Casamance Cretaceous Site 369
 Maritime Wells 390–97
- Cassidulina* sp. 220
- Cat Gap Formation
 Site 534, organic carbon 38
 west North Atlantic 255–9
- Celtic Margin *see* Ireland
- Cenomanian
 Black Band 311
 density stratification 311
 foraminiferal diversity 67
 Site 534, organofacies 383
 Site 547, organofacies types 380
 Site 603, black shales 333–43, 349
 organofacies 385
- Cenomanian–Turonian Boundary Event
 and Anomaly 34
 correlations, north-west Europe 70
 Gibraltar Arch, biostratigraphy 436–9
 Continental margin 426–7
 correlations 439–40
 deep sea fans and basin plains 427–32
 External Rif 425–6
 geology 423–5
 maps 405, 424, 425
 microfossils 436–9
 on shore deposits, faunistic characteristics 442
 palaeoenvironment 425
 reconstruction 430
 sedimentation 432–40
 summary 440–43
- Ireland, continental margin 21–4
 map, North Atlantic and West Europe 24
 North Atlantic and Tethys, African (Casamance)
 margin 390–96
 Hatteras formation 411–14
 location map 391
 Moroccan margin 396–401
 North-East Atlantic 407–9
 Rif Mountains 401–4
 summary 416–18
 Tethys 404–7
 Western Interior Basin 414–16
 North Sea and England 67–71
- Cenozoic
 sediment flux, North Atlantic 3–15
 unconformities, North-east Atlantic and Greenland
 Sea 79–85
- Central America
 Mesozoic pelagic section 313
 seaway, North Atlantic glaciation 231, 241
 sill 311
- Chalk *see* Carbonate Compensation Depth
- Charlie-Gibbs Fracture Zone 88, 91–2
- CHN analyser, Hewlett Packard 334
- Chondrites* Site 534, bioturbation 285
- Chouamat Nappe 427
- Chromium, sea water 449–54
- Cibicides* sp. 147
- Cibicidoides* sp. 194–7, 208–11, 213–16, 220
- Cicarinella* sp., diversification 72
- Classopollis* pollen, Callorian 295
- Claystones, carbonaceous Mesozoic 377–85
- CLIMAP project 181, 188
- Climate, Jurassic/Cretaceous sediments 277–80
- Coal deposits, middle Cretaceous 310
- Coal sources, 'low sea-level' origins 268
- Cobalt (black shales) 367, 370–72
 sea water 449–54
- Coniacian Site 603, organofacies 384–5
- Coniacian–Santonian, foraminiferal diversity 67
- Conifers, evidence, Site 534, geolipids 355
- Continental margin
 non-turbidite conditions 372
 turbidite conditions 374
- Continental reconstruction
 Callovian 259
 Oxfordian 260
- Contourites
 definition 292
 evidence 295
- Cordillera–Nevada orogeny 271
- Core analysis, method 334–5
- Core locations, CLIMAP database, core-top
 samples 188
- Cretaceous
 absence of polar ice caps 322
 Ireland, continental margin 18–21
 nannofossils 312–18
 CO₂ peak 317
 sea-level rises 324
- Cretaceous, Early
 carbon supply 323–4, 328–30
 stable isotopes 326
 storage 324–30
 circulation 322–3
 East and West sub basins, Atlantic 14
 productivity 322–3
 temperature 322–3
- Cretaceous, Late
 cooling, nutrient recycling 311
 East and West sub basins, Atlantic 14
- Cretaceous, Middle
 black shale cycles 312
 CCD 304
 coal deposits 310
 deep and intermediate circulation 304, 307–12
 increased carbon accumulation 305, 307
 nannofossils 300, 302
 sea floor spreading 415
 'stagnation event' 311
 surface currents 310
see also Cenomanian–Turonian Boundary Event
- Cretaceous Site 603
 black shales, Blake-Bahama basin 333–43
 lithologies and ages 40

- Cretaceous–Tertiary Boundary Site 605 51
 ‘Cretaceous warming’, causes and results 325
 Crinoids, *Saccocoma* sp. 312
 Currents
 current-drift deposits (contourites) 292–4
 vs gravitational processes 292
 ‘Cushmani-zone’ 440
- D'' layer, mantle 255
 models, pulsation tectonics 265–7
- Deep-Sea Drilling Project, initial reports,
 standardization and revision 4–6
- Deep-Sea Drilling Project, Sites
 100 256, 260, 261, 313
 101 256
 105 37, 260–1, 313, 410–14, 418
 112 250
 114, 115 81
 116 83, 181, 219–24, 228
 117 83
 118 81
 119 81, 219–28
 120 81
 135 84, 396, 398–400
 136 84
 137 302–3, 396, 296–8
 138 396, 398–400
 141 103, 107, 109–10, 115
 144 416
 256 303
 258, 259 303
 267 313
 305, 306 303, 313
 327 303
 330 313
 332 243–9
 336 82, 250
 337 81
 338 82
 341–352 81, 82
 356 303, 416, 418
 363 303
 364 302–3, 307, 309, 416
 366 103, 108–10, 115
 367 261, 302, 303, 308, 313, 390–97, 454, 456–60
 369 6, 302, 303, 457
 370 46, 84, 302, 303, 457
 386 303
 387 261, 313
 390 285
 391 46, 256, 279, 336
 397 103, 106, 109–10, 115
 398 81, 84, 302, 303, 407–10
 399 81
 400 83, 191–201, 219–28, 302, 303, 306
 401 83
 402 81
 403–405 83, 250
 406 83, 219–24, 228, 243–8
 407 250
 408 243–9
 410–415 81
 416 46, 81, 84
 418 303
- 446 313
 464, 465 303
 466 303, 307, 310
 502 238
 522 244
 530 339, 359, 362–70, 416
 531 303
 533 292
 534 46, 255, 258–63, 283–96, 313, 336, 347–9,
 377–85, 417
 544 81, 103–5, 109–10, 115
 545 81
 546 81
 547 81, 313, 377–85
 548 21–9, 31, 69, 81
 549 17, 20–7, 31, 68–70, 81, 409
 550 18, 23–30, 68–9, 81, 84
 551 21, 23, 69–71, 407
 552 83, 155–7, 181–9, 191–201, 219–24, 231–41,
 243–9
 553 83, 191–201, 243–9
 554 83, 191–201, 243–9
 555 191–201, 219–24, 243–9
 558 81
 585 416
 603 35–47, 59–63, 279, 333–43, 347–59, 362–70,
 377–85, 414, 418
 604 35, 48–50, 52–5, 57, 58–60
 605 35, 48–51, 56
 606, 607 81, 243–9
 608 81, 84, 205–16, 210, 215, 243–49
 609 81, 219–28, 243–9
 610 81, 87–96, 99, 205–16, 219–24, 243–9
 611 81, 87–93, 97–101, 219–28, 243–9
 612, 613 55–9
- Deep Sea Drilling Project Sites, maps
 Atlantic, Aptian–Albian 378
 biogenic silica, comparison 248
 Cenomanian/Turonian map 391, 400, 411
 Cretaceous 46
 depth limits 11
 distribution 4
 Jurassic, Mid, Upper 284
 Madeira Abyssal Plain 132
 Mid Atlantic 207
 North-east Atlantic 18, 80, 104, 192
 Rockall Plateau 182, 192
 temporal coverage 5
 US Atlantic margin 37
 Western North Atlantic 334
- Deep water
 circulation, major cooling events 109
 model 110–15
 Miocene to recent, Antarctic Bottom Water 219
 29
 North Atlantic 219–29
 North-East Atlantic 219–29
 temperatures 111–12, 115
- Deglaciation, marine 179
 Deltas, coal deposits 272
 Dendrograms, 4 sites, cluster analysis 370–72
 Deoxygenation *see* Oxygen
 Diatomaceous sediments, Gulf of California,
 comparison, black shales 448–60

- Diatoms
 Miocene zonation, 210–11
 Neogene, biostratigraphic correlations 243–51
 calcareous nannofossils 247
 first and last appearances 245
 Pliocene and Quaternary, Atlantic and Pacific 246
- Dicarinella* 70, 76
 first appearance 439, 440
- Dinoflagellates, evidence 355
 Turonian 407
- Discoaster*
 accumulation fluctuations 231–41
 abundance data 233
 maximum entropy spectrum 236
 Site 552 240
 spectral characteristics 232, 235
- Diterpinoids 350–59
- Dorsale Calcaïne 424
- Dryas chronozone 150–2
- East North Atlantic *see* Mazagan escarpment
- Eastern Atlantic, Equatorial sediments, Late Glacial and Interglacial 119–29
- Eastern basin, North Atlantic 9–15
 bulk accumulation and hiatuses, accumulation rates 9, 13
 correlation 14–15
 diatom tracers 250–1
- Eastern United States, Mesozoic-Cenozoic environments, sites 603–605, 612–613
 Cape Hatteras deep sea fan complex 46–7
 Cretaceous deposition history 41–6
 Hatteras Outer Ridge, Neogene 59–62
 lower continental rise 36–41
 New Jersey Transect 48–59
 summaries 36, 62
- Ehrenbergina* sp. 196, 201–2, 214–15
- Eilohedra* sp. 214
- Elphidium* sp. 146–7
- Emiliana* sp. 157
- England, foraminifera
 Black Band (*A. plenus* Marl) 67–71
 gammary log correlations 70
 and Goban Spur 71
- Eocene Site 547, organofacies types 380
- Equatorial East Atlantic *see* Eastern Atlantic
- Epistominella* 194–7, 210–11, 220
- Euganean Hills 391, 407
- Eustatic cycles *see* Pulsation tectonics
- Falkland Plateau
 Mid-Cretaceous 311
 nannofossils 299–300
- Fatty acids, analysis 336–41
- Filters, hiatus correlation 79–81
- Feni Drift 88–93, 99–101
- Fernes, Site 534 350–59
 evidence, Dinoflagellates 355
- Finnigan mass spectrometer 349
- Flysch domain, Cenomanian-Turonian 401
- Flysch-like facies, Rif Mountains 424, 427–32
 microfauna 438
- Foraminifera, benthic
 Miocene, Sites 608, 610, North Atlantic 205–16
 diversity *vs* abundance 208
 diversity *vs* sub-bottom depth 209–11
 faunal events *vs* time 213
 Miocene to Recent, North-east Atlantic 219–29
 Neogene, North Atlantic 191–202
 census matrix 193
 clusters, dendrogram 198–9
 principle components, time and space 201
 species, beginnings and ends of ranges 196
- Foraminifera, Cretaceous evolution
 Cenomanian–Turonian event 67–73
 England, Black Band, *A. plenus* Marl 67–71
 ‘European working group’ 67
 high-spined species, model 74
 Late Campanian, vertical zonation 73
 Late Cretaceous, evolution 76
 major anoxic events, major faunal changes 75
 ocean-shelf comparisons 73–4
 plano-convex, evolution 72
 Santonian–Campanian, anoxia 74
 zonation, global 68
- Foraminifera, planktonic
 amino acid analysis 146–7
 Cenomanian–Turonian Boundary event, changes 438, 439
 correlation of hiatuses 79–85
 and nannofossils, age/depth relationships 238
 origins, Jurassic 315–16
 oxygen-18 values, last Glacial termination 177
 Pliocene, Late, to Recent, and temperatures 181–9
 species diversity through time 187
 water mass stratification 27
- Francesita* sp. 214
- Fursenkoina* sp. 208, 214
- Gaada Formation 399
- Gambia Abyssal Plain 121
- Gardar Drift 880 93, 99–101
- Gas chromatographs(y) 347–8
 Carlo Elba 349
 geolipids 334–5
 Hewlett Packard 335
- Geolipids
 analysis 334–5, 349–59
 plants, algae, bacteria 355
- GEOTROPEX 1983 cores 119
- Germany, North-west Wealden Basin 361–70
- Ghana
 Cretaceous, offshore 361–69
 sediments, summary 366
- Gibbs Fracture Zone, Bay of Biscay 225
- Gibraltar Arch 405, 422–42
 biostratigraphy 436–9
 Cenomanian–Turonian Boundary Event 432–6
 correlation 439–42
 geology 423–5
 Iberian Continental Margin 426
 Mauretanian and Massylian flysch basin 427–32
 sedimentary environments 425
- Gibraltar, Campo de 401–405, 427
- Gibraltar, palaeo Strait reconstruction 425, 430
- Glacial, Late, East Equatorial Atlantic sediments 119–29

- Glacial meltwaters, North Atlantic 175–9
 return of icesheet freshwater 175
Globigerina sp. 182, 184
Globigerinelloides sp. 184
 Globigerinids
 First 316
 Mesozoic facies 314, 317
Globerigerinoides ruber 158, 177, 184
Globocassidulina sp. 193–7, 220
Globorotalia spp. 182, 184
Globotruncanella sp. 68, 76
Glomar Challenger, seismic survey, Site 610 91, 94
 Site 611 91, 97
 GLORIA sonograph, sediment wave fields 89–93
 Goban Spur, Site 550 18–31
 Cenomanian Black shale 18
 CTBE 21–4
 Miocene hiatus 27–30
 reflection profile 21
 Rockall hiatuses 83
 summary 30–1
 Graben formation 411
 Graben structures 364
 Grand Banks, and Ireland, opening 30
 Granitization 271
 Great Abaco Member, Site 534 256–9
 organic carbon 382
 Great Meteor East bathymetry 133, 142
 Great Stone Dome 45
 Greater Antilles Outer Ridge 87
 Greenhouse effect 325, 327
 Greenland
 and Norway, spreading 27
 and Rockall, separation 25
 Greenland Sea, Sites 340–348 81–3
 Gulf of California *see* California
 Gulf of Mexico
 ice sheet decay 175
 meltwater anomaly 176, 179
 oxygen isotope profiles 175
 Gulf Stream
 latitudinal migration 250
 North Atlantic Drift 231
 Gullfaks, North Sea, Late Weichselian transgression
 erosion and sedimentation 145–51
Gyroidinoides sp. 193–7, 208–11

 Hartland Shale Member 416
 Hatteras Formation 256–9, 268
 hydrogen index 381–85
 organic carbon
 Site 603 361–71, 412, 414
 black shales 333–43
 Jurassic and Cretaceous 362, 364–366, 370
 Neogene evolution 59–62
 summary, sedimentation/erosion 62
 Palaeogene, sedimentation/erosion 62
 Palaeogene, Lower Continental Rise 36–47
 deep sea fan complex 46–7
 petroleum accumulation, possibility 47
 ‘seismic reflectors’ 36
 Hauterivian Site 603, black shale, analysis 335, 341
 Hauterivian-Berriasian, East and West sub basins,
 Atlantic 14

Hedbergella sp. 70, 76
Helicosphaera sp. 208
Helvetica-schneegansi zone 426, 427, 440
 Hettangian nannofossils 316
 Hewlett Packard
 CHN analyzer 334
 FID gas chromatography 335
 Hiatus formation
 chronostratigraphic definition 103
 sediment composition 109–10
 Pliocene, Site 397 103
 Quaternary Site 397 103
 recognition and filtering 79–85
 sediment fluxes 3–15
 map 8
 relationship 10–15
 temporal variability 6–10
 Holocene, subsidence, North Sea 151
 Hopanes, hopenes 352–9
 Horizons 255
 D’ layer, models 265–7
 Horizon D, Callovian 288
 Horst structures 364
 Hydrogen index 378
 Cenomanian-Turonian Boundary 396–7
 organic matter 294

 Iberian Continental Margin 425–7
 Ice corer, increase, Jaramillo and Brunhes
 chrons 162
 Ice rafting
 Antarctic ice shelves 59
 calcium carbonate record 165
 Ice Sheet, Laurentide 177
 Ice Sheets, meltwaters, North Atlantic 175–9
 oxygen-18 depletion 175
 Ice shelf stability 189
 Ice volume, oxygen-18 variations 155–65
 Iceberg calving 179
 Iceland-Faroes Ridge, Pliocene hiatus 82–3
 Indian Ocean
 Calcium Compensation Zone, Cretaceous 304
 nannofossils 300
 dissolution trend 303
 Indopacific, Mesozoic pelagic sections 313
 Inertinite, organic macerals 378
 Insolation, discussion 164–5
 Ireland, continental margin, Mesozoic and Cenozoic
 circulation 17–31
 Barremian, pelagic regime 17
 Cenomanian-Turonian Anoxic Event 21–4
 Cretaceous, cyclic stagnation 18–21
 Miocene 27–30
 climate change 27–30
 Palaeocene 24–7
 -Eocene events 24–7
 summary 30–1
 Iron
 Callorium, Site 534 296
 in average shale, /potassium ratios, black
 shales 458–9
 Islandiella 197
 Isoprenoid hydrocarbons, analysis 336–41

- Japan Sea, barite concentrations 456
 Jaramillo event 162
 Jurassic
 East and West sub basins, Atlantic 14
 nannofossils 312–18
 Jurassic/Cretaceous boundary, opening of North Atlantic 277
- Kane Gap region 121
 sediment waves, scan 123
 sound-velocities 126–7
 wet-bulk densities 126–7
- Kaolinite
 and aridity 277–8, 288
 Callovian Site 534 296
- Kerogen, Types I–II 390
- Kimmeridgian-Tithonian anoxic event 318
- Kings Trough Site 608 85
- Labrador Sea 176–7, 179, 191–2
- Laramide–Alpine orogeny 271
- Laurentide Ice Sheet 177
- Lead, sea water 449–54
- Ligurian Sea 259
- Liptinite, organic macerals 380
- Lithastrinus* sp 44, 45
 map, Cretaceous 300
 Site 400 306
- Loop Current system 178
- Loukkos Zone 426, 428–9
 microfauna 438
 sediment comparisons 442
- Maastrichtian
 nannofossil distribution 300, 316
 regression 311
 and ‘terminal Cretaceous effect’ 67
- Maastrichtian–Coniacian, East and West sub basins, Atlantic 14
- Maastrichtian–Eocene Site 605 49
- Macoma* sp, amino acid analysis 147
- Madeira Abyssal Plain, origins and turbidite deposition 131–42
 biostratigraphy 134
 carbonate compensation depth, variation with time 141
 dating 139–41
 regional setting 132, 133
 turbidites 134–9
 accumulation 136–8
 initiation 138
 seismic evidence 138–9
 stratigraphy 136
- Madeira–Tore Rise 132
- Maghrebinian Orogenic Belt 400, 440
- Magnetic energy output, thermal energy output 267
- Magnetic field, variations, pulse tectonics 264, 268, 273
- Magnetic quiet zone cycles 260–3
- Magnetic reversals
 causes 264–5
 continental reconstruction, mid Oxfordian 260
 frequency 272–3
 pulsation, tectonic cycles 263, 265
 vs geologic age 261
 vs plate spreading rates 262
- Manganese
 Callovian Site 534 296
 nodules, Palaeocene 27
 sea water 449
- Mantle, pulsation tectonics 264–7
- Marginotruncana* sp. 70, 76
 first appearance 439, 440
- Mass spectrometer, Finnigan 349
- Massylian nappes 402–5, 424, 427–32
 comparisons, sediments 442
 lithostratigraphy 431
 microfauna 435
 phthanites 432–45
 radiolarites 432–3
- Mauretanian nappes 401–405, 424, 427–32
- Mazagan escarpment 377–80
- Mediterranean meltwater discharge 179
- Mediterranean Outflow Water 115, 192
- Melonis* sp. 193, 196–7, 210–15
- Meloussa-type nappes 427
- Meltwater, North Atlantic
 discharge, map 178
 implications 178–9
 last Glacial termination 175–9
- Metals, trace
 in black shales 367, 369
 dendrograms 370–72
- ‘Meteor’ sites, cores, sediment waves 123
- Milankovitch cycles 41, 277–80, 299
- Miocene
 Early, Site 608, 610, benthic foraminifera 205–16
 East and West sub basins, Atlantic 14
 Ireland, continental margin 27–30
 Middle, Site 608, 610, benthic foraminifera 205–16
 to Recent, bottom water masses, North-east Atlantic 219–29
 shaping of sediments 191
- Mississippi fan, slump folds 43
- Molybdenum
 correlation with organic carbon and sulphur 460
 diagenesis 452–6
 sea water 449–54
- Moroccan continental margin, Cretaceous 396–400
 Aaiun-Tarfaya Basin 399
 Agadir Basin 399
 DSDP Sites 135, 137, 138 399–400
- Morocco, Rif Mountains, Cretaceous 401–404
- Nannoconus* sp. 44, 45, 302, 307–8
- Nannofossils *see* Calcareous nannofossils
- Neocomian, carbon accumulation 305
- Neogene
 diatoms, biostratigraphic correlations 243–51
 first and last appearance 245
 East and West sub basins, Atlantic 14
 Late, North-East Atlantic continental margin, erosion events 103–17
 North-East Atlantic, benthic foraminifera, tracers, 191–202
 sedimentation rate 99

- Neogloboquadrina* 155–9
 cold-indicator role 165
 K708-7, new data 168–72
 oxygen isotope curve 156
- Neogloboquadrina atlantica* 182, 184–6
- Neogloboquadrina pachyderma* 185
- Neotethys, opening 277
- Neritic conditions, indicators 302
- Nevadan, Cordillera orogeny 271
- New Jersey Transect Sites 604, 605
 Maastrichtian–Eocene 49–52
 Miocene erosion 52–5
 original profiles 56–8
 Site 605, lithology 51
 Sites 612, 613 55–7
 stratigraphy 48, 50
 summary 57–9
- Nickel 361, 367, 370–72
 sea water 449–54
- North Atlantic Drift/Gulf Stream 231
- North East Atlantic
 Celtic margin 407–10
 Cenomanian–Turonian 407–9
 Cenozoic unconformities 79–85
 Continental margin, Late Neogene erosion
 events 103–17
 model, deep water circulation 110–15
 stratigraphy 105–10
 Deep Water palaeotemperature 111–12, 115
 Miocene to Recent, benthic foraminifera 219–29
 Neogene, benthic foraminifera, tracers 191–202
 sediment drifts 88
- North Sea
 Black Band (*A. plenus* Marl) 67–71
 gamma-ray log correlations 70
 and Goban Spur 71
 Late Weichselian transgression, erosion and
 sedimentation, Gullfaks, 145–51
- North West Africa *see* Africa
- Norwegian Coastal current 178–9
- Norwegian, Greenland Sea; Sites 338–346,
 hiatuses 81–3
- Norwegian Trench 145, 146
- Ocean ventilation cycles, Cretaceous 311–12
- Oceanic anoxic events 315–18
- OECD/NEA Seabed Working Group Drilling
 Sites 131–41
- Oil sources, 'high sea-level' origins 268
see also Black shales: Kerogens
- Oligocene, East and West sub basins, Atlantic 14
- Ophthalmidium* sp. 214
- Organic carbon *see* Black shales: Carbonate
 compensation depth: Carbon dioxide: Oil
- Oridorsalis* sp. 193–6, 208–11, 220
- Orsangularia* sp. 193, 194–7, 220–1
- Oxfordian
 nannofossils 316
 palaeogeography 260
 transition, Callovian 295–6
- Oxygen
 anoxic/oxic transitions 361
 anoxic sediments, black shales 271, 279–80
 preservation 417
 pyrolysis yields 380
- black shales, *Chondrites* burrowing 295
 oxygen minimum zone 294–6
 carbonate dissolution 305
 mid Cretaceous stagnation event 311
- Cretaceous, middle, anoxia and preservation 417
- increase, cooler ocean 270
 microbial populations 361
 minimum zone 448
 Turonian transgression 440, 441
 organic matter preservation 321–3
 preservation, organic sediments 342–3
 reduction, secondary sources 375
 secondary sources 375
 stagnant basin model (contra-indication), Gibraltar
 Arch 443
- Oxygen-18 isotope data
 correlations, foraminiferal, abundance curves 186
 diversity 184–5
 deglacial meltwater discharge 177
 mapping, foraminifera 175
 sea-surface temperature 170, 173
- Pacific
 dissolution gradient 305
 Gulf of California *see* California
- Pacific–Atlantic connection 310
- Palaeobathymetric change 272–3
- Palaeocene
 East and West sub basins, Atlantic 14
 foraminifera, turbidites 27
- Palaeocene–Eocene, Ireland, continental margin 24–7
- Palaeogene, East and West sub basins, Atlantic 14
 map 8
- Pangaea breakup 267–8
- Parrelloides* sp. 194–6
- Pelagian Sea 404
- Pendragon Escarpment Site 549, Barremian 17
- Penibetic Zone 426, 428
 microfauna 435, 438
- Perkin Elmer CHN analyser 348
- Phosphorus
 fluvial supply 326
 ocean recycling 321, 324
 phosphate, sea water 449–54
- Photosynthesis, C-13 vs C-12 326
- Phthanite, Masylian 432–3
- Plankton chemistry
 metal concentrations, sea water and
 plankton 448–52
 black shales 456–60
 diagenesis Ba, Mo, V 453–6
 upwelling sediments 452–3
see also Foraminifera
- Plantagenet Formation 256–9
 calcite compensation 272
 Cenomanian–Turonian 407
 lithology 41
 Site 534 382
 Site 603 333
- Planulina* sp. 220
- Plate spreading rates *see* Sea floor spreading rates
- Plenus Marl Formation 409, 410
- Pleurostomella 196

- Pliocene
 hiatuses 103, 117
 Late, *Discoaster* accumulation 231–41
 Late to Recent, foraminifera and temperatures 181–9
- Plumes *see* Thermal plumes
- Ponca State Park Nebraska 391, 415–16
- Porcupine Abyssal Plain 88
 Bank 88
- Porcupine Seabight 17, 19, 24
 abyssal plain, profile 30
 Palaeocene–Eocene 27
- Portuguese Margin, Site 608 84–5
- Potassium
 ratios, other metals 457–9
 comparison, black/non-black shales 458
 sea water and plankton concentrations 448–52
- Praeglobotruncana* sp. 68, 76
 marker, first appearance 439, 440
- Primary production, ratio, to fossilized 321
- Pseudoemiliana* sp. 157
- Pseudolinneiana* sp. 76
- Pueblo Colorado 391, 413–16
- Pullenia* sp. 194, 196–7, 208
- Pulsation tectonics
 control, palaeoenvironment 267–73
 high sea level 271–3
 low sea level 269–71
 definition 273
 discussion 264–7
 models 265–6
 plate spreading rate 260–3
 correlations 262
 sea level cycles 263–4
 West North Atlantic 255–60
- Pycnoclines 373, 375
- Pyrite framboids 375
- Quaternary
 hiatuses 103, 117
 Late, sedimentation rate 99
 North Sea, Gullfaks 145–51
- Quinqueloculina* sp. 214
- Radiolarians
 Cenomanian–Turonian Boundary Event 436–9
 biogenic silica 439
 comparisons, Gibraltar area 442
 and foraminiferal stratigraphy 436
 high fertility indicators 278, 280, 290
- Recent benthic foraminiferal assemblages 220
- Redshale deposition 270
 black shale cycles 273
- Redox cycles 361
- Redox sensitive trace metals, anoxic environment 459
- Reefs 270–1
- Reykjanes Ridge 88, 92
- Rhagodiscus* sp. 44
- Rides Prérifaines 425–6, 443
- Rif Mountains
 Cretaceous 401–404
 External Rif 425–6
 Morocco 401–404
 section 424
- Rif–Tell orogenic belt 424
- Rifting, North Atlantic 283
- Rio Grande–Walvis Ridge, mid Cretaceous 311
- Rockall
 rifting and doming 27, 30
 separation from Greenland 25
- Rockall–Goban Spur 83–5
 late Eocene hiatus 84
 upper hiatus boundaries 83
- Rockall Plateau 88–9, 182
 Miocene, diatoms 243–51
- Rockall Trough 88–90, 191
- Rosita* sp. 76
- Rotalipora* spp. 68–76
 bathypelagic extinction 436, 439, 440
 disappearance, South-west England 70
 Late Cenomanian, oxygen depletion 72
- Rugoglobigerina* spp. 73, 76
- Rugotruncana* spp. 76
- Saccocoma* sp. 312
- Saharan Rise, sidescan records 122
- Salinity, Cretaceous oceans 304–5
 estuarine circulation 311
 polar oceans 311
- Santonian Site 603, organofacies 384–5
- Saxony, Lower 361–71
 summary section 364
- Scaglia Formation 407
- Scaglia facies, microfossils 435
- Schizosphaerella* sp. 313
- SEA BEAM seismic data 120–6
- Sea floor spreading rates 314, 317
 Cretaceous, middle 417
 global cycles 260–3
 sea level cycles 263–4
- Sea level
 Cenomanian–Turonian rise 416
 eustatic cycles 263–4, 267–73
 correlative phenomena 272
- Sea-surface temperatures
 new data, faunal 168–9, 171–2
 oxygen isotope 170
 plot-to-time 173
 North Atlantic Site 552 155–65
 and Pliocene–Recent foraminifera 181–9
- Sea water metal concentrations 451, 459
see also Metals: Trace metals
- Sediment drifts, Sites 610, 611, mid-ocean 87–101
 Feni Drift 88–93, 99–101
 Gardar Drift 88–93, 99–101
 map 88
- Sediment fluxes, North Atlantic
 accumulation, bulk 3–15
 and hiatus formation 3–15
 relationship 10–15
 temporal variability 6–10
- Sediment waves 119–29
 amplitudes and wavelength frequencies 99
 correlation 124
 definition 119–22
 standing 125, 126–9
 wave fields 89–101

- Sedimentation
 anoxia, black shales 271–2
 climate, Jurassic/Cretaceous 277–80
see also Black shales
 starvation, red shales 269–70
- Sedimentation and erosion
 Gullfaks, North Sea 145–51
 North-East Atlantic Continental margin 103–17
- Seismic stratigraphy
 Goban Spur 28–30
 pulsation tectonics 273
 sea level cycles 263
- Selenium, sea water 450–54
- Senegal Basin 390–1
- Seribiscutum* map 299, 300
- Sicily, alpine nappes 424
- Sierra Leone Basin 120, 121
- Sigmoidopsis* sp. 214
- Silicon, sea water 449–54
- Siphotextularia* sp. 194, 197
- Smectite and volcanism 277
- Sodium, comparison black/non-black shales 458–9
- Somar, longrange sidescan mapping 89–99
- South Atlantic
 Calcium Compensation Zone, Cretaceous 304
- Soxhlet extraction, geolipids 334–6
- Spain, Iberian Continental Margin 425–7
 Penibetic Zone 426, 428, 438
 Subbetic Zone 426–7
- SPECMAP, oxygen-18 'stack' 163–4
- Spectral analysis
 primary insolation 164
 sea surface temperatures 159–61
- Sphalerite, presence of zinc 459
- Steranes, sterenes 353–9
- Steroidal hydrocarbons, unsaturated, black shales 358
- Stilostomella* sp. 193–7
- Tarfaya Coastal Basin 391, 396, 399
 comparisons, sediments 442
- Tellurium, sea water 450–54
- Temperatures *see* Deep water: Sea-surface
- Tertiary, East and West sub basins, Atlantic 14
- Tethys Sea 259
 Cenomanian 404–7
 Cenomanian–Turonian Boundary Event 423
 Gibraltar, palaeostrait 425
 Mesozoic pelagic section 313
- Tethys-Atlantic seaway
 circulation patterns 286–7
 opening to Pacific 286
- Textularia* sp. 197
- Thermal energy output, magnetic energy output 267
- Thermal plumes, cyclic eruption 255, 264–7
see also Mantle
- Ticinella* sp. 76
- Tin, sea water 449–50
- Tisirene nappe 427
 Mauretanian 400
- Tithonian
 carbonate shift 317
 nannofossils 316
- Toarcian 316
- Trace metals 447–50
 compilation, reliable data 450
 concentrations, reliable data 450
 concentration-depth profiles 449
 deep-surface ratios 450, 451
 in plankton, correlation 451
see also specific names
- Triassic nannofossils 312–15
Triloculina sp. 197
- Triterpenoids 352–9
- Tunisian Atlas, Tethys 404, 406
- Turbidites
 formation, mechanism, Mesozoic 361–75
 origin, Madeira Abyssal Plain 131–42
- Turonian
 Site 603, black shales 349
 organofacies 384–5
 oxygen minimum zone 440, 441
 sediments 426
see also Cenomanian–Turonian Boundary Event
- Turonian-Albian, East and West sub basins,
 Atlantic 14
- Tuscan Nappe 407
- Umbrian Apennines 391, 407, 409
 Unit 7, West North Atlantic, Site 534 255–60
- United States East Coast Continental Rise, Site 603,
 black shales 347, 353–9
- Urgonian facies 427, 430
- Uvigerina* sp. 197, 210–14
- Valanginian Site 534
 black shales 349
 organofacies 383–5
- Valanginian Site 603, organofacies 384–5
- Vanadium 361, 367, 370–72
 correlation with organic carbon and sulphur 460
 diagenesis 452–6
 sea water 449–54
- Vitrinite, organic macerals 380
- Volcanism
 local hotspots 265
 variation 269–70
- Wautzaueria* sp. 301, 303, 310
 coccolith preservation 305
- Wealden Basin, North-west Germany 361–70
- Wealden Beds, Eastern Tethyan 46–7
- 'Wealden' deposits 277, 279
- Weichselian, Late, Gullfaks, North Sea 145–51
- West North Atlantic 255–60
 sedimentary facies 255–8
 changes 259–60
 Site 603, Cretaceous black shales, Blake-Bahama
 Formation 333–43
 geolipid composition 336–41
 palaeoceanography 341–3
see also Blake-Bahama basin: Hatteras formation
- Western Basin, North Atlantic
 bulk accumulation and hiatuses 10–15
 accumulation rates 10, 12
 correlation 14–15
 distribution 11
 diatom tracers 250–1

- Western Betic Cordillera 426
Western Interior Basin sections, map 391
 Black Mesa, Arizona 414
 Bunker Hill, Kansas 414
 Ponca State Park, Nebraska 415
 Pueblo, Colorado 414
Whiteinella sp. 68, 75–6
 marker, first appearance 439, 440
- Zinc 361, 367, 370–71
 correlation with organic carbon and sulphur 460
 sea water 449–54
- Zygodiscus* map 300, 302
 black shale 306–10