

Index

Page numbers in italics, e.g. 153, refer to figures. Page numbers in bold, e.g. 121, signify entries in tables.

- Acadian Orogeny 39, 43, 71, 72, 75, 76
Acadian Tectophase 70, 71
Achanarras Fish Bed level of Caithness 135
Achanarras horizon 133, 134, 135
 external drainage 144
 fish fauna 140–1
 Kernavé correlation 146–7
Achanarras lake 138–40, 141
 calcium supply 142
 climate 139–40
 depth 138–9
 evaporation rates 142
 maximum extent 139, 142, 149
 outflow 143
 water budget 141–3, 143
 water chemistry 142–3
Acritarchs 178, 180, 248–9
 distribution 187–8
Agoniatites zone 90
Aguelmous Sandstones 263
Ahrerouch Formation 159, 160
Ain Hallaouf Formation 248
Ain Jemaa, Morocco 237–60
 beds 240
 conodonts 238, 239, 242, 253–5, 254
 correlation with Rhenish 242
 depositional environment 243–4, 252
 faunal succession 238–42, 241
 goniatite assemblage 238–9, 240
 lithological succession 241
 microfacies 244
 outcrop photo 243
 sections 239–42, 243–5
 sedimentary succession 237, 238–42
 stratigraphical dating 243–5
 taxa descriptions 253–5, 254
 tectonic structure 252
 trilobites 245
Al Brijat Formation 250
Al-normalised elemental ratios 206, 208–9, 210
Alden Pyrite Bed 110
Algeria 263
 brachiopod faunal changes 261–71
Alternating Gradient Force Magnetometer (AGFM 2900) 201
ammonoids 1, 2, 101, 158, 173, 237, 238, 263, 267
 biostratigraphy 87–90, 110–11
 extinctions 83
 pyritic 249
 zones 84
Anajdam, Morocco 197, 199, 202, 207
 carbonate content 204
 Crystallinity Index Standard (CIS) 203
 magnetic hysteresis 205, 206
 magnetic susceptibility 204
 stratigraphical column 200
 anetoceratids 27
Annulata Event 237, 239, 245, 249, 251
anoxia 133, 173, 174, 186, 188, 211
 photic zone 191, 193
ansatus zone 109, 124
Anti-Atlas, Morocco 157–72
 Anticlinorium 9, 10
Aous Bel Fassi Formation 250
Appalachian Basin 39–79, 105, 106, 107, 128
 biostratigraphy 39, 53, 75
 correlation of strata 39, 43–53, 75
 depositional cycles 65, 73–4, 74, 76
 Eifelian deposition 71–3
 Eifelian palaeogeography 85
 Emsian correlations 43–5, 44
 Emsian deposition 70–1
 geography 42–3
 geological setting 39–41
 Pragian deposition 70
 sea-level 73
 sequence stratigraphy 65–73, 69
 stratigraphic nomenclature 53–8
 stratigraphic synthesis 53–65, 66–7
 study localities 40
Appohimchi Faunal subprovince 128
Aqueduct Member 45, 48–9, 71
Ardennes, Belgium 9
Arkona Formation 109, 110, 111, 118
Arkona Shale 117
aryl isoprenoids 173, 184, 185, 193
 ratio 191, 191
Assa Formation 16, 17–21, 31
 brachiopod faunas 17
 conodont faunas 17
 distribution 17
 tentaculitids 19
 trilobites 19
Australia, tetrapods 222, 226
australis zone 85–7, 99, 101
Azrou–Kenifra Basin 198

Baggy Sandstone 3
Bakoven Member 54–5, 56–8, 60–1, 73, 85, 87, 90–1, 93, 98–9, 110
Baltic region 145
barite 209, 212
Beaverdam Member 45, 47, 70
Beechwood Member 109, 111, 121, 124
Belgium 9, 149, 186, 187
 tetrapods 220, 224–5, 228
Bell Shale 87, 93, 94, 98, 111, 114, 118
Bellepoint Member 50, 58, 59, 65
bentonite 54, 56–7, 59, 60–1, 63–4, 72, 83, 96, 176, 177
 K-bentonite event stratigraphy 90–1
 marker bed 50
 Sprout Brook 45, 46
 see also Tioga K-bentonites

- Bergisch Gladbach–Paffrath Syncline 157–72, 161, 163, 186, 187
 brachiopod localities 161–2
 chronostratigraphy 164
 faunal correlations 162–5
 goniatites 160–2, 168
 lithostratigraphy 162
- Berkley Member 119, 121
 Biar Setla Member 248
 Bidwell Bed 123
- biofacies
 depth range 126
 studies 212
- biogenic productivity 197
 biogeographical data 228
 biomarker maturity indicator 190–1
 biostratigraphy 5, 39, 41, 53, 75, 84–90, 86, 108–12, 222–7, 224, 265–6
- bioturbation 97, 98, 112
- Bir En-Nasr Formation 249
- bispathodids 243, 252
- bivalve biostratigraphy 111–12
- Blasdel Bed 123
- Blue Beds 116, 119, 121
- Bobs Ridge Member 57, 71
- Bohemian subdivision 9
- bone bed 94, 96
- Bou Gzem Formation 237, 238, 240, 244, 245
- Bou Tlidat, Morocco 262
- Bou-Ounebdou 197, 198–9, 202, 207
 carbonate content 204
 Crystallinity Index Standard (CIS) 203
 magnetic hysteresis 205, 206
 magnetic susceptibility 204
 stratigraphical column 200
- brachiopods 1, 9, 17, 19, 20, 21, 22–3, 26–7, 29–30, 40, 93, 111, 114, 116, 119, 158–60, 161–2, 239, 250, 251
 biostratigraphy 111, 265–6
 common taxa 268
 environmental conditions 269
 evolutionary lineages 11
 faunal changes 261–71
 Intermediate Fauna 261, 268, 269
 Lower Fauna 261, 263–7, 269
 marker 157
 Upper fauna 261, 267–8, 269
 zonation 41
- Brint Road Member 119
- Büchel Formation 157, 158, 160, 161
Tornoceras 169
- Büdesheimer Bach borehole 176, 177
 geochemistry 180–4, 183
 materials and methods 177–8
 palynofacies 178–80, 179, 180
- Büdesheimer Goniatitenschiefer Formation 176–7, 187
- Butternut Member 111, 116, 118, 119, 121
- C. cuspidatus* 146
Cabrieroceras bed 51, 87
- Caithness Flagstone Group 135
- Cakhrat-ach-Chleh Formation 250
- calcite 139
 diamagnetic contribution 206
- Caledonian Orogen 135
- Campine Basin, Belgium 186
- Canowindra fish fauna 226–7
- carbon
 isotopes 148, 176, 188, 192, 212
 total organic (TOC) 173, 180, 181, 182, 192
- carbonate 83, 125, 139, 180
 content 202, 204
 flux 142–3
 production 142, 209–11, 212
- Cardiff Member 92, 98, 114
- Carlisle Centre Member 48
- Catskill Formation 223
- Centerfield Member 109, 110, 111, 118, 121, 123–4
- cephalopods 92, 261
- Chabat El Baya Formation 249
- Chenango Member 116, 118, 121
- Cherry Valley Limestone 110, 112, 114
- Cherry Valley Member 51, 53, 54–5, 60–3, 73, 87, 91–2, 93, 97–9, 101
- Chestnut Street Beds 51, 53, 60–2, 87, 91, 93, 97–9, 101, 102, 110
- China, tetrapods 222, 226
- chitinozoans 180, 188–9
- Chittenango Member 92, 98, 110, 114
- Chotec bio event 75
- chromatography
 gas (GC) 178
 medium-pressure liquid (MPLC) 178
- chronostratigraphy 11, 31, 41, 164
- clastic input 206, 207, 210
 synorogenic 39
- clay minerals 200–2, 212
 diagenesis 202
 identification 200
- Cole Hill submember 116, 118, 119
- colour alteration index (CAI) 202
- Columbus Formation 45, 50, 58, 65, 72, 75, 84, 85, 90–1, 93, 97, 99
 and Onondaga Formation 58–65
 zones 94–6
- condensed horizons 41, 91, 96, 112, 118, 252
- Conodont Alteration Index (CAI) 174–6, 185
- conodonts 1, 9, 11–17, 14–15, 20, 22–3, 25–7, 41, 84–7, 94, 101, 109–10, 147–8, 176, 237–9, 242, 248, 251–5, 254, 268
 apatite 197
 biostratigraphy 53, 109–10
 dating 144–5
 neodymium isotope composition 238
 zones 29, 53, 66–7, 75, 83, 108, 223, 224, 225, 226
- coral 1, 41, 59, 72, 124
see also reefs
- Coral Marl Member 159, 160
- costatus* zone 84–5, 101
- crepida* zone 251
- crinoidal marker bed 240
- Crystallinity Index Standard (CIS) 200, 202, 203, 209
- dacryoconarid, nowakiid zonation 90
- Dacryoconarid Events 90
- Dalejian 27, 28, 29, 30
- Dartmoor, UK, ammonoids 2
- Dasberg Event 237, 243, 245

- Delaware Fauna 99–101
 Delaware Formation 51, 72, 73, 84, 87, 90–2,
 99, 111, 114–16
 zones 94–6
 Delphi Station Member 116, 118, 119
 depositional processes, allocyclic 128
 desiccation polygons 137–8, 138, 140
 detrital input
 carbonate production 209–11, 211
 and climate 212–13
 indicators 206
 Devonian
 Carboniferous boundary 261–71
 global cooling 230
 land-sea interactions 133–55
 Late 219–35
 Lower 9–37, 39–79
 Middle 9–37, 39–79, 83–104, 105–30,
 157–72
 T-R cycles 73, 74, 98, 101
 tectonics 230
 Devonian Correlation Table (DCT) 11, 20
 Devonian System, The 4
 Dfeif, Morocco 262, 263, 267, 268
 diagenesis 206, 209
 Dinant Basin, Belgium 187
 dinoflagellates 187
diparilis zone 124
 dolomite 139
 Douar Nahilat Formation 250
 Dra Group 267
 Dra Valley, Morocco 2, 9–37, 157–72, 163
 brachiopods 20, 22–3, 158–60
 chronostratigraphy 164
 conodonts 20, 22–3
 faunal correlations 165–6
 geological map 159
 goniatites 168
 map 158
 section correlation 12–13
 Uncites 168
 drill cores 108
 Dublin Member 97, 98, 99
 Dublin Shale 91, 94, 96, 99
 Dundee Formation 84, 85, 87, 92–3, 114
 dysoxia 133, 186, 188, 189, 211

 East Berne Member 53, 60–3, 73, 75, 90, 92, 93, 98,
 101, 114
 ecological restructuring 83
 ecological–evolutionary sub-units (EESUs) 83
 economic deposits 41
 Edgecliff Member 48, 50, 54–5, 56–7, 59, 65,
 71–2, 74
 Eifel Mountains 173–96
 faunal correlations 162
 lithostratigraphy 162
 Eifelian 9, 29, 31, 39–79
 bioevents 83–104
 depositional sequences 83–104
 nomenclature 68
 terrestrial and marine 149–50
eiflius zone 87, 147
 El Atrous, Morocco, section 263

 Emsian 4, 9, 26, 27, 28, 29, 30, 31, 39–79
 cycles 45
 nomenclature 68
 subdivision of 45
ensensis zone 84, 87, 116, 118, 147, 148
 erosion 106, 197
 Esopus Formation 39, 41, 45, 46–7, 55–8, 65, 70,
 74, 75
 Estonia 133, 145
Eumetabolotoechia 111, 116
 eutrophication 188, 192
 Eversole Member 58, 59
excavatus zone 25, 27–8
expansa zone 243, 245, 251
 extinction 5, 99, 133, 148, 191, 269
 episode 252
 mass 1, 173–96, 197, 238, 262
 phases 174
 widespread 83

 facies
 change 9, 114, 127
 control 109
 cross-correlation 1, 157
 lateral variation 31, 94
 vertical changes 31
 falling stage systems tract 43, 65, 70, 71, 72–3, 112
falsiovalis zone 199
 Famennian 4, 197–217, 237–60, 246
 fauna
 carryover 99, 100
 changes 39
 holdover 99, 100
 migration 125
 provinciality 105–31
 turnover 84
Fimbrispirifer 111
 Findlay Arch 106, 108, 125, 127, 128
 Plum Brook Shale 119
 Silica Shale 119–21
 fish
 bones 72, 96
 fauna 146
 teeth 72, 91
 flooding surface 70, 72, 73, 112
 maximum 43, 121, 123, 138
 fluorescent microscopy 177
 forebulge 105, 128
 Forschungsinstitut Senckenberg 11
 fossils 94, 96
 guide fossils 29, 109
 index species 165, 245, 267
 marker 1, 245
 micro marine 146
 teeth 72
 trace 71
 Fouizir Member 248, 249
 Fom-el-Mejez Formation 250
 Frasnian 197–217
 mass extinction 173–96
 reef 3

 gamma-ray logging 148
 Gara el Kahla, Algeria 263, 264, 266, 267, 268, 269

- gastropod biostratigraphy 112
 Gedinnian 11, 16
Geminospora lemurata 144
 geochemical analysis 197–217
 Givetian 4, 90
 brachiopod-goniatite correlation 157–72
 Glenerie Formation 70
 Global Stratotype Sections and Points (GSSP) 1,
 9–11, 84
 Gondwana 1, 237–8
 goniatites 2, 9, 27, 30–1, 41, 116, 158, 160–2, 168,
 238–9, 240, 250
 zones 53, 66–7, 108, 157
Gosseletia 111
 graben 135, 136, 139, 141
 Greenland 135, 136
 tetrapods 220, 223
 Gumaer Island Member 45, 48–9, 71
- Hadrophyllum* Bed 96, 97, 99, 101
 Halihan Hill Bed 53, 83, 90, 91, 92, 93, 97, 98, 99, 101,
 109, 110, 114
 Hamilton Fauna 83, 101, 114, 116
 Hamilton Group 39, 60–1, 83, 91, 98, 107, 112, 113,
 114, 128, 150
 correlations 51–3, 105–31
 Hangenberg Black Shale 244, 245, 252, 261, 262, 267
 Hangenberg Event 1, 5, 237, 238, 250, 252, 269
 Hangenberg Sandstone 245, 248, 249, 252
 Hardangerfjord Shear Zone 149
 Hassi Rharouar, Morocco 263
hassi zone 198
hemiansatus zone 87, 109, 116, 118
 Hercynian facies 9
 Hervey Group 226–7
 Highland Boundary Fault 135, 136, 149
 highstand system tract 43, 71, 72, 98, 102, 112, 116,
 121, 244
 Holy Cross Mountains, Poland 186, 187, 188, 189,
 192, 193
 hopane/moretane ratio 184, 184, 185, 190, 192
 Hornstein Member 157
 House, Michael Robert 1–8, 2, 3
 Housean Pits 2
 Hungry Hollow Formation 109, 111, 123–4
 Hungry Hollow Limestone 118, 121
 Hunsrück-Schiefer 27
 Huntersville Chert 70
 Huntersville Formation 45, 47, 49, 50, 57, 71, 75
 Hurley Member 51, 53, 54–5, 60–4, 73, 75, 87, 91, 98,
 110, 114
 hydrocarbons, aromatic 184
 hydrogen index (HI) 173, 180, 181, 189, 190, 192
 hypoxia 174
 hystricospores 186
- IGCP projects *see* UNESCO-IGCP projects
 Indiana
 Beechwood Member 124
 Silver Creek Member 116
 Swanville Member 121
 inorganic geochemistry 201–2
 analysis 206–9
- insolation 149, 150
 maximum 133
 seasonal 141
 Institut Scientifique University Mohammed V, Rabat 1–2
 International Subcommittee on Devonian Stratigraphy
 (SDS) 1, 11, 157, 198, 222, 238
 International Union of Geological Sciences (IUGS) 1
inversus zone 28, 29
 Ipperwash Formation 111, 125
 Ipperwash Limestone 121, 123
 isotope record 1, 148
 see also carbon isotopes; oxygen isotopes
 Ivy Point Member 121
- Jaycox Member 121, 123
 Jennabia–Babot Member 248
 Jfeirat, Morocco 261, 262, 263, 264, 267
- Kačák Event 75, 83–104, 133–55, 150
 -*otomari* Event 83, 90, 148
 correlation 101–2
 definitions of 148–9
 Kahla Mudstone 263
 Kahla Sandstone 263, 267
 Kashong Member 111, 125
 Kaskaskia Supersequence 65, 70, 76
 Kellwasser Event 1, 5, 174
 Kellwasser Horizons 173, 174, 176, 188, 191–3,
 197, 198, 212
 Kernavė Member 133, 145–6, 149
 age 147–8
 Archanarras correlation 146–7
 conodont assemblage 147–8
 palaeogeography 146
 palynomorphs 147
 Ketleri Formation 225
 Kettle Point Formation 125
 Khebechia Formation 29–30, 32
 age 30
 brachiopod fauna 29–30
 conodont fauna 29
 distribution 29
 facies 29
 goniatites 30
 ostracodes 30
 tentaculids 29
 trilobites 30
 Kheneg Aftes, Morocco 262, 263, 264
 Kheneg Lakahal, Morocco 262, 263, 265, 267, 268, 269
 Khouribgá–Oulmès Zone 238
 Khovanshchina Formation 225
kindlei zone 17, 21
 Klondike Member 58, 59, 65
kockelianus zone 87, 99, 101, 147, 148 lacustrine cycles
 136, 137, 137, 145
- lagoonal facies 158
 Lahnstein substage 27
 Latvia, tetrapods 220–2, 225
 Laurussia, collision 237–8
 Ledyard Member 110, 121, 123, 124
 Leicester Pyrite Bed 111
 Levanna Member 116, 118

- Lewis Centre Bed 96, 97, 99
 Light Hydrocarbon Preference Index (LHPI) 182
 Lincoln Park Shale 110
 Lincoln Park submember 60–1, 91, 98
linguiformis zone 198
 lithostratigraphy 5, 162, 241
 Lmhaïfid Formation 11–16, 31
 age 16
 brachiopod faunas 16
 conodont faunas 11–16, 14–15
 distribution 11
 facies 11
 graptolites 16
 trilobites 16
 Lochkovian 15, 17
 Lomme Formation 149
 Lower Eday Sandstone Formation 141
 lowstand system tract 41, 70, 72, 244
 Ludlowville Formation 105, 107, 109, 110, 111, 112, 118, 121, 122

 Maader Talmout Member 263, 267
Maenioceras Zone 90, 167–9
 magnetic hysteresis 210, 212
 loops 201, 201
 properties 205–6, 205, 206
 magnetic susceptibility 1, 148–9, 201, 202, 204, 210, 210, 212
 magnetism, rock 197–217, 238
 magnetite 201, 209
 low-coercivity 197, 205
 Mahantango Formation 64
 Marblehead Member 97
 Marcellus Formation 51, 57, 72, 93
 Marcellus Shale 58, 76, 83
 Marcellus subgroup 39, 83, 91, 94, 98, 107, 112
marginifera zone 244–5
 Marietta Bed 118
 marker beds 39, 50, 51, 91, 114, 126, 192, 240, 262
 marker species 111, 165, 245, 267
 Martenberg fauna 165
 mass spectrometry 178
 Mdâouer-el-Kbîr Formation 25–8, 31
 age 27–8
 brachiopod faunas 26–7
 conodont faunas 25–6, 27
 distribution 25
 facies 25
 goniatites 27
 tentaculitids 26, 28
 Menteth Member 125
 Merrimbula Group 226
 Merzâ-Akhsaï Formation 17, 21–5, 31
 age 25
 brachiopod faunas 21–5, 22–3
 brachiopods 18–19
 conodont faunas 21
 distribution 21
 facies 21
 trilobites 25
 M'Garto Formation 249
 Michigan Basin 106
 Michigan Basin Faunal subprovince 128
 Midland Valley 136

 Milankovitch 5
 cyclicality 114, 135, 145, 149
 insolation 141
 miospore 178, 191, 249
 composition and preservation 186–7
 data 229, 250, 252
 dinocyst ratio 187
 diversity 197
 marine phytoplankton ratio 186–7
 source proximity 186–7
 tetrads 186
 zones 223, 225
 M'Karig, Morocco 263
 Moonshine Falls Bed 121, 123
 Moorehouse Member 50, 54–5, 56–8, 59, 65, 72, 75, 90, 98
 Moroccan Institutions 11
 Moroccan Meseta 237–60
 Ben Slimane Zone 250
 Coastal-Block 250
 comparison of units 245–52, 246
 Eastern Meseta 251
 El Hammam Zone 245
 Famennian successions 246
 Fes area 251–2
 geological map 239
 Jebilet 250
 Khatouat 248–9
 Mdakra area 249–50
 Oued Cherrat Zone 250
 Oulmés area 252
 Rabat–Tiflet Zone 245–8
 Rhemna 250
 Sidi Bettache Basin 248
 Tiliouine area 245–8
 Ziar–Azrou Zone 256
 Morocco 2
 brachiopod faunal changes 261–71
 Frasnian-Famennian boundary 197–217
 geological setting 198–9, 261–3
 structural subdivision 199
 Moscow Formation 105, 109, 110–11, 112, 124–5
 Mottville Member 98, 110, 111, 116, 118, 119, 121
 Moulay Hassane Formation 245
 Murder Creek Bed 123

 Nadsnezha Beds 225
 Nedrow Member 50, 54–5, 56–8, 65, 71–2, 85
 black beds 59, 72
 Needmore Formation 45, 47, 49, 50, 55, 56, 70, 71, 72
 neritic-pelagic correlation 9–37, 157, 261
 Neu-Oos Cypridinenschiefer Formation 177, 193
 New Albany Shale 111, 124
 New York
 Ludlowville Formation 121, 122
 Moscow Formation 124–5
 Oatka Creek Formation 114
 Skaneateles Formation 116–18
 stratigraphy 88, 91–2
 North America
 ammonoid biostratigraphy 87–90, 110–11
 basal datum 108–9
 biogeography 128
 biostratigraphy 86, 108

- North America (*Continued*)
 bivalve biostratigraphy 111–12
 brachiopod biostratigraphy 111
 conodont biostratigraphy 84–7, 109–10
 dacryoconarid biostratigraphy 90
 Eifelian sequences 83–104
 faunal comparisons 99–101, 100, 128
 faunal migration 105
 gastropod biostratigraphy 112
 geological setting 106–8
 Middle Devonian 105–31
 regional stratigraphy 91–8
 sequence stratigraphy 98–9
 time-rock chart 126
- North Vernon Limestone 98
- Norway 136, 149
- Oatka Creek-Mount Marion Formation 39, 41, 51, 54–5, 60–4, 65, 73, 76, 83–4, 87, 90–2, 94, 98, 105, 109–12, 114–16
 units thickness 115
- Ohio
 Bloomville 96–7
 Delaware Formation 114–16
 Prout Formation 123–4
 Sandusky 97–8
 stratigraphy 94–8, 95
- Old Red Sandstone 134, 144
- Olentangy Formation 110, 111
- Olentangy Shale 96, 108, 119
- Onondaga Fauna 99, 101
- Onondaga Formation 39, 41, 45–50, 52–8, 58–65, 71, 72, 75, 83, 84, 90, 93, 98, 99
- Ontario, Canada 128
 Arkona Formation 118
 Bell Shale 114
 Ipperwash Beds 125
 London–Sarnia area 93
 Niagra Peninsula–Selkirk area 93
 stratigraphy 89, 92–4
 Widder Formation 121–3, 122
- Oos Plattenkalk Formation 176, 187, 188, 190, 191, 193
- Orcadia Formation 135
- Orcadian Basin 133, 134–6, 149, 150
 carbonate 139
 development 141
 external drainage 149–50
 map of 134
 palaeogeography 144
- organic matter 209
 amorphous (AOM) 173, 179, 185–6, 191
 preservation 173–96
 soluble (SOM) 182
 total (TOM) 190
- Oriskany Formation 55, 65, 70, 74, 76
- Oriskany Sandstone 39
- Orkney succession 145
- Orthoceras* Limestone 15, 17
- ostracodes 1, 30–1, 173
- Otisco Member 121
- otomari* Event *see* Kačák Event
- Otsego Member 53
- Oued Mzereb Member 157, 159
- Oued-el-Mdâouer Formation 16–17, 31
 age 17
 conodont faunas 16–17
 facies 16
 thickness 16
 trilobites 17
- Oui-n'-Mesdoûr Formation 28–9, 31–2
 age 28
 brachiopods 28
 conodont faunas 28
 distribution 28
 facies 28
 goniatites 28
 tentaculitids 28
- Ourthe valley, Belgium 186
- oxygen isotopes 197, 230
- palaeo-oxygenation indexes 212
- palaeomagnetic data 238
- palaeoredox proxies 181, 182, 183, 189, 206–8, 207, 208
- palmatolepids 243, 245, 252
- palynofacies analysis 185–9
- palynological samples 177, 223
- palynomorphs 1, 192
- Paper Mill Bed 116, 118, 119
- Paracyclus* 111, 116
- Paraspirifer* 111
- Parastringocephalus*, locality and description 166–7
- Pavari, Latvia 225
- Pennsylvania, tetrapods 220, 223
- Peppermill Gulf Bed 118, 119
- Petrolia Member 124
- Pilton Formation 267
- pirenae* zone 21
- Plattenkalk Formation 157, 158, 160, 162
- playa lake 135
- Plum Brook Formation 87, 109, 110, 111
- Plum Brook Shale 98, 108, 119, 120, 121
- Pole Bridge Bed 116, 118, 119
- Polygnathus eiftius* zone 108
- Pompey Member 110, 116, 118, 119
- Portland Point Member 125
- Portwood Member 111
- Pragian 9, 11, 16–17, 25, 39–79
 nomenclature 68
- prasinophytes 173, 178–80, 180, 188, 191, 192
- precipitation/evaporation ratio 140
- pristane/phytane ratio 181, 189–90, 190, 191
- productivity
 palaeoproductivity proxies 208–9
 primary productivity evolution 211–12
- Prototethys 1, 238
- Prout Formation 109–10, 111, 123–4, 125
- Prout Limestone 118, 119
- Prüm Syncline 173, 174–6, 188, 193
 geological setting 176–7
- Ptchopteria* 111
- pumilo* Beds 165
- Purcell Limestone 90
- Purcell Member 64, 73
- pyrite 54, 72, 110–11, 118, 121, 123, 125, 186
 fauna 118, 119, 249
 paramagnetic 209

- Quarry Hill Member 45, 46–7, 70
- redox conditions 208, 211–12
see also palaeoredox proxies
- reefs 3, 160, 161, 245–8
 cyanobacterial calcimicrobe algae 173
- regressive surface, maximum 43
- regressive system tract 73–5, 112, 116, 118, 269
- reworking 109–10, 118, 124, 248, 251
 syn-sedimentary 250
- Rhamphodopsis threiplandi* 146
- Rheic Ocean 150, 150
- Rheinisches Schiefergebirge, Germany 9
- rhenamus* zone 109, 110, 124, 198
- Rhenish Massif 157–72, 242
 faunal correlations 165
 outcrop pattern 175
- Rhenish Slate Mountains 161
- Rhenish subdivision 9, 11, 17
- Rich el Bergat, Morocco 261, 262, 263, 264, 267
- Rock Glen Member 123
- Rockport Quarry Formation 118
- Rogers City Formation 93, 99
- Russia, tetrapods 220–2, 225–6
- Sahara
 brachiopod faunas 261–71
 lithological correlations 264
 study locations 261, 262
- Sandusky Limestone 94
- Sandwick Fish Bed, Orkney 136, 137–8, 137, 138
 age 143–6
 laminations 139, 140
- Saugerties Member 45, 48–9, 71
- Sbskro Formation 83
- Scaat Craig Beds 223–4
- Schoharie Formation 45, 48–9, 58, 59, 65, 70,
 71, 74, 75
- scolecodonts 180
 fossilization potential 189
 post mortem transport 189
- Scotland, tetrapods 220, 223–4
- sea-level
 changes 1, 5, 210, 211
 curve 39, 113
 Euramerican 39, 74
 eustatic 1, 5, 39, 71, 73, 105–31, 133, 192
 fall 192, 245, 248, 251, 252
 palaeogeographical implications 127–8
 relative 125–6
 rise 101, 197
 sedimentological implications 126–7
 trends 39, 73, 157
 unconformities 41
- sediments
 cyclic 5, 39, 41, 50, 59, 105, 125–6, 136–7, 145
 fluvial 138
 geochemistry 189–91
 maturity 185, 191
 organic rich 197
- Selinsgrove Member 55, 56, 72
- Sellersburg Formation 108, 109, 111, 112,
 121, 124
- Seneca Member 50, 54–5, 56–8, 60–1, 72, 75, 90, 98
- sequence stratigraphy 1, 5, 39–79, 69, 98–9, 105
 3rd & 4th order 112
 boundaries 112
 foreland basin correlation 112–14
 parasequences 41, 72, 114
- Sequiat Abbes Formation 248
- serotinus* zone 26
- Shriver Formation 70
- Sidi el Mouynir 268
- Siegenian 11, 18, 21, 25, 27
- Silica Formation 109, 110, 111, 119–21
 Blue Beds 116, 119, 121
- Silica Shale 119–21, 120
- Silver Creek Member 111, 112, 116, 121
- Skaneateles Formation 87, 91, 92, 94, 105, 107,
 109–12, 116–21, 120
 thinning of 117
- Slate Run 91, 94, 96
- Solsville Member 98
- Souk Jemaa Formation 249
- Spafford Member 121, 123
- Spawn Hollow Member 45, 46–7, 70
- Spinocyrtia* 111, 112
- spores 144, 145
 zone assemblage 146, 223
see also miospore
- Stafford-Mottville Limestone 91
- Stafford-Mottville Member 94, 116
- starvation surface 112, 124, 127
 maximum 43, 73, 98
- sterane proportion 184, 185, 190, 193
- sterane/hopane ratio 173, 182–4, 184, 190, 191, 192
- Stony Hollow Fauna 90, 91, 99–101, 102, 116
- Stony Hollow Member 53, 60–4, 73, 83, 98, 99
- Stony Point Beds 123
- Stratford Member 94, 97, 98
- stratigraphy 89, 92–4
 event 237–60
 high resolution 39, 75
 markers 45
 nomenclature 53–8, 68, 76
 regional correlation 237–60
 synthesis 39–79
 use of subdivisions 9–11
see also biostratigraphy; chronostratigraphy; litho-
 stratigraphy; sequence stratigraphy
- Stringocephalus* 157–9, 160, 163
 locality and description 166
- stromatolites 137
- Stromness Group 135, 137, 137, 145, 148
- Stroud Bed 55, 56, 58, 65, 72
- styliolinids 173
- Subsinucephalus*, locality and description 166
- sulcatus* zone 17
- sulphur, total (TS) 180
- Swanville Member 98, 109, 121
- Ta'arrat Formation 237, 245, 248
- Tafilalt-Ma'der basins 261
- Taghanic Unconformity 110
- taxa 145
- taxonomy 145, 161, 166–70
- Tazout Group 261–2

- Tazout Sandstone Formation 263, 267, 268
 tectonics 105–31, 245–8, 269
 erosion 250
 syndimentary 237–60
 timing of 237
- Ten Mile Creek Dolostone 125
 Ten Mile Creek Formation 109, 111, 123–4
 tentaculitids 9, 26, 28, 28, 30, 173
 tetrapods 220, 223, 224–5, 228
 ages 227
 biostratigraphical subdivisions 222–7, 224
 cluster analysis 228
 distribution of 222–7, 224
 diversification of 219–35
 environment 219
 localities 219, 220, **221**, 222, 229
 localities/taxa matrix 228
 migration route 229–30
 morphologies 219
 origin of 219
 palaeobiogeographical context 228–30, 229
 palaeoenvironment 227–8
 phylogenetic relationships 229
- Thedford Member 123
 Thermal Alteration Index 174, 185
 Tichenor Limestone 124–5
 Tichenor Member 111
timorensis zone 98, 109, 119, 123, 124
 Timrhanhart Formation 30–1, 32
 age 31
 brachiopods 30–1
 conodont facies 30
 distribution 30
 facies 30
 goniatites 30–1
 ostracodes 30–1
 tentaculids 30
 trilobites 30–1
- Tioga K-bentonites 50, 51, 52–3, 57, 59, 65, 90, 91, 96
 Tippecanoe Supersequence 65
Tornoceras 161
 locality and description 169, 170
 Tornquist Zone 149
 trace element ratios 189, 202
 transgressive system tract 41, 59, 65, 71, 72–5, 98, 102, 112, 114, 116, 119, 125, 126–7, 192, 244
 Traverse Group 108
Trevoneites paffrathensis 169–70
triangularis zone 198, 199
 trilobites 1, 16, 30–1, 173, 238, 245
 trinomeohopane ratio 184, 184, 190–1
 Tully Formation 110, 111
 Turkey Ridge Member 60–1, 64, 73
 Turkey Ridge Sandstone 51
- Uncites* 157–8, 159, 160, 163, 164
 locality and description 167
 unconformity 41–3, 66–7, 70, 72, 73, 127
 erosive 71
 origin 41
 recognition 41
 subaerial 43
 UNESCO-IGCP projects 11, 198
 Union Springs Formation 39, 41, 50, 51, 54–8, 58, 60–4, 65, 72, 75, 76, 83, 84, 90–2, 98, 99, 112
 units thickness 115
 Ussher Society 4, 5
- varcus* zone 123
 Variscan Orogeny 198, 237, 252
 Venice Member 93, 94, 97, 98, 99
 vent communities 251
 vitrinite reflectance 174–6, 175, 185
- Walden Cliffs Bed 123
 Wallbridge Unconformity 39, 45, 65–70, 71, 76
 Wanakah Member 110, 121, 123, 124
 water chemistry 142
 weathering 209, 212
 chemical 188
 intensity 205, 206
 Widder Formation 110, 111, 121–3, 122, 125
 Wildcat Valley Formation 45
 Wiltwyck Member 45, 46–7, 70
 Windom Member 110–11, 125
- X-ray diffraction (XRD) 200, 202
 xenolites 251
- Zhongning Formation 226
 zircon U-Pb dating 174, 227
 Zlíchov Formation 27, 28
 Zlichovian stage 25–9