

Index

Page numbers in *italic* denote Figures. Page numbers in **bold** denote Tables.

- Abu Durba Formation 18
acidification, rain and oceans 408
Adria Plate 7
aeolian sediments, Polish Upper
 Rotliegend Basin 431, 433
Africa
 north of glacial front, Late Palaeozoic
 depositional systems 16–18
 south of equator, Late Palaeozoic
 depositional systems 7–15
Akbra Shale 16
Al Khlata Formation 15, 16
algae, calcareous, Upper
 Carboniferous-Lower Permian of
 Spitsbergen 277–279
Aller Formation 75, 76, 552
Alps, Southern
 Late Palaeozoic depositional systems
 19–21, 23
 Upper Carboniferous-Triassic
 climate profile 24
alveolar texture, Zongdi section
 (Yangtze Platform) 239, 241,
 242, 243
analysis of similarities (ANOSIM) 214,
 214, 222, 223
Andes *see* Venezuelan Andes
Anemonaria pseudohorrida 392
Anglo-Dutch Basin 431, 432, 550
Antarctica
 Late Palaeozoic Ice Age (LPIA)
 307–309, 308
 Pennsylvanian-Permian ice-rafted
 deposits 309
 Sakmarian deglaciation
 10, 22–23
Apulia Plate 7
Arabian Peninsula, Late Palaeozoic
 depositional systems 15–16
Arafura Basin 6
Archer City Formation 202, 203, 204,
 204, 215, 216
Ardennian-Gallian massif 550, 551
Argentina
 Early Permian 22
 Carboniferous successions 110, 111,
 112
Paganzo Basin
 Carboniferous biostratigraphy 113
 Carboniferous setting 110, 111,
 112, 113
 Late Carboniferous
 sedimentological studies
 Guandacol Formation
 112, 113
 biostratigraphy 113
 stratigraphic analysis
 methods 114–115
 results
 palaeoecology 119
 sedimentology
 115–119
 results discussed 131–135
Tupe Formation 112, 113
 biostratigraphy 113
 stratigraphic analysis
 methods 114–115
 results
 palaeoecology
 122–123, 124
 sedimentology
 119–122,
 123–124
 results discussed 131–135
Río Blanco Basin
 Carboniferous biostratigraphy
 113–114
 Carboniferous setting 110, 111,
 112–113, 113
 Late Carboniferous
 sedimentological study
 Río del Peñon Formation 113,
 113
 biostratigraphy 113–114
 stratigraphic analysis
 methods 114–115
 results
 palaeoecology
 130–131
 sedimentology
 125–130
 results discussed
 131–135
aridity-humidity fluctuation, Late
 Permian 431, 433, 469, 469,
 475–477
aridization, Late Permian 531–532
Arqov Formation 19
Asterophyllites equisetiformis 183, 183
Athesia Volcanics 20
Australia, Late Palaeozoic Ice Age
 (LPIA) 308
Maria Island
 (Tasmania)
Basal Beds
 335–337
 depositional setting
 332–333
 Darlington Limestone
 334–335
 Lower Erratic Zone 333–334
 Upper Erratic Zone 335
 sedimentology
 Darlington Limestone 323,
 325, 326, 326, 327, 328,
 329
 Lower Erratic Zone 315, 317,
 318, 319, 320, 321, 322,
 323, 324
 Upper Erratic Zone
 329–330, 330, 331, 332
 stratigraphy 312–313, 314
Lower Parmeener Supergroup,
 stratigraphy 310–313, 310
pre-Parmeener unconformity
 314–315, 316, 317
Austria
 Steinberg, Devonian-Carboniferous
 boundary section
 conodont biozones 90, 91, 92, 93
 geochemical analyses
 methods 99–100
 results 100–102
 results discussed 102–104
 location 89
 stratigraphic setting 97–98
back-scattered electron (BSE) image,
 Austria, Devonian-Carboniferous
 boundary samples 94
Baja California, environmental
 analogue 67–68
bank, defined 273
Baoshan Basin 6
Barabashevka Formation 411, 412,
 414, 423
Barets Sea (Norwegian),
 Palaeoaplysina build-ups 274
Basal Anhydrite 458, 477, 478, 525
Basal Beds 335–337
 depositional setting 332–333
 Darlington Limestone 334–335
 Lower Erratic Zone 333–334
 Upper Erratic Zone 335
 sedimentology 313–314
 Darlington Limestone 323, 325,
 326, 326, 327, 328, 329
 Lower Erratic Zone 315, 317, 318,
 319, 320, 321, 322, 323, 324
 Upper Erratic Zone 329–330, 330,
 331, 332
 stratigraphy 312–313, 314
Beaufort Group 10, 11, 23
Belcourt Formation 48, 50, 51, 52, 54,
 58, 61
 facies descriptions 57, 59, 63–65
Bellerophon Formation 20, 21
Bernburg Formation 552, 552
bioherm, descriptive terminology
 273, 347
biostratigraphy
 Argentina
 Paganzo Basin 113
 Río Blanco Basin 113–114
 East European Platform Permian
 reefs 344–345, 345
 North German Basin 555
 Saale Basin Stephanian red beds
 182–183, 183
 Yangtze Platform fusulinids 251,
 252, 253, 254, 256
Bohemian Massif 74, 550, 551
Bonaparte Gulf Basin 6
Botswana 12
Boullanger Formation 310, 313
Bozen Volcanics 20
brachiopods
 Carboniferous-Early Permian
 South China 41

- brachiopods (*Continued*)
 Spitsbergen 282–283
 Permian climate studies in Northern Europe by isotope analysis 25, 387–388
 introduction 391, 393–396
 methods 396–398
 results 398–400
 results discussed 400–401
 Permian climate studies in Venezuela by isotope and geochemical analysis
 methods 370–371
 results 371–376
 results discussed 376–381
 significance of results 381–383
- British coal measure basins 235
- British Columbia, Western Canada Sedimentary Basin (WCSB)
 Pennsylvanian-Permian facies descriptions 55–57, **63–65**
 Asselian-Sakmarian 59–61
 Kasimovian-Gzhelian 59
 Moscovian 57, 59
 facies interpretations 61, 67–68
 palaeogeographic setting 47, 49
 palaeolatitude 53, 55
 shelf cyclicity 55
 stratigraphic setting 48, 50, 51, 52
 tectonic elements 53
- Bröckelschiefer Facies 75
 Bröckelschiefer Unconformity 75
 Bröckelschieferbank *see* Crumbled Shale Bed Interval
- bromine as indicator of fluctuating environmental conditions 457–458, 460
 experimental procedure in Polish Permian Basin
 methods 461
 results 461
 Older Halite unit 463, 464, 465
 Oldest Halite unit 461, 462, 463
 Younger Halite 465, 466–467
 results discussed 467–470
- bryozoans, Upper Carboniferous-Lower Permian of Spitsbergen 283
- build-up, descriptive terminology 273, 347
- Bundella Formation 312, 312
- Buntsandstein (Early Triassic) 73, 393
- Buntsandstein Group
 lithostratigraphy 76–77
 Lower
 North German Basin
 lithostratigraphy 552–555
 magnetostratigraphy and biostratigraphy 555
see also Permian-Triassic Boundary
 North German Basin
 chemostratigraphic studies 555
 methods of analysis 556
 results 556–558, 559, **559**, **561**, 562, 563
 results discussed 558–560, 563–568
 facies 550
 unconformities 75
- Burgersdorp Formation 11, 12
- $\delta^{13}\text{C}$ 549
- Austria, Devonian-Carboniferous boundary section **95**, 97, 100, 101, 102–104
- brachiopods as climate proxies 387–388
 methods of analysis 396–398
 results 398–400
 results discussed 400–401
- Croatia, Permian-Triassic boundary 542–543, 544
- East European Platform Permian reefs 344, 361–362
- Kamień Pomorski Main Dolomite study
 methods 480
 results 480–481, **482**, **484**, 485
 results interpreted 495–496
- Kamura event 407–408
- North German Basin
 methods of analysis 556
 results 556–558, **560**, 561, 562
 results discussed 558–560, 563–568
- Poland, Main Dolomite gases 526–527, 530, **530**
- Primorye rugose corals 415, 417, 419, 425
- South China Carboniferous-Early Permian records 43
- Venezuelan Permian climate proxy studies
 methods 370
 results 372–376
 results discussed 377, 379–380
 significance of results 382, 383
- Cadellfjellet Member *Palaeoaplysina* build-ups 272, 272, 273
- California, Gulf of, environmental analogue 67–68
- Callipteridium pteridium* 182, 183
- Calvörde Formation 79, 552, 552, 553, 554, 567–568
- Canada
 Exshaw, Devonian-Carboniferous boundary stratotype 88
 Ungava Bay 334
 Western Canada Sedimentary Basin (WCSB)
 Pennsylvanian-Permian facies descriptions 55–57, **63–65**
 Asselian-Sakmarian 59–61
 Kasimovian-Gzhelian 59
 Moscovian 57, 59
 facies interpretations 61, 67–68
 palaeogeographic setting 47, 49
 palaeolatitude 53, 55
 shelf cyclicity 55
 stratigraphic setting 48, 50, 51, 52
 tectonic elements 53
- Canning Basin 6
- Cape Fold System 6
- Capitanian extinction event 408
- carbon dioxide, climatic role of 25
- carbonate associations
 Pennsylvanian-Permian of Western Canada Sedimentary Basin (WCSB)
 facies descriptions 55–57, **63–65**
 Asselian-Sakmarian 59–61
- Kasimovian-Gzhelian 59
 Moscovian 57, 59
 facies interpretations 61, 67–68
 palaeogeographic setting 47, 49
 palaeolatitude 53, 55
 shelf cyclicity 55
 stratigraphic setting 48, 50, 51, 52
 tectonic elements 53
- Carboniferous
 Pennsylvanian, vegetation patterns in Markley Formation
 depositional setting 202
 facies descriptions **208**
 lithofacies analysis 214–218
 lithology 207
 palaeobotanical analysis
 method of collection 204, 207, 208, 209
 methods of macrofossil quantification 209–210
 methods of palynological quantification 210–211
 methods of statistical analysis 211, 214, **214**
 palaeobotanical results 212, 213
 macrofossils 218–222
 palynology 222–224
 palaeobotanical results discussed
 autocyclic coexistence models 226–227
 autocyclicity v. allocyclicity 227–230
 niche-based assembly dynamics 224–225
 space-time relationships 226
 vegetation patterns 225–226
 sampling pattern 204, **204**
 field sites 205, 206
 sedimentology 202–204
 stratigraphic context 202, 203
- Stephanian, Saale Basin red beds
 biostratigraphy 182–183
 geological setting 178
 history of research 177
 lithostratigraphy and facies analysis 179, 180, 181–182, 184
 palaeogeography and climatic environment 178–179
 problems in depositional environmental analysis 183
 a new approach
 methods 185–187
 results 187–189
 results interpreted 189–192
- Westphalian, South African diamictites 9
- Carboniferous-Permian boundary
 Gondwana glaciation 307
 Spitsbergen
 geological setting 269–270, 271, 272
Palaeoaplysina build-ups 272–273
 ecology 295–296
 facies descriptions 285–295
 facies distribution and associations 296–299
 field observations 284–285

- flora and fauna 276–277,
279–280
brachiopods 282–283
bryozoans 283
calcareous algae 277–279
corals 282
echinoderms 283
foraminifera 280–282
gastropods 282
trace fossils 283
stratigraphy 272, 389
Tempelfjorden Group
389–391
Kapp Starostin Formation 388,
389–390, 389, 391
brachiopod study 391–392,
397
Western Canada Sedimentary Basin
(WCSB)
facies descriptions 55–57, **63–65**
Asselian-Sakmarian 59–61
Kasimovian-Gzhelian 59
Moscovian 57, 59
facies interpretations 61, 67–68
palaeogeographic setting 47, 49
palaeolatitudes 53, 55
shelf cyclicality 55
stratigraphic setting 48, 50, 51, 52
tectonic elements 53
Yangtze Platform sediments 236
Carnia Basin, Late Palaeozoic
depositional systems 20, 21
cathodoluminescence, Austria,
Devonian-Carboniferous
boundary samples 94
cement types, Zongdi section (Yangtze
Platform) 241, 243, 245
Cenozoic Ice Age, similarities with Late
Palaeozoic Ice Age (LPIA) 307
Central European Basin (CEB)
geological setting 74–75, 74
salt series 457
Zechstein-Buntsandstein
lithostratigraphy 75–77
see also Southern Permian Basin *also*
European Permian Basin
Central Graben 550, 551
Chandalaz Formation 413, 416, 417,
423, 425
Changshun shale 37
Chanic orogeny 112
chemostratigraphy of Permo-Triassic
Boundary
Croatia 541, 541, 542
methods of analysis 540
results 542–545
results interpreted 545–546, 545
North German Basin 555
Chhsia Formation 39
China, Devonian-Carboniferous
boundary stratotype 88
China (South)
geological setting 33–34
Carboniferous
geographical distribution
Southeast Province 36
Yangtze Province 34–36
Lower 33
Upper 33
Carboniferous-Early Permian
biotic events 40
brachiopods 41
conodonts 42
fusulinaceans 41–42
rugose corals 39, 41
carbon isotope records 43
climate cycles 42–43
climatic setting 34
sedimentary cycles 36–37,
38, 39
Pennsylvanian-Cisuralian succession
Zongdi section (Yangtze Platform)
depositional sequences
internal architecture
246–247, 247,
250–251
microfabric 248
recognition 245–246
sedimentary structures 249
fusuline biostratigraphy 251,
252, 253, 254, 256
modelling depositional cycles
253, 255
epeiric tectonic signal 255,
257–259
palaeoclimatic significance
263
thickness variation 259–262
setting 236–237, 237
stratigraphy 238
subaerial exposure features
237–238, 239, 240
alveolar texture 239, 241,
242, 243
crystal silts 245
leaching 245
Microcodium 241, 242,
243, 244
rhizoliths 239, 242, 243
Chondrites 390
Cisuralian palaeogeography 236
Cisuralian reefs of East European
Platform 343–344
biostratigraphic framework
344–345, 345
carbonate associations 347, 349
descriptive terminology 347
extrinsic controls 360–361
facies analyses 356, **357**, 358, **359**
heterozoan associations 355,
357, 359
lithostratigraphy, Timan Pechora 354
locations studied 348, 350
palaeogeographic setting 345–347
photozoan associations 351–353,
352
sedimentological history 359–360
stable isotope evidence 361–362
temperature significance 349, 351
climate
end Permian 74, 467
impact on extinction 110
Late Permian 475–477, 531–532
relation to aeolian deposits
449–451
Upper Carboniferous-Triassic
climate profile 21–23, 24
climate change proxies *see* brachiopod
studies *also* $\delta^{13}\text{C}$ *also* $\delta^{18}\text{O}$ *also*
reef biota
coal reserves 5
Collingham Formation 10, 11
Collio Basin, Late Palaeozoic
depositional systems 19–20
Collio-Etsch-Carnia Basin 6
conchostracans, Zechstein 73
Congo Basin, Late Palaeozoic
depositional systems 6, 14–15, 22
conodonts
Carboniferous-Early Permian of
South China 42
Devonian-Carboniferous boundary
87–88
Austria 90, 91, 92, 93, 98
Moscovian 57, 59, 60
Zechstein 73, 75, 80
Contrin Formation 21, 21
Copper Shale (Kupferschiefer)
467, 478
corals
Carboniferous-Early Permian of
South China 39, 40, 41
extinction events 407–409
Permian of Primorye
assemblage descriptions 417, 419
I 419–420
II 420–421
III 421, 423
IV 423
geological setting 409, 411,
412, 413
Laolin-Grodekovo terrane
411–412, 414
Sergeevka terrane 413,
415–416, 415, 416, 417
Voznesenka terrane 416–417,
417
historical background 409, 410,
411
isotopic data 415, 417, 419, 425
proposed extinction mechanisms
425–426
Upper Carboniferous-Lower Permian
of Spitsbergen 282
Cortéz, Sea of, environmental analogue
67–68
cosmic ray flux 25–26
Counsel Creek Formation 310, 313
Croatia
Late Palaeozoic climatic
interpretation
Carboniferous-Permian 542
Permian-Triassic 543
Late Palaeozoic isotopic evidence
544–546
Late Palaeozoic palaeontology
543–544
Late Palaeozoic stratigraphy
Carboniferous-Permian 540–542
Permian-Triassic 542
Crumbled Shale Bed Interval 552
crystal silts, Zongdi section (Yangtze
Platform) 245
Cuyania Terrane 110
cyclicality in sedimentation
Saale Basin Stephanian red beds
study
methods 185–187
results 187–189
results interpreted 189–192
cyclothems
British coal measure basins 235
Donets Basin 235, 236
first described 235
Lublin Basin 141, 142–143, 142,
144, 145

- cyclothem (Continued)
 methods of analysis 145, 148–149
 results
 cyclothem
 fining-up 157
 type Ic 149, 154, **155**
 type Id 155–156, 156, **156**
 type IIc 152–153, 154
 type IIId 156–157, 156
 type IIIc 153, 155, **155**
 type IIIId 156, 157
 well log recognition 157–160
 lithofacies 149, **150, 151**, 152, 153
 sequence stratigraphy 146, 147, 148
 results interpreted
 depositional environments 161–165
 depositional systems tracts 167
 sea level and palaeoclimate 167–171
 sequence stratigraphy 165–167
 Moscow Syncline 235, 236
 North American Midcontinental Basin 235, 236, 253, 255, 257, 258, 259
 Zongdi section cyclothem
 depositional sequences
 internal architecture 246–247, 247, 250–251
 microfabric 248
 recognition 245–246
 sedimentary structures 249
 fusuline biostratigraphy 251, 252, 253, 254, 256
 modelling depositional cycles 253, 255
 epeiric tectonic signal 255, 257–259
 palaeoclimatic significance 263
 thickness variation 259–262
 setting 236–237, 237
 stratigraphy 238
 subaerial exposure features 237–238, 239, 240
 alveolar texture 239, 241, 242, 243
 crystal silts 245
 leaching 245
Microcodium 241, 242, 243, 244
 rhizoliths 239, 242, 243
 Czech Republic, Devonian-Carboniferous boundary stratotype 88
 Darlington Limestone 323, 325, 326, 326, 327, **328**, 329
 delta systems, Lublin Basin interpretation 161–163, 161, 165
 desiccation polygons 467
 Dethlingen Formation 446
 Devonian-Carboniferous (D/C) boundary 37, 87–89
 Austria, Steinberg section
 conodont biozones 90, 91, 92, 93, 98
 geochemical analyses
 methods 99–100
 results 100–102
 results discussed 102–104
 global sections 88
 Dian-Qian-Gui Basin (China) 35–36, 35, 236
Dicksonites pluckenettii 183, 183
 Donets Basin 235, 236
 Doulingao Formation 37
 Drawa Formation 431, 433
 dropstones 309, 312, 332
 dune cross bedding, Polish Upper Rotliegend Basin 433
 dune types
 Northern Permian Basin 446
 Polish Upper Rotliegend Basin 433
 Southern Permian Basin 445
 Duruma Basin 12
 Dwyka Group tillite 7, 10
 East Africa, Late Palaeozoic depositional systems 12–14
 East European Platform (EEP)
 Permian reef complexes 343–344
 biostratigraphic framework 344–345, 345
 carbonate associations 347, 349
 descriptive terminology 347
 extrinsic controls 360–361
 facies analyses 356, **357**, 358, **359**
 heterozoan associations 355, 357, 359
 lithostratigraphy, Timan Pechora 354
 locations studied 348, 350
 palaeogeographic setting 345–347
 photozoan associations 351–353, 352
 sedimentological history 359–360
 stable isotope evidence 361–362
 temperature significance 349, 351
 Ecce Group 10, 11, 23
 eccentricity, Milankovitch cycle 191, 192
 echinoderms, Upper Carboniferous-Lower Permian of Spitsbergen 283
 ecological crisis, end Permian 74
 Eichsfeld-Altmark Swell 75, 550, 551
 Ems Low 74–75
 equilibrium line altitude 335
 Etsch Basin, Late Palaeozoic depositional systems 20–21, 20
 European Permian Basin (EPB) 458, 459
see also Central European Basin
 evaporites and evaporite cycles 5, 457
 Zechstein 75–76, 76
 Polish Permian Basin 458, **460**
 extinction events 5, 73, 407, 549
 Guadalupian 425–426
 Guadalupian-Lopingian 407, 408–409
 facies analysis
 British Columbia Pennsylvanian-Permian
 facies descriptions 55–57, **63–65**
 Asselian-Sakmarian 59–61
 Kasimovian-Gzhelian 59
 Moscovian 57, 59
 facies interpretations 61, 67–68
 East European Platform reefs 356, **357**, 358, **359**
 Markley Formation (Texas) **208**
 North German Basin 550
 Saale Basin Stephanian red beds 179, 181
 Spitsbergen *Palaeoaplysina*
 build-ups 285–295
 Falkland Basin 6, 22
 Falkland Islands Gondwana glaciation evidence 10
 Faulkner Group 310, 312, 313
 Fellers Creek section 48, 50, 51, 57, 59, 60
 Finnmark Platform, *Palaeoaplysina*
 build-ups 274
 Foldvik Creek Group 389
 foraminifera, Upper Carboniferous-Lower Permian of Spitsbergen 280–282
 Fort Brown Formation 10, 11
 France, Devonian-Carboniferous boundary stratotype 88
 Friesland Formation 75, 76, 552
 Fulda Formation 75, 76, 551, 552
 fusulinaceans 60–61, 61, 62
 Carboniferous-Early Permian of South China 41–42
 fusuline biostratigraphy, Zongdi section (Yangtze Platform) 251, 252, 253, 254, 256
 fusulinids, extinction event 407, 408
 Gabon
 Late Palaeozoic depositional systems 15, 22
 galactic cycles 25–26
 gas reserves 5
 gastropods, Upper Carboniferous-Lower Permian of Spitsbergen 282
 geochemical analyses
 Austria Steinberg section
 methods 99–100
 results 100–102
 results discussed 102–104
 Poland, Main Dolomite Kamień Pomorski core analysis
 methods 479–480
 results
 major elements 485, 486, 487, **488**, **489**, 490–491
 minor elements 485, 486, 487, **488**, **489**, 490–491
 results interpreted
 geochemistry 494–498
 results modelled 504–512
 significance of modelled results 512–516
 Venezuela, Permian brachiopods
 methods of analysis 370–371
 results 372, **372**
see also $\delta^{13}\text{C}$ *also* $\delta^{18}\text{O}$
 Germany
 Devonian-Carboniferous boundary stratotype 88
 North German Basin 550, 551
 chemostratigraphy
 methods of analysis 556
 results 556–558, 559, **559**, **560**, 561, 562
 results discussed 558–560, 563–568

- facies
 Lower Buntsandstein Subgroup 550
 Zechstein Group 550
 Late Permian wind direction 446
 Rotliegend stratigraphy 440
 North German Rotliegend Basin 431, 432
 Saale Basin (Germany)
 Stephanian red beds
 biostratigraphy 182–183
 geological setting 178
 history of research 177
 lithostratigraphy and facies analysis 179, 180, 181–182, 184
 palaeogeography and climatic environment 178–179
 problems in depositional environmental analysis 183
 a new approach
 methods 185–187
 results 187–189
 results interpreted 189–192
 Zechstein-Buntsandstein
 lithostratigraphy 75–77, 392
 magnetostratigraphy 77, 79
 Gevanim Formation 19
 Gharif Formation 15, 16
 glacial events, impact on sediment cycles 37, 38
 global warming, impact on ecology 110
 Glückstadt Graben 550, 551
 Gondwana
 early Permian reconstruction 6–8, 6
 glaciation and deglaciation 5, 6, 22–23, 307, 393
 effect on sea-level change 33, 235
 Late Palaeozoic Ice Age (LPIA)
 evidence 21–23, 109
 modelling for Paganzo Basin 118, 118, 119
 seaway evidence 367, 368, 368
 Gorenzen Formation 179, 184
 Gorski Kotar (Croatia) 540
 Carboniferous-Permian
 climatic interpretation 543
 stratigraphy 540–541
 Grauer Salztou 75, 76
 greenhouse effect 467
 Grey Pelite 478, 525
 Grey Salt Clay 75, 76
 Grey Shale 467
 Grey-Green Boundary Bed Interval 552–553, 554
 Grillenberg Subformation 179, 182, 184, 192
 Groeden Sandstone 20, 21, 23
 Guadalupian reefs of East European Platform 343–344
 biostratigraphic framework 344–345, 345
 carbonate associations 347, 349
 descriptive terminology 347
 extrinsic controls 360–361
 facies analyses 356, 357, 358, 359
 heterozoan associations 355, 357, 359
 lithostratigraphy, Timan Pechora 354
 locations studied 348, 350
 palaeogeographic setting 345–347
 photozoan associations 351–353, 352
 sedimentological history 359–360
 stable isotope evidence 361–362
 temperature significance 349, 351
 Guadalupian-Lopingian extinction event 407, 408–409, 425–426
 Guandacol Formation 112, 113
 biostratigraphy 113
 stratigraphic analysis
 methods 114–115
 results
 palaeoecology 119
 sedimentology 115–119
 results discussed 131–135
Halimeda bioherms 279
 Hangenberg event 89
 Hangenberg Shale 87
 Hannover Formation 446
 Harpersville Formation 202, 203, 204, 205, 206
 Hasselbachtal, Devonian-Carboniferous
 boundary stratotype 88
 Haushi Group 22
 Haute Luecki Formation 15
 Heinrich events 313
 Hessian Depression 75, 550, 551
 Holthusen borehole (North German Basin) 556, 558
 Honghe Fault 33, 34
 Horn Graben 550, 551
Horridonia horrida 393, 394, 395
 shell analysis as climate proxy
 methods 396–398
 results 398–400
 results discussed 400–401
Horridonia timanica 391, 392, 393, 394, 395
 shell analysis as climate proxy
 methods 396–398
 results 398–400
 results discussed 400–401
 Houlongmenshan-Jinpingshan Fault 33, 34
 humidity-aridity fluctuation, Late Permian 431, 433, 469, 469, 475–477
 Hunte Swell 75
 hydrocarbons 5
 intraformational 524
 Main Dolomite
 hydrocarbon potential 534–535
 microbialites 528, 533–534
 organic productivity 532–533
 reservoir potential 525
 total organic carbon and organic matter maturity 527, 529, 530–531, 532
 modelling distribution 535–536
 ice sheets, Gondwana 5, 6, 22–23, 307, 393
 ichnofossils *see* trace fossils
 Idusi Formation 12, 13, 14
 Ilima Basin 12
 Illawarra Reversal 80
 Inglis Formation 312, 312
 insoluble residue (IR), Kamiń Pomorski core analysis 478, 480, 482, 484, 488, 489, 490–491, 491, 492, 503, 504
 interstellar dust 26
 Intertropical Convergence Zone (ITCZ) 367
 intraformational hydrocarbons 524
 iridium (Ir) anomalies 93
 Iwaizaki Limestone 407
 Jawb Formation 22
 Johnston Canyon Formation 50, 61
 Kajetanów Limestone, brachiopod study 396–397
 Kalahari Basin 12
 Kalahari-Luangwa Basin 6
 Kamiń Pomorski Main Dolomite
 carbonate platform 477, 478, 479, 523, 524
 core analysis
 methods 479–480
 results
 carbon isotopes 480–481, 482, 484, 485
 major elements 485, 486, 487, 488, 489, 490–491
 minor elements 485, 486, 487, 488, 489, 490–491
 oxygen isotopes 480–481, 482, 484, 485
 results interpreted
 geochemistry 494–498
 palaeoclimatic proxies 498–504
 sedimentary conditions 491–494
 results modelled 504–512
 significance of modelled results 512–516
 depositional environments 525, 526, 527
 intraformational hydrocarbon potential 534–535
 microbialites 528
 as source rocks 533–534
 organic productivity 532–533
 reservoir potential 525
 salinity environment 532
 total organic carbon and organic matter maturity 527, 529, 530–531, 532
 modelling distribution 535–536
 Kamura event 407, 408
 $\delta^{13}\text{C}$ anomaly 407–408
 Kanokura Formation 407
 kaolinite, significance of 22–23
 Kapp Starostin Formation 388, 389–390, 389, 391
 brachiopod study 391–392, 397
 Karoo Basin 6
 glacial deposits 22
 Late Palaeozoic depositional systems 7–12
 Upper Carboniferous-Triassic
 climate profile 22, 24
 Karoo glacial maximum 12
 Katberg Formation 11, 11
 Kenya 12
 kerogen analyses, North German Basin 556, 557, 559

- Khenifra Basin 17
 Khuff Formation 15, 16, 23
 Kiaman Reversed Polarity Superchron 80
Kochiproductus porrectus 392
 Ksituan Formation 59
 Kupferschiefer 75, 76, 80, 525, 551
- Lagorai Volcanics 20
 Laingsburg Formation 10, 11
 Lake Menz Formation 7, 11
 Late Palaeozoic Ice Age (LPIA) 33, 109–110, 235, 307, 308, 335, 475, 523
 Late Permian
 climate cycles 475–477
 precipitation 523
 temperatures 523
 wind directions 443–448
see also Zechstein
 latitudinal comparisons *see* palaeolatitude
 leaching, Zongdi section (Yangtze Platform) 245
 Leine Formation 75, 76, 552
 Leman Formation 431
 Levante, Late Palaeozoic depositional systems 18–19
 Levante Basin 6
Levipustula faunal assemblage 113
 Lhasa-Baoshan-Shan (LBS) Block 6, 7
 Libya, Late Palaeozoic depositional systems 18
 Liffey Group 310, 312, 313
Linoproductus dorotheevi 392
 London-Brabant Massif 74, 550, 551
 limestones 309, 310, 312, 313, 332
 Longmenshan (China), distribution of Carboniferous 34–35
 Loppa High, *Palaeoaplysina* build-ups 274
 Lower Anhydrite 478, 525
 Lower Buntsandstein Formation 75, 76
 Lower Erratic Zone (Maria Island) 315, 317, 318, 319, 321, 322, 323, 324
 Lublin Basin (Poland)
 Carboniferous stratigraphy 142–143, 144, 145
 methods of analysis 145, 148–149
 results
 cyclothems
 fining-up 157
 type Ic 149, 154, 155
 type Id 155–156, 156, 156
 type IIc 152–153, 154
 type IIId 156–157, 156
 type IIId 153, 155, 155
 type IIId 156, 157
 well log recognition 157–160
 lithofacies 149, 150, 151, 152, 153
 sequence stratigraphy 146, 147, 148
 results interpreted
 depositional environments 161–165
 depositional systems tracts 167
 sea level and palaeoclimate 167–171
 sequence stratigraphy 165–167
 setting 141, 142
- Lukasashi-Luangwa Basin 12
 Lukuga Formation 15
 Lyadyanza Formation 413, 415, 416, 417
- Mackellar Formation 22
 Madagascar
 Late Palaeozoic depositional systems 12, 14, 22, 23
 Upper Carboniferous-Triassic climate profile 24
 magnetostratigraphy
 global Permian record 79–82, 80
 importance of 74
 North German Basin, Zechstein Group 555
 Pennsylvanian apparent polar wander path 112
 Zechstein 77–79
 Main Anhydrite 458, 478, 525
 Main Dolomite 477, 478, 523, 524
 depositional environments 525, 526, 527
 intraformational hydrocarbon potential 534–535
 Kamień Pomorski core analysis
 methods 479–480
 results
 carbon isotopes 480–481, 482, 484, 485
 major elements 485, 486, 487, 488, 489, 490–491
 minor elements 485, 486, 487, 488, 489, 490–491
 oxygen isotopes 480–481, 482, 484, 485
 results interpreted
 geochemistry 494–498
 palaeoclimatic proxies 498–504
 sedimentary conditions 491–494
 results modelled 504–512
 significance of modelled results 512–516
 microbialites 528
 as source rocks 533–534
 organic productivity 532–533
 reservoir potential 525
 salinity environment 532
 total organic carbon and organic matter maturity 527, 529, 530–531, 532
 modelling distribution 535–536
 Majiaoba Formation 37
 major element analyses
 Austria, Devonian-Carboniferous boundary section 96, 101, 102–104
 Kamień Pomorski Main Dolomite
 methods 479–480
 results 485, 486, 487, 488, 489, 490–491
 results interpreted 497–498
 Majunga Basin 12, 14
 Malagasy Trough 7, 8, 12
 Manda Beds 13, 14, 15
 Mandra-Lugh Basin 12
 Mansfield Subgroup 180, 184, 185, 192
 Maokou Formation 408
- Maria Island (Tasmania)
 Basal Beds 335–337
 depositional setting 332–333
 Darlington Limestone 334–335
 Lower Erratic Zone 333–334
 Upper Erratic Zone 335
 sedimentology
 Darlington Limestone 323, 325, 326, 326, 327, 328, 329
 Lower Erratic Zone 315, 317, 318, 319, 320, 321, 322, 323, 324
 Upper Erratic Zone 329–330, 330, 331, 332
 stratigraphy 312–313, 314
 Lower Parmeener Supergroup, stratigraphy 310–313, 310
 pre-Parmeener unconformity 314–315, 316, 317
- Markley Formation
 depositional setting 202
 facies descriptions 208
 lithofacies analysis 214–218
 lithology 207
 palaeobotanical analysis
 method of collection 204, 207, 208, 209
 methods of macrofossil quantification 209–210
 methods of palynological quantification 210–211
 methods of statistical analysis 211, 214, 214
 palaeobotanical results 212, 213
 macrofossils 218–222
 palynology 222–224
 palaeobotanical results discussed
 autocyclic coexistence models 226–227
 autocyclic v. allocyclic 227–230
 niche-based assembly dynamics 224–225
 space-time relationships 226
 vegetation patterns 225–226
 sampling pattern 204, 204
 field sites 205, 206
 sedimentology 202–204
 stratigraphic context 202, 203
 Marra Formation 310, 313
 mass extinction 26
 Devonian (Famennian) 87, 89
 Permo-Triassic 73, 467, 549
 Mathinna Beds 314, 316, 317
 Mbuyura Formation 12, 13, 14
 Mchuchuma Formation 12, 13, 14
 Mehra Ben Abbou Basin 18
 Median Thermal Swell 9
 Mendel Dolomite 21, 21
Merrillina divergens 75, 80
Mesogondolella britannica 75, 80
 Metangula Basin 12
 Mhukuru Formation 13, 14
Microcodium
 in *Palaeoaplysina* build-ups 298–299
 Zongdi section (Yangtze Platform) 241, 242, 243, 244
 Mid North Sea High 74, 524, 550, 551
 Mid-Polish Trough 550, 551

- Milankovitch cycles 25, 469
 identification by time-series analysis
 methods 185–187
 results 187–189
 results interpreted 189–192
- minor element analyses
 Austria, Devonian-Carboniferous
 boundary section **96**, 99, 101,
 102–104
 Kamień Pomorski Main Dolomite
 methods 479–480
 results 485, 486, 487, **488**, **489**,
 490–491
 results interpreted 496–497
- Mirow Formation 446
- Mohilla Formation 19
- Monte Mignolo Sandstone 20
- Moravia, Devonian-Carboniferous
 boundary stratotype 88
- Moray Firth, Late Permian wind 444
- Morocco, Late Palaeozoic depositional
 systems 17–18
- Morocco Basin 6
- Morondava Basin 6, 12, 14
- Moscow Syncline 235, 236
- mound, descriptive terminology
 273, 347
- Mount Cornock section 48, 50
- Mountain Creek section 48, 50, 56,
 57, 59
- Mucuchachí Basin 368
- Mucuchachí Formation 368
- $\delta^{15}\text{N}$, Main Dolomite gases 525, 529
- Namibia 12
 deglaciation sequences 10
- Nanbiancun, Devonian-Carboniferous
 boundary stratotype 88–89
- Naqing section (China) 382, 383
- Negev
 Late Palaeozoic depositional systems
 18–19
 Upper Carboniferous-Triassic
 climate profile 24
- Netherlands, Zechstein-Lower
 Buntsandstein
 lithostratigraphy 76
 magnetostratigraphy 77, 77
- Niger
 Late Palaeozoic depositional systems
 17, 22
- Ninglang-Dali (China), distribution of
 Carboniferous 35, 35
- non-metric multidimensional scaling
 (NMDS) 211, 214, 219–222
- North American Midcontinental Basin
 235, 236, 253, 255
- North Atlantic seaway, role in evaporite
 cycles 468, 470
- North German Basin 431, 432, 550, 551
 chemostratigraphy
 methods of analysis 556
 results 556–558, 559, **559**, **560**,
 561, 562
 results discussed 558–560,
 563–568
- facies
 Lower Buntsandstein Subgroup
 550
 Zechstein Group 550
 Late Permian wind direction 446
 Rotliegend stratigraphy 440
- North Sumatra Block 7
- Northern Permian Basin 393, 524
 aeolian deposits 431
 connection to Boreal Realm 388
 Late Permian wind 444
- Northern Permo-Triassic Basin 550
- Norwegian Barents Sea
 Carboniferous-Permian stratigraphy
 388, 389
Palaeoaplysina build-ups 274
- Norwegian-Greenland seaway
 388, 393
- Noteć Formation 431, 433
- $\delta^{18}\text{O}$
 Austria, Devonian-Carboniferous
 boundary section **95**, 97, 100,
 101, 102–104
 brachiopods as climate proxies
 387–388
 methods of analysis 396–398
 results 398–400
 results discussed 400–401
- Croatia, Permian-Triassic boundary
 544–546
- Kamień Pomorski Main Dolomite
 study
 methods 480
 results 480–481, **482**, **484**, 485
 results interpreted 496–497
- Permian brachiopods 25
- Permian reefs of East European
 Platform 344, 361–362
- Venezuelan Permian as climate
 proxy
 methods 370
 results **374–375**, 376
 results discussed 380–381
 significance of results 381–383
- Oehlertella* sp. 119
- Ogaden 12
- Ohre Formation 75, 76, 552
- oil reserves 5
- Older Halite 458, 463, 464, 465, 478,
 525, 525
- Older Potash 458, 465, 478, 525
- Oldest Halite 458, 461, 462, 463, 478,
 525, 525
- Oman
 Late Palaeozoic depositional systems
 15–16
 Upper Carboniferous-Triassic
 climate profile 22, 24
- Orbiculoidea* so. 119
- orbital forcing *see* Milankovitch cycles
- ordination analysis 224, 224
- organic carbon analysis
 Austria, Devonian-Carboniferous
 boundary section **95**, 98, 100,
 101, 102–104
 Kamień Pomorski core 478, 480,
482, **484**, **488**, **489**, 490–491,
 504
 results interpreted 493–494
- North German Basin 556, 558,
 559, 563
- Poland, Main Dolomite 527, 529,
 530, 531
- Ørret Formation 388, 389
- Paganzo Basin (Argentina)
 Carboniferous biostratigraphy 113
- Carboniferous setting 110, *111*,
112, *113*
- Late Carboniferous sedimentological
 studies
 Guandacol Formation 112, *113*
 biostratigraphy 113
 stratigraphic analysis
 methods 114–115
 results
 palaeoecology 119
 sedimentology 115–119
 results discussed 131–135
- Tupe Formation 112, *113*
 biostratigraphy 113
 stratigraphic analysis
 methods 114–115
 results
 palaeoecology 122–123,
 124
 sedimentology 119–122,
 123–124
 results discussed 131–135
- Paganzo Group 112, *113*
 biostratigraphy 113
- Palaeo-Tethys 7, 367, 368, 382, 542,
 543
- Palaeoaplysina* build-ups
 descriptive terminology 273
 extent of 269, 270
 Upper Carboniferous-Lower Permian
 of Spitsbergen 272–273
 ecology 295–296
 facies descriptions 285–295
 facies distribution and associations
 296–299
 field observations 284–285
 flora and fauna 276–277,
 279–280
 brachiopods 282–283
 bryozoans 283
 calcareous algae 277–279
 corals 282
 echinoderms 283
 foraminifera 280–282
 gastropods 282
 trace fossils 283
- palaeobotany of Markley Formation
 depositional setting 202
 facies descriptions **208**
 lithofacies analysis 214–218
 lithology 207
 palaeobotanical analysis
 method of collection 204, 207,
 208, 209
 methods of macrofossil
 quantification 209–210
 methods of palynological
 quantification 210–211
 methods of statistical analysis 211,
 214, **214**
 palaeobotanical results *212*, *213*
 macrofossils 218–222
 palynology 222–224
- palaeobotanical results discussed
 autocyclic coexistence models
 226–227
 autocyclicity v. allocyclicity
 227–230
 niche-based assembly dynamics
 224–225
 space-time relationships 226
 vegetation patterns 225–226

- palaeobotany of Markley Formation (*Continued*)
 sampling pattern 204, **204**
 field sites 205, 206
 sedimentology 202–204
 stratigraphic context 202, 203
- palaeogeography
 Early Permian 34, 368
 Famennian 88
 Guadalupian 388
 Late Permian 391, 459, 475–477, 524
 Pennsylvanian-Cisuralian of South China 236
 Pennsylvanian-Permian 49
 Stephanian 178–179, 178
- palaeolatitude and effect on climate
 Permian climate studies in Northern Europe by isotope analysis 25, 387–388
 introduction 391, 393–396
 methods 396–398
 results 398–400
 results discussed 400–401
- Permian climate studies in Venezuela
 by isotope and geochemical analysis
 methods 370–371
 results 371–376
 results discussed 376–381
 significance of results 381–383
- palaeomagnetic studies
 global Permian record 79–82, 80
 importance of 74
 North German Basin, Zechstein Group 555
 Pennsylvanian apparent polar wander path 112
 Zechstein 77–79
- Palmar River section 370
- Palmarito Formation 368, 369
 geological setting 368–369
 studied sections 369–370
 methods of analysis 370–371
 results
 $\delta^{13}\text{C}$ 372–373, **374–375**, 376
 $\delta^{18}\text{O}$ **374–375**, 376
 Sr isotopes 372
 thin sections 371–372
 trace elements 372
 results discussed
 $\delta^{13}\text{C}$ 377, 379–380, 379
 $\delta^{18}\text{O}$ 380–381, 380
 Sr isotopes 376, 378, 378
 significance of results
 marine circulation 382–383
 palaeoclimate 381–382
- palynology
 North German Basin, Zechstein 73, 555
 Texas, Pennsylvanian 210–211, 222–224
- Pangea 475–476
 end Permian extent 467, 523
 Guadalupian palaeogeography 388
 Late Permian climate 431
 Late Permian location 75, 458, 459, 542, 543
 Pennsylvanian vegetation history from Markley Formation
 depositional setting 202
 facies descriptions **208**
 lithofacies analysis 214–218
- lithology 207
 palaeobotanical analysis
 method of collection 204, 207, 208, 209
 methods of macrofossil quantification 209–210
 methods of palynological quantification 210–211
 methods of statistical analysis 211, 214, **214**
- palaeobotanical results 212, 213
 macrofossils 218–222
 palynology 222–224
- palaeobotanical results discussed
 autocyclic coexistence models 226–227
 autocyclicality v. allocyclicality 227–230
 niche-based assembly dynamics 224–225
 space-time relationships 226
 vegetation patterns 225–226
- sampling pattern 204, **204**
 field sites 205, 206
 sedimentology 202–204
 stratigraphic context 202, 203
- Pennsylvanian-Permian climate 61
- Pangea Megasequence (PMS) 5, 6
- Panthalassa Ocean (Superocean) 367, 368, 459, 467, 542, 543
 projected circulation 382
- Parchim Formation 446
- Parneener Supergroup 309, 310
 Basal Beds 335–337
 depositional setting 332–333
 Darlington Limestone 334–335
 Lower Erratic Zone 333–334
 Upper Erratic Zone 335
- sedimentology 313–314
 Darlington Limestone 323, 325, 326, 326, 327, **328**, 329
 Lower Erratic Zone 315, 317, **318**, 319, 320, 321, 322, 323, 324
 Upper Erratic Zone 329–330, 330, **331**, 332
 stratigraphy 312–313, 314
- pendant (gravitational) cement 241
- Pennsylvanian, vegetation patterns of Markley Formation
 depositional setting 202
 facies descriptions **208**
 lithofacies analysis 214–218
- lithology 207
 palaeobotanical analysis
 method of collection 204, 207, 208, 209
 methods of macrofossil quantification 209–210
 methods of palynological quantification 210–211
 methods of statistical analysis 211, 214, **214**
- palaeobotanical results 212, 213
 macrofossils 218–222
 palynology 222–224
- palaeobotanical results discussed
 autocyclic coexistence models 226–227
 autocyclicality v. allocyclicality 227–230
 niche-based assembly dynamics 224–225
 space-time relationships 226
 vegetation patterns 225–226
- sampling pattern 204, **204**
 field sites 205, 206
 sedimentology 202–204
 stratigraphic context 202, 203
- Pennsylvanian-Permian carbonate associations of Western Canada Sedimentary Basin
 facies descriptions 55–57, **63–65**
 Asselian-Sakmarian 59–61
 Kasimovian-Gzhelian 59
 Moscovian 57, 59
 facies interpretations 61, 67–68
 palaeogeographic setting 47, 49
 palaeolatitude 53, 55
 shelf cyclicity 55
 stratigraphic setting 48, 50, 51, 52
 tectonic elements 53
- Gondwana glaciation 307
- Permian, Early 73
- Permian, Late
 climate cycles 475–477
 precipitation 523
 temperatures 523
 wind directions 443–448
see also Zechstein
- Permian, Lower *see* Carboniferous-Permian boundary
- Permian reefs of East European Platform 343–344
 biostratigraphic framework 344–345, 345
 carbonate associations 347, 349
 descriptive terminology 347
 extrinsic controls 360–361
 facies analyses 356, **357**, 358, **359**
 heterozoan associations 355, 357, 359
 lithostratigraphy, Timan Pechora 354
 locations studied 348, 350
 palaeogeographic setting 345–347
 photozoan associations 351–353, 352
 sedimentological history 359–360
 stable isotope evidence 361–362
 temperature significance 349, 351
- Permian-Triassic boundary (PTB) 73, 393
 accelerated climate warming 467
 mass extinctions 73, 407, 549
 studies using chemostratigraphy
 Croatia 541, 541, 542
 methods of analysis 540
 results 542–545
 results interpreted 545–546, 545
 North German Basin 555
 methods of analysis 556
 results 556–558, 559, **559**, **561**, 562, 563
 results discussed 558–560, 563–568
- petroleum sources and reservoirs, Main Dolomite 523
- Piedra Azul Formation 10, 22
- Pietermaritzburg Formation 10, 11
- plant fossils of Pennsylvanian, Markley Formation
 depositional setting 202

- facies descriptions **208**
 lithofacies analysis 214–218
 lithology 207
 palaeobotanical analysis
 method of collection 204, 207, 208, 209
 methods of macrofossil quantification 209–210
 methods of palynological quantification 210–211
 methods of statistical analysis 211, 214, **214**
 palaeobotanical results *212, 213*
 macrofossils 218–222
 palynology 222–224
 palaeobotanical results discussed
 autoecyclic coexistence models 226–227
 autocyclicity v. allocyclicity 227–230
 niche-based assembly dynamics 224–225
 space-time relationships 226
 vegetation patterns 225–226
 sampling pattern 204, **204**
 field sites 205, 206
 sedimentology 202–204
 stratigraphic context 202, 203
 Platy Dolomite 478, 525, 532
 Poland
 Devonian-Carboniferous boundary stratotype 88
 Lublin Basin 141, 142
 Carboniferous stratigraphy 142–143, 144, 145
 methods of analysis 145, 148–149
 results
 cyclothems
 fining-up 157
 type Ic 149, 154, **155**
 type Id 155–156, 156, **156**
 type IIc 152–153, 154
 type IIId 156–157, 156
 type IIIc 153, 155, **155**
 type IIIId 156, 157
 well log recognition 157–160
 lithofacies 149, **150, 151**, 152, 153
 sequence stratigraphy 146, 147, 148
 results interpreted
 depositional environments 161–165
 depositional systems tracts 167
 sea level and palaeoclimate 167–171
 sequence stratigraphy 165–167
 Main Dolomite 477, 478, 523, 524
 depositional environments 525, 526, **527**
 intraformational hydrocarbon potential 534–535
 Kamień Pomorski core analysis
 Methods 479–480
 results
 carbon isotopes 480–481, **482, 484, 485**
 major elements 485, 486, 487, **488, 489**, 490–491
 minor elements 485, 486, 487, **488, 489**, 490–491
 oxygen isotopes 480–481, **482, 484, 485**
 results interpreted
 geochemistry 494–498
 palaeoclimatic proxies 498–504
 sedimentary conditions 491–494
 results modelled 504–512
 significance of modelled results 512–516
 microbialites 528
 as source rocks 533–534
 organic productivity 532–533
 reservoir potential 525
 salinity environment 532
 total organic carbon and organic matter maturity 527, 529, 530–531, 532
 modelling distribution 535–536
 Zechstein-Lower Buntsandstein
 lithostratigraphy 76, 392
 magnetostratigraphy 77, 79
 Polish Permian Basin (PPB) 458, 459
 brachiopods geochemistry and palaeoclimate from Lower Zechstein
 methods of analysis 396–398
 results 398–400
 results discussed 400–401
 bromine as indicator of fluctuating environmental conditions 457–458, 460
 methods 461
 results 461
 Older Halite unit 463, 464, 465
 Oldest Halite unit 461, 462, 463
 Younger Halite 465, 466–467
 results discussed 467–470
 Zechstein cycles 475–477
 Polish Upper Rotliegend Basin (PURB) 431, 432
 aeolian sand sea study
 aeolian characteristics 433–434
 climate related to deposits 449–451
 deposit correlation 434–435, 438
 deposit description 435, 438–441, 443
 deposit evolution and distribution 436, 437
 palaeogeographic significance 448–449
 setting 432
 wind direction analyses 434, 439
 Port Sussex Formation 10, 22
 precipitation, Late Permian 431, 523
 Primorye, Permian rugose corals
 assemblage descriptions 417, 419
 I 419–420
 II 420–421
 III 421, 423
 IV 423
 geological setting 409, 411, 412, 413
 Laoelin-Grodekovo terrane 411–412, 414
 Sergeevka terrane 413, 415–416, 415, 416, 417
 Voznesenka terrane 416–417, 417
 historical background 409, 410, **411**
 isotopic data 415, 417, 419, 425
 proposed extinction mechanisms 425–426
 Prince Albert Formation 10, 11
Protogathodus, role at
 Devonian-Carboniferous boundary 89–91
 Puech de la Suque,
 Devonian-Carboniferous boundary stratotype 88
 pyrite, significance of 22–23
 Qinling-Dabie Orogen 33, 34
 Qinzhou (China) distribution of Carboniferous 35, 36
 Qiseb Formation 18
 Quamy Mudstone 312, 312
 Quebrada de Portachuelo sections 370
 Ra'af Formation 19
 Raibl Formation 21
 rare earth element analyses, Austria, Devonian-Carboniferous boundary section **97, 100, 101, 102–104**
 Ravnefeld Formation 388
 Re-Os age, Kupferschiefer 75, 551
 Red Salt Clay 75, 76
 reef, defined 273
 reef biota, Permian of East European Platform 343–344
 biostratigraphic framework 344–345, 345
 carbonate associations 347, 349
 descriptive terminology 347
 extrinsic controls 360–361
 facies analyses 356, **357, 358, 359**
 heterozoan associations 355, 357, 359
 lithostratigraphy, Timan Pechora 354
 locations studied 348, 350
 palaeogeographic setting 345–347
 photozoan associations 351–353, 352
 sedimentological history 359–360
 stable isotope evidence 361–362
 temperature significance 349, 351
 reef structures, descriptive terminology 347
 reservoir rocks, Main Dolomite 523, 533
 Rewal Formation 75–76, 79
 Rhabab Shale 15, 16
 Rhenish Massif 74, 550
 rhizoliths, Zongdi section (Yangtze Platform) 239, 242, 243
 Ringkøbing-Fyn High 74, 524, 550, 551
 Río Blanco Basin (Argentina)
 Carboniferous biostratigraphy 113–114
 Carboniferous setting 110, 111, 112–113, 113
 Late Carboniferous sedimentological study
 Río del Peñon Formation 113, 113
 biostratigraphy 113–114
 stratigraphic analysis
 methods 114–115

- Río Blanco Basin (*Continued*)
 results
 palaeoecology 130–131
 sedimentology 125–130
 results discussed 131–135
- Ripon Formation 10
- Rod el Hamal Formation 18
- Roet Formation 550
- Roter Salztön 75, 76
- Rothenburg Formation 179, 180,
 182, 184
- Rotliegend 73, 393
- Røye Formation 388, 389
- Rügen Swell 550, 551
- rugose corals studies
 Carboniferous–Early Permian of
 South China 39, 40, 41
- Permian of Primorye
 assemblage descriptions 417, 419
 I 419–420
 II 420–421
 III 421, 423
 IV 423
- geological setting 409, 411,
 412, 413
- Laoelin–Grodekovo terrane
 411–412, 414
- Sergeevka terrane 413,
 415–416, 415, 416, 417
- Voznesenka terrane 416–417,
 417
- historical background 409,
 410, 411
- isotopic data 415, 417, 419, 425
- proposed extinction mechanisms
 425–426
- Ruhuhu Basin 6, 12, 13
- Ruhuhu Formation 13, 14
- $\delta^{34}\text{S}$, Austria, Devonian–Carboniferous
 boundary section 95, 98, 100, 101,
 102–104
- Sa'ad Formation 19
- Saale Basin (Germany)
 Stephanian red beds
 biostratigraphy 182–183
 geological setting 178
 history of research 177
 lithostratigraphy and facies
 analysis 179, 180,
 181–182, 184
- palaeogeography and climatic
 environment 178–179
- problems in depositional
 environmental analysis 183
 a new approach
 methods 185–187
 results 187–189
 results interpreted 189–192
- Sabaneta Formation 368, 369
- sabkha deposits, Zechstein Sea 523
- Sahorim Formation 19
- Saiwan Formation 15, 16
- Sakmarian deglaciation 10, 22
- Salagou Formation 447
- salinity history reconstruction 460
 bromine as indicator in Polish
 Permian Basin 457–458, 460
 methods 461
 results 461
 Older Halite unit 463, 464, 465
 Oldest Halite unit 461, 462, 463
- Younger Halite 465, 466–467
 results discussed 467–470
 Zechstein Sea 532
- Samfrau Geosyncline 5, 6
- Santa Cruz de Palmarito section
 369–370
- Sanzenkogel Formation 98
- Sarl Dolomite 21, 21
- Saudi Arabia
 Late Palaeozoic depositional systems
 16, 22
 Upper Carboniferous–Triassic
 climate profile 24
- Saudi Arabia Basin 6
- Schneverdingen Graben 446
- Screening Anhydrite 458, 478, 525
- Screening Older Halite 465, 478, 525
- sea-level fluctuation
 Late Carboniferous–Early Permian
 33, 37, 39, 235
 Late Permian 469–470, 469
- Selous Basin 12
- sequence stratigraphy, Lublin Basin
 146, 147, 148, 164, 165–167
- Shannon Index 132
- shoal, descriptive terminology 347
- Siberian lava traps 467
- Sibumasu 7
- Siebigeroide Formation 180, 181, 182,
 184
- Sinai Peninsula, Late Palaeozoic
 depositional systems 18
- Siphonodella sulcata* 87–88
- Skipping Ridge Formation 310, 313
- Slagelse Trough 550, 551
- Slochteren Formation 431
- solar luminosity changes 469
- Songea Group 14
- source rocks, Main Dolomite 523, 532,
 533
- South Africa
 deglaciation sequences 10
 Late Palaeozoic depositional systems
 7–12
 Late Palaeozoic Ice Age (LPIA) 308
 Upper Carboniferous–Triassic
 climate profile 24
- South Alpine Terrane 6, 7
see also Alps, Southern
- South America, Gondwana glaciation
 evidence 10
see also Argentina *also* Venezuelan
 Andes
- South Oman Basin 6
- Southern Permian Basin (SPB) 432,
 475, 476, 523, 524, 525
 aeolian deposits 431, 432, 433
 connection to Boreal Realm 388
 Late Permian wind direction
 443–444, 445, 447–448
 palaeogeography 391
 stratigraphy 392, 393, 394, 395
 Upper Rotliegend climate 431
 Upper Rotliegend wind direction 442
see also Central European Basin *also*
 European Permian Basin
- Southern Permo–Triassic Basin 550
- Spitsbergen, Carboniferous–Permian
 studies
 geological setting 269–270, 271, 272
Palaeoaplysina build-ups 272–273
 ecology 295–296
- facies descriptions 285–295
 facies distribution and associations
 296–299
- field observations 284–285
- flora and fauna 276–277,
 279–280
 brachiopods 282–283
 bryozoans 283
 calcareous algae 277–279
 corals 282
 echinoderms 283
 foraminifera 280–282
 gastropods 282
 trace fossils 283
- stratigraphy 272, 389
 Tempelfjorden Group 389–391
 Kapp Starostin Formation 388,
 389–390, 389, 391
 brachiopod study 391–392, 397
- $^{87}\text{Sr}/^{86}\text{Sr}$ isotope analysis in
 brachiopods 387–388
 Palmarito Formation (Venezuela)
 methods 370–371
 results 372, 372, 373
 results discussed 376, 378, 378
 significance of results 383
- stable isotope analyses *see* $\delta^{13}\text{C}$; $\delta^{18}\text{O}$ –
 18; $\delta^{34}\text{S}$
- Stassfurt Formation 75, 76, 552
- Steinberg Formation 98
- Stephanian
 Saale Basin (Germany) red beds
 biostratigraphy 182–183
 geological setting 178
 history of research 177
 lithostratigraphy and facies
 analysis 179, 180,
 181–182, 184
- palaeogeography and climatic
 environment 178–179
- problems in depositional
 environmental analysis 183
 a new approach
 methods 185–187
 results 187–189
 results interpreted 189–192
- South Africa glacial deposits 9
- Stephano–Asselian Glacial Maximum
 (SAGM) 12
- Stevens High 550, 551
- Stokers Formation 309, 311, 312
- strontium isotopes *see* $^{87}\text{Sr}/^{86}\text{Sr}$
- subaerial weathering features, Zongdi
 section (Yangtze Platform)
 237–238, 239
- Sudan 15
- Suez, Gulf of, Late Palaeozoic
 depositional systems 18
- sulphate interbeds, significance of 459
- Svalbard 271
see Spitsbergen
- Svalbardopproductus arctius* 392
- Sverdrup Basin 47, 61
- Tanga Basin 12
- Tangbagou Formation 37
- Tanlu Fault 33, 34
- Tanzania 12, 14
 Upper Carboniferous–Triassic
 climate profile 24
- Tarvis Breccia 21
- Tasmania, Maria Island

- Basal Beds 335–337
 depositional setting 332–333
 Darlington Limestone 334–335
 Lower Erratic Zone 333–334
 Upper Erratic Zone 335
 sedimentology
 Darlington Limestone 323,
 325, 326, 326, 327,
328, 329
 Lower Erratic Zone 315, 317,
318, 319, 320, 321, 322,
 323, 324
 Upper Erratic Zone 329–330,
 330, **331**, 332
 stratigraphy 312–313, 314
 Lower Parneener Supergroup,
 stratigraphy 310–313, 310
 pre-Parneener unconformity
 314–315, 316, 317
- Tasmanian Basin
 Pennsylvanian, geological setting
 309
 Permian, Basal Beds 310, 310
- Teisseyre-Tornquist Zone (TTZ)
 432, 432
- Tempelfjorden Group 388, 389
see also Kapp Starostin Formation
- temperatures, Late Permian 523
- Tengchong-Malay-Sumatra (TMS)
 block 6, 7
- Tethys Ocean *see* Palaeo-Tethys
- Texas (USA), Markley Formation
 vegetation patterns
 depositional setting 202
 facies descriptions **208**
 lithofacies analysis 214–218
 lithology 207
 palaeobotanical analysis
 method of collection 204, 207,
 208, 209
 methods of macrofossil
 quantification 209–210
 methods of palynological
 quantification 210–211
 methods of statistical analysis 211,
 214, **214**
 palaeobotanical results 212, 213
 macrofossils 218–222
 palynology 222–224
 palaeobotanical results discussed
 autocyclic coexistence models
 226–227
 autocyclicity v. allocyclicity
 227–230
 niche-based assembly dynamics
 224–225
 space-time relationships 226
 vegetation patterns 225–226
 sampling pattern 204, **204**
 field sites 205, 206
 sedimentology 202–204
 stratigraphic context 202, 203
- Thuringian-West-Brandenburg Trough
 550, 551
- Tier Embayment 550
- Timan-Pechora Basin, Permian reef
 lithostratigraphy 354
- time-series analysis
 application to Stephanian red beds
 methods 185–187
 results 187–189
 results interpreted 189–192
- Tivertonia-Streptorhynchus* faunal
 assemblage, 113–114, 122, 124,
 128, 131, 132, 134
 Toarra Formation 310, 312, 313
- total organic carbon (TOC) *see* organic
 carbon
- trace elements
 Permian brachiopod shells as climate
 proxies
 methods of analysis 370
 results 372, **372**
 Kamień Pomorski Main Dolomite
 methods of analysis 479–480
 results **482–483**, 484, 485, **488**,
489, 490
 results interpreted 497–498
- trace fossils
 Kapp Starostin Formation
 (Spitsbergen) 390
 Tupe Formation (Argentina) 124
 Wordiekammen Formation
 (Spitsbergen) 283
- Triassic 23, 73
see also Permian-Triassic boundary
 (PTB)
- Trogkofel Limestone 21
- Truro Formation 309, 310, 311, 312
- Tubiphytes* Upper Carboniferous-Lower
 Permian of Spitsbergen 278
- Tunisia, Late Palaeozoic depositional
 systems 18
- Tupe Formation 112, 113
 biostratigraphy 113
 stratigraphic analysis
 methods 114–115
 results
 palaeoecology 122–123, 124
 sedimentology 119–122,
 123–124
 results discussed 131–135
- Tyrrellfjellet Member *Palaeoaplysina*
 build-ups 272, 273, 274, 275, 284,
 286, 288
 ecology 295–296
 facies descriptions 285–295
 facies distribution and associations
 296–299
 field observations 284–285
 flora and fauna 276–279
- Unayzah Formation 16
- Ungava Bay (Canada) 334
- United Kingdom, Zechstein-
 Buntsandstein lithostratigraphy
 392
- Upper Anhydrite 458
- Upper Claystone Formation 76
- Upper Erratic Zone (Maria Island)
 329–330, 330, **331**, 332
- USA
 Oklahoma, Devonian-Carboniferous
 boundary stratotype 88
see also Texas
 Usili Formation 13, 14
- Variscan Mountains, effect of
 431, 523
- Variscan orogenesis 467
- vegetation analysis, Pennsylvanian of
 Texas
 depositional setting 202
 facies descriptions **208**
- lithofacies analysis 214–218
 lithology 207
 palaeobotanical analysis
 method of collection 204, 207,
 208, 209
 methods of macrofossil
 quantification 209–210
 methods of palynological
 quantification 210–211
 methods of statistical analysis 211,
 214, **214**
 palaeobotanical results 212, 213
 macrofossils 218–222
 palynology 222–224
 palaeobotanical results discussed
 autocyclic coexistence models
 226–227
 autocyclicity v. allocyclicity
 227–230
 niche-based assembly dynamics
 224–225
 space-time relationships 226
 vegetation patterns 225–226
 sampling pattern 204, **204**
 field sites 205, 206
 sedimentology 202–204
 stratigraphic context 202, 203
- Venezuelan Andes
 Early Permian
 geological setting 368–369
 studied sections 369–370
 methods of analysis 370–371
 results
 $\delta^{13}\text{C}$ 372–373,
374–375, 376
 $\delta^{18}\text{O}$ **374–375**, 376
 Sr isotopes 372
 thin sections 371–372
 trace elements 372
 results discussed
 $\delta^{13}\text{C}$ 377, 379–380, 379
 $\delta^{18}\text{O}$ 380–381, 380
 Sr isotopes 376, 378, 378
 significance of results
 marine circulation 382–383
 palaeoclimate 381–382
- Verrucano Lombardo Formation 20
- Viala-Rabejac Formation 447
- Viking Graben 75
- Vindelician massif 550, 551
- vitrinite reflectance (VR), Poland, Main
 Dolomite 530–531
- Volkrost Formation 10, 11
- Volpriehausen Unconformity 75
- Vreyheid Formation 10, 11
- Waagenoconcha irginae* 392
- Walkenried Formation 447
- Waterford Formation 10, 11
- wavelet time-series analysis,
 Carboniferous of Saale Basin
 177–178
- wavelet transform of time series
 application to Stephanian red beds
 methods 186–187
 results 187–189
 results interpreted 189–192

- Weisslegend 433
 Werfen Formation 20, 21
 Werra Anhydrite 477, 525
 Werra Formation 75, 76, 552
 West Australian Trough 7
 Western Canada Sedimentary Basin (WCSB)
 Pennsylvanian-Permian facies descriptions 55–57, **63–65**
 Asselian-Sakmarian 59–61
 Kasimovian-Gzhelian 59
 Moscovian 57, 59
 facies interpretations 61, 67–68
 palaeogeographic setting 47, 49
 palaeolatitude 53, 55
 shelf cyclicality 55
 stratigraphic setting 48, 50, 51, 52
 tectonic elements 53
 Westphalian,
 South African diamicrites 9
 Wettin Subformation 181, 182, 184, 192
 White Hill Formation 10, 11
 wind direction analyses 434, 443–448, 532
 Woody Island Siltstone 312, 312
 Wordian, climate 23
 Wordiekammen Formation
Palaeoaplysina build-ups 272, 273, 274
 Wuchiapingian age, Kupferschifer 75
 Wulften borehole
 (North German Basin)
 methods of analysis 555–556
 results 556–558, 559, **559**, **560**, 561, 562, 563
 results discussed 558–560, 563–568
 Wynyard Formation 309, 310, 311, 312, 336
 Xiang-Gui, (China) distribution of Carboniferous 35, 36
 Yangtze Platform 236
 Pennsylvanian-Cisuralian cyclothem section
 depositional sequences
 internal architecture 246–247, 247, 250–251
 microfabric 248
 recognition 245–246
 sedimentary structures 249
 fusuline biostratigraphy 251, 252, 253, 254, 256
 modelling depositional cycles 253, 255
 epeiric tectonic signal 255, 257–259
 palaeoclimatic significance 263
 thickness variation 259–262
 setting 236–237, 237
 stratigraphy 238
 subaerial exposure features 237–238, 239, 240
 alveolar texture 239, 241, 242, 243
 crystal silts 245
 leaching 245
Microcodium 241, 242, 243, 244
 rhizoliths 239, 242, 243
 Yangtze Province, distribution of Carboniferous 34–36
 Yellow Sands 446
 Yemen 16
 Yemen Basin 6
 Yoredale cyclothem 141–142
see also cyclothem of Lublin Basin
 Younger Halite 458, 465, 466–467, 478
 desiccation polygons 467
 Younger Potash 466
 Zafir Formation 19
 Zambia 12
 Zechstein 73, 393
 evaporite cycles 76–77
 magnetostratigraphy 77–79
 global correlation 79–82
 unconformities 75
see also Late Permian *also* Permian-Triassic Boundary
 Zechstein Basin 475
 Zechstein cycles 475–477
 lithofacies 477–479
see also Main Dolomite
 Zechstein Group 524–525, 525
 North German Basin
 chemostratigraphy 565–567
 facies 550
 lithostratigraphy 551–552
 magnetostratigraphy 555
 palynostratigraphy 555
 Polish Permian Basin, evaporite cycles 458, **460**
 stratigraphy 392, 393, 394, 395
 Zechstein Limestone 391, 478, 523, 525, 532
 Zechstein Sea 467
 environments 523
 evaporation rate 532
 Zechstein-Buntsandstein boundary 73, 79, 393
 Zhe-Min-Yue (China), distribution of Carboniferous 35, 36
 Zongdi Pennsylvanian-Cisuralian cyclothem section
 (Yangtze Platform)
 depositional sequences
 internal architecture 246–247, 247, 250–251
 microfabric 248
 recognition 245–246
 sedimentary structures 249
 fusuline biostratigraphy 251, 252, 253, 254, 256
 modelling depositional cycles 253, 255
 epeiric tectonic signal 255, 257–259
 palaeoclimatic significance 263
 thickness variation 259–262
 setting 236–237, 237
 stratigraphy 238
 subaerial exposure features 237–238, 239, 240
 alveolar texture 239, 241, 242, 243
 crystal silts 245
 leaching 245
Microcodium 241, 242, 243, 244
 rhizoliths 239, 242, 243
 zuber units 458