

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- aligned cracks *see* percolation of stress fields
  - of aligned cracks
- amphibole *see* Southern Alps amphibolite, microstructural analysis
- amphibolite *see* Southern Alps amphibolite, microstructural analysis
- Anelastic Strain Relief (ASR) technique 97, 98, **99**
- anhydrite 9–10
  - reservoir caprocks 107
- anhydrite-carbonate cover sequences, Apennines 107, 120–121, *120*
- anhydrite fault gouge, compaction creep by pressure solution 107–122, *108*, **114–115**
  - Apennines anhydrite-carbonate cover 107, 120–121, *120*
  - carbon dioxide storage 107, 119, 120, *120*
  - fault healing 107, 119–121, *120*
  - models
    - diffusion-controlled 113–116, *113*, 117–120, *118*, *120*
    - dissolution-controlled 111–112, 117, *118*, 119
    - driving force 110
    - implementation and comparison of 116–119, **117**, *118*
    - microstructural 109–110, *110*
    - precipitation-controlled 112–113, 117, *118*, 119
- anhydrite fault sealing 6–7, 107, 119–121, *120*
- anisotropic piezoelectric properties, calculating using MTEX 223–247
  - constitutive equations 233–235, *234*
  - crystal reference frame 227–228
  - direct and converse effect 226–227
  - elastic wave propagation 236–239, *238*, *239*
  - hydrostatic effect 232–233
  - longitudinal surface 229, 229
  - polycrystalline quartz vein 239–246, *241–243*, *246*
  - standards for piezoelectric crystal properties 235–236, **235**, **236**
  - symmetry and rotation 227
  - visualizations 228–232, 229–232
  - Voigt average 224, 240–246, *243*, *246*
- Anisotropic PoroElasticity (APE) model 32
- anisotropic stress states 12
- anisotropy 201
  - of physical properties of pelitic rocks 142–143, 144
  - seismic anisotropy in Southern Alps amphibolite 210–215, *212–215*, **216**
  - thermoelastic strain 98
  - time-dependent strain 98
- Apennines
  - anhydrite-carbonate cover sequences 107, 120–121, *120*
  - S-C fabrics in shallow shear zone 149–165
    - assemblages studied 153–155, *154*, *155*
    - geological framework 150–153, *151–153*
    - results discussed 163–164, **163**
    - structural analysis 155–163, *156*, *157*, *159–162*
- applied rock mechanics 5–6
  - see also* formation stresses using wellbore sonic data; percolation of stress fields of aligned cracks; Sioux Quartzite, permeability and thermal cracking; stress state
- ASR *see* Anelastic Strain Relief (ASR) technique
- Athy's law 127
- basin evolution models 144
- Bingham analysis 261–262, *263*, 268
- Bingham quaternion distribution 261–262
- borehole stresses *see* formation stresses using wellbore sonic data
- Brazil Law twins 243–244, 245
- brittle faulting 3–4, 4, 12
- brittle–plastic processes 6, 12
- brittle–plastic transition (BPT) 2, 6, 7
- Brodie, Kate 20
- bulging recrystallization (BLG) 176
- Byerlee's friction rule 2, 3, 4, 5, 12
- calcite 2
  - deformation mechanism maps 6, 6, 7, 8
  - plastic microstructures 11
  - see also* Carrara marble, heterogeneous recrystallization
- capillary entry pressure, fault rocks 107
- carbonate rocks, strength profiles 2, 3
- carbon dioxide storage 12, 107, 119, 120, *120*
- Carrara marble, heterogeneous recrystallization 175–198
  - deformed grains 185, *190*, *191*, 194
  - grain boundary bulges 178, *181*, 182–184, *186*
    - formation 189–193, *192*
    - size 185, 187, *189*, *190*, 197
  - materials and methods 178, **179**, *180*, *181*
  - piezometry 194–197, *196*
  - qualitative description of microstructures 180–184, *182*, *183*, *184*, *186*, *187*
  - recrystallized grains
    - formation *192*, 193–194, *193*
    - size 184–185, *187*, *188*, *190*, 195–197, *196*
  - relationship between microstructures 185–188, *190*, *191*
- Cauchy stress tensor 69
- chemical compaction *see* illite shale powder, chemical compaction
- Christoffel tensor 237–238
- clay diagenesis 125
- clay-rich sediments
  - compaction curves 125–127, *126*
  - see also* illite shale powder, chemical compaction
- compaction, chemical *see* illite shale powder, chemical compaction
- compaction creep *see* anhydrite fault gouge, compaction creep by pressure solution
- computed tomography (CT) 204, 205
- continental lithosphere, strength and rheology 1–12
  - lithospheric strength profiles 2, 3, 4
  - lower crustal deformation

- continental lithosphere, strength and rheology (*Continued*)  
 grain size-sensitive creep 7, 8, 11  
 lower crustal structure 7–9  
 metamorphism 9–10, 10, 12  
 partial melting 9–10, 11  
 plastic deformation 4, 7, 8, 12  
 microstructural analyses 10–12  
 upper crustal deformation  
 applied rock mechanics 5–6  
 brittle faulting 3–4, 4, 12  
 critical-state soil mechanics 4–5, 5  
 pressure solution 6–7, 6  
 continuum mechanics 103–104  
 Cossato-Mergozzo-Brissago shear zone 218  
 CPO *see* crystallographic preferred orientation (CPO)  
 crack healing 59–61  
 critical crack densities *see* percolation of stress fields  
 of aligned cracks  
 critical-state soil mechanics 4–5, 5  
 cross-dipole dispersions 71, 77–78, 78, 89  
 crystallographic preferred orientation (CPO) 10–12,  
 201–202  
 calculating strength using MTEX 252–257, 256,  
 257, 266–268  
 Southern Alps amphibolite 202, 206–210, 207, **208**,  
 209–211, 217, 218  
*see also* MTEX texture analysis  
 crystal plasticity 4, 7, 8, 12
- Dauphiné Law twins 243–244, 245  
 deformation mechanism maps 6, 6, 7, 8  
 diagenesis 125–127, 126  
*see also* illite shale powder, chemical compaction  
 diffusion-controlled compaction creep 113–116, 113,  
 117–120, 118, 120  
 diffusion creep 7  
 dislocation accommodated grain boundary sliding 7, 8, 11  
 dissolution-controlled compaction creep 111–112, 117,  
 118, 119  
 dynamical systems 104  
 dynamic recrystallization 175–177, 176  
*see also* Carrara marble, heterogeneous  
 recrystallization
- earthquakes 2, 3–4, 4, 8, 12  
 eigen analysis 257–258, 258, 268  
 elastic stress fields *see* percolation of stress fields  
 of aligned cracks  
 elastic tensors 264–265, 265, 269  
 elastic wave propagation, in piezoelectric crystals  
 236–239, 238, 239  
 elastic wave propagation in prestressed formations,  
 in prestressed formations 69–74  
 electron backscattered diffraction (EBSD) 175–176,  
 178, 202, 251  
*see also* Carrara marble, heterogeneous  
 recrystallization
- Entropy-Williams-Imhof-Matthies-Vinel approach  
 (EWIMV) 202
- fault evolution during earthquake slip 12  
 fault healing 6–7, 107, 119–121, 120  
 faulting, brittle 3–4, 4, 12  
 fault rocks *see* anhydrite fault gouge, compaction creep by  
 pressure solution; Umbria–Marche Apennines,  
 S-C fabrics in shallow shear zone  
 fault-valve behaviour 107  
 Flinn, Derek 19  
 fluid-assisted fault healing 6–7, 107, 119–121, 120  
 foliated fault zones *see* Umbria–Marche Apennines,  
 S-C fabrics in shallow shear zone  
 formation stresses using wellbore sonic data 67–90, 68  
 difference equations  
 using far-field shear moduli 75  
 using radial profiles of shear moduli 72–74, 75–77  
 elastic wave propagation in prestressed  
 formations 69–74  
 North Sea case study 77–89, 78–80, 82–88  
 rotation of formation principal stresses 74–75  
 France *see* pegmatite mylonites in South  
 Armorican Shear Zone  
 frictional strength 2  
 frictional–viscous creep 6  
 frictional–viscous transition *see* brittle–plastic  
 transition (BPT)
- GBM *see* grain boundary migration (GBM)  
 geodetic techniques 8  
 geodynamic modelling 10  
 geothermal energy 12, 49  
 Global Positioning System 8  
 grain boundary bulges *see* Carrara marble, heterogeneous  
 recrystallization  
 grain boundary migration (GBM) 176, 177, 192, 195, 197  
 grain boundary sliding 7, 8, 11  
 grain size reduction 176–177, 176  
*see also* Carrara marble, heterogeneous  
 recrystallization  
 grain size-sensitive creep 7, 8, 11  
 Green's function 41  
 gypsum 9–10
- Heard, Hugh 19  
 Heckmann triangular diagram 233, 234  
 heterogeneous recrystallization *see* Carrara marble,  
 heterogeneous recrystallization
- Himalaya 10  
 Holloway, Robert 19, 20  
 horizontal stress magnitudes *see* formation stresses using  
 wellbore sonic data  
 hot isostatic press (HIP) apparatus 132  
 hydrocarbon extraction 5–6, 67  
 thermal recovery methods 49  
 hydrocarbon reservoirs 107  
*see also* formation stresses using wellbore sonic data  
 hydrostatic effect 232–233  
 hydrothermal minerals 107
- Iceland 32  
 illite shale powder, chemical compaction 125–144  
 basin evolution models 144  
 compaction procedure 131–134, **132**, **133**  
 fabric development 142–143  
 forward phase stability model 134–136, 135, 136  
 results discussed 141–144  
 role of stress on chemical compaction 143  
 sample analysis 129–131, 130, **131**

- starting materials 127–129, *128*, **129**
  - synthetic metapelite properties *130*, **131**, 136–141, *136–140*
  - Imperial College, London 19
  - inherent stresses 104
  - Institute of Electrical and Electronic Engineering (IEEE), standards for piezoelectric crystal properties 235–236, **235**, **236**
  - Insubric Line 217, 218
  - Interferometric Synthetic Aperture Radar 8
  - International Radio Engineers (IRE), standards for piezoelectric crystal properties 235–236, **235**, **236**
  - intracrystalline slip 169–170, 171
  - inverse pole figures (IPFs) 240, *242*
  - Italy
    - Ivrea–Verbano Zone 8, 9, 20, 21, 202, *203*, 218  
*see also* Apennines; Southern Alps amphibolite, microstructural analysis
    - Ivrea Body 217, 218
    - Ivrea–Verbano Zone, Italy 8, 9, 20, 21, 202, *203*, 218
  - laboratory inherent force evolution (LIFE) technique 97, *97*, **98**, **99**, 101
  - linear elastic fracture mechanics (LEFM) analysis 50, 54, *57*, 58, 63
  - lithium niobate 238, *238*, 239
  - lithospheric strength profiles 2, 3, 4
  - localization, in lower crust 7–9, 12
  - Lofoten complex, Norway 8
  - longitudinal surface 229, *229*
  - lower crustal deformation
    - grain size-sensitive creep 7, 8, 11
    - lower crustal structure 7–9
    - metamorphism 9–10, *10*, 12
    - partial melting 9–10, *11*
    - plastic deformation 4, 7, 8, 12
  - lower crustal structure 7–9
  - low-grade metamorphism *see* illite shale powder, chemical compaction
  - Maplewood Shale *see* illite shale powder, chemical compaction
  - marginal stability 96, 102
  - MatLab 225  
*see also* MTEX texture analysis
  - May, Steve 20
  - MDF *see* misorientation distribution function (MDF)
  - metamorphism
    - in lower crust 9–10, *10*, 12
    - retrograde 49
    - see also* illite shale powder, chemical compaction
  - metapelites, synthetic *see* illite shale powder, chemical compaction
  - microstructural analyses 10–12  
*see also* Carrara marble, heterogeneous recrystallization; MTEX texture analysis; Southern Alps amphibolite, microstructural analysis
  - Mid-Atlantic Ridge 32
  - M-index, in MTEX texture analysis 255–256, *256*, 267
  - misorientation distribution function (MDF) 254–256, *256*, 267
  - Monte Coscerno Thrust 150
  - Monte Massone isoclinal antiform 8, 9
  - Monte Nerone–Monte Cucco anticline 151–152, *152*, 153, *153*, 154, 164
  - Monte Vicino syncline 151, *152*, 153, *153*, 164
  - MTEX texture analysis
    - calculating anisotropic piezoelectric properties 223–247
      - constitutive equations 233–235, *234*
      - crystal reference frame 227–228
      - direct and converse effect 226–227
      - elastic wave propagation 236–239, *238*, *239*
      - hydrostatic effect 232–233
      - longitudinal surface 229, *229*
      - polycrystalline quartz vein 239–246, *241–243*, *246*
    - standards for piezoelectric crystal properties 235–236, **235**, **236**
    - symmetry and rotation 227
    - visualizations 228–232, *229–232*
    - Voigt average 224, 240–246, *243*, *246*
  - using descriptive tools with large datasets 251–269
  - Bingham analysis 261–262, 263, 268
  - calculating CPO strength 252–257, *256*, *257*, 266–268
  - datasets 252, *253*
  - eigen analysis 257–258, *258*, 268
  - elastic tensor symmetry components 264–265, *265*, 269
  - M-index 255–256, *256*, 267
  - ODF components 263–264, *264*, 269
  - ODF modes 262–263, 263, 268–269
  - scripts and outputs 266–269
  - symmetry 258–262, *260*, *261*
  - software information 225, 247
- mudstones
  - compaction curves 125–127, *126*
  - see also* illite shale powder, chemical compaction
- mylonites 9
  - pegmatite mylonites in South Armoricain Shear Zone 167–172, *168–171*
- near-criticality of Earth's crust 31
- neutron diffraction analysis 202
  - Southern Alps amphibolite 202, 206–210, *207*, **208**, *209–211*
- non-interaction approximation (NIA) 44–45
- North Sea oilfields
  - flowrate fluctuations 31
  - formation stresses using wellbore sonic data 77–89, *78–80*, *82–88*
  - shear-wave splitting 32
  - stress state experiments 97, 98, *98*, **99**, *100–102*, 101
- nuclear waste storage 49
- oceanic crust, and thermal cracking 49
- ODF *see* orientation distribution function (ODF)
- oil, thermal recovery methods 49
- oil wells
  - flowrate fluctuations 31–32
  - see also* formation stresses using wellbore sonic data; North Sea oilfields
- olivine CPO database 252, 262, 263, 265, 265  
*see also* visco-plastic self-consistent (VPSC) model of olivine CPO

- Oman Ophiolite 252, 260–261, 261  
orientation distribution function (ODF)  
in MTEX texture analysis 224, 225  
Bingham ODF 262, 263, 268  
calculating CPO strength 253–254, 255–256, 256  
calculating Voigt average of polycrystalline quartz  
vein 240, 244–246, 246, 247  
ODF components 263–264, 264, 269  
ODF modes 262–263, 263, 268–269  
scripts and outputs 252, 266–267, 268–269  
Southern Alps amphibolite 202, **208**, 211–212  
orogenesis 9
- palaeopiezometers 11, 194–197, 196, 198  
partial melting 9–10, 11  
passive margins *see* Southern Alps amphibolite,  
microstructural analysis  
Paterson apparatus 20, 132–134, **133**  
pegmatite mylonites in South Armorican Shear Zone  
167–172, 168–171  
pelitic rocks *see* illite shale powder, chemical compaction  
percolation of stress fields of aligned cracks 31–45  
in 3D continuum 35–40, 38, 39  
microcrack densities 40–41, 40  
on regular 2D hexagonal grid 34–35, 35–38, 39–40  
results discussed 41–44, 42, 43  
percolation threshold for crack coalescence 32–33, 40,  
40, 41, 42, 43, 44  
permeability  
fault rocks 107  
*see also* Sioux Quartzite, permeability and thermal  
cracking  
Perple\_X software 134, 135, 136  
phengite dehydroxylation reaction 134–135, 136, 143  
phyllosilicates 134, 135, 142–143  
piezoelectric minerals 224  
piezoelectric polycrystalline ceramics 224  
piezoelectric properties *see* anisotropic piezoelectric  
properties, calculating using MTEX  
piezometers 11, 194–197, 196, 198  
Piola–Kirchhoff stress tensor 69–70  
plagioclase *see* Southern Alps amphibolite,  
microstructural analysis  
plastic deformation 4, 7, 8, 12  
plastosphere 2  
plate tectonics 1  
and thermal cracking 49  
pole figures  
in MTEX texture analysis 225  
calculating CPO strength 256–257, 257,  
267–268  
eigen analysis 257–258, 258, 268  
piezoelectric properties of polycrystalline  
quartz vein 240, 241–243, 244, 246  
symmetry 258–262, 260, 261  
Southern Alps amphibolite 206, 209, 212  
poling 224  
polycrystalline quartz vein, piezoelectric properties  
239–246, 241–243, 246  
polyphase rocks 12  
post-orogenic mafic underplating 9  
post-seismic relaxation processes 8  
precipitation-controlled compaction creep 112–113, 117,  
118, 119  
pressure solution 6–7, 6  
*see also* anhydrite fault gouge, compaction creep by  
pressure solution; illite shale powder, chemical  
compaction; pegmatite mylonites in South  
Armorican Shear Zone; Umbria–Marche  
Apennines, S-C fabrics in shallow shear zone  
Price, Neville 19  
pseudotachylites 8
- Qatar gas fields 107  
quantitative texture analysis *see* MTEX texture analysis  
quartz  
piezoelectric properties 224  
crystal reference frame 227–228  
elastic wave propagation 238–239, 239  
polycrystalline quartz vein 239–246, 241–243, 246  
standards for 235–236, **235**, **236**  
visualizations 230, 231  
quartz fabrics in pegmatite mylonites 167, 168–171,  
168–171, 172  
quartzites  
piezoelectric properties of Tongue Quartzite 239–246,  
241–243, 246  
*see also* Sioux Quartzite, permeability and thermal  
cracking  
quaternions 261–262  
Questembert granite 167, 168  
Quiberon granite 167–169, 168–171
- Ramsay, John 19  
recrystallization  
dynamic 175–177, 176  
*see also* Carrara marble, heterogeneous  
recrystallization  
recrystallized grain size 176–177, 176  
*see also* Carrara marble, heterogeneous recrystallization  
reservoirs  
hydrocarbon 107  
storage 107, 120, 120  
*see also* formation stresses using wellbore sonic data  
residual stresses 102–103, 104  
retrograde metamorphism 49  
rock deformation apparatuses 19, 20  
Rotliegend gas fields, Netherlands 107  
Rutter, E. H. 19–23, 20–23  
areas of research 1, 21  
awards 23  
education 19  
field research 20–21  
laboratory research 19, 20  
PhD students 23–24  
publication list 24–29  
teaching 19, 21–23
- San Andreas fault, California 12  
sandstones, critical state 5, 5  
Scaglia Rossa Formation 153, 154, 154, 155, 158, 163  
S-C fabrics 7, 149, 150  
in pegmatite mylonites of South Armorican Shear Zone  
167–172, 168–171  
in shallow shear zone of Umbria–Marche Apennines  
149–165  
assemblages studied 153–155, 154, 155  
geological framework 150–153, 151–153

- results discussed 163–164, **163**
  - structural analysis 155–163, *156, 157, 159–162*
- Sceggia–Foligno Line 150, *151, 151*
- Scheggia Thrust Zone, mesostructural analysis of S-C fabrics 149–165
  - assemblages studied 153–155, *154, 155*
  - geological framework 150–153, *151–153*
  - results discussed 163–164, **163**
  - structural analysis 155–163, *156, 157, 159–162*
- schizosphere 2
- Scisti dei Laghi 202, 218
- sedimentary basin evolution models 144
- seismic anisotropy 201
  - Southern Alps amphibolite 210–215, *212–215*, **216**
- seismicity
  - and oilfield production 32
  - see also* earthquakes
- Serie dei Laghi 202, *203*, 218
- serpentine, dehydration of 9–10, *10*
- shale gas extraction 5
- shales
  - compaction curves 125–127, *126*
  - see also* illite shale powder, chemical compaction
- shape-preferred orientation (SPO) 201
  - Southern Alps amphibolite *204, 205–206, 217*
- shear slowness 71, *73, 73, 75, 76, 79–81, 79, 82*
- shear-wave splitting 31, *32, 40, 40, 41*
- shear zones 8–9, *9, 12*
  - pegmatite mylonites in South Armorican Shear Zone 167–172, *168–171*
- S-C fabrics in shallow shear zone of Umbria–Marche Apennines 149–165
  - assemblages studied 153–155, *154, 155*
  - geological framework 150–153, *151–153*
  - results discussed 163–164, **163**
  - structural analysis 155–163, *156, 157, 159–162*
- Sibillini Thrust Zone 150
- Sibson–Scholz conceptual fault model 7
- Sioux Quartzite, permeability and thermal cracking 49–63
  - methods 50–51, **50**
  - microstructure 52–54, *56, 58, 59*
  - results 51–52, *52–54*
  - results discussed 54–63, *60, 62*
- smectite illitization 125–127, *128, 142*
- soil mechanics, critical-state 4–5, *5*
- Solnhofen limestone 3
- sonic data *see* formation stresses using wellbore sonic data
- sonic measurement systems 70
- South Armorican Shear Zone (SASZ), pegmatite mylonites 167–172, *168–171*
- Southern Alps amphibolite, microstructural analysis 201–219
  - crystallographic preferred orientation (CPO) 202, *206–210, 207, 208, 209–211, 217, 218*
  - geological setting 202, *203*
  - results discussed 215–218
  - sample descriptions *204, 205*
  - seismic anisotropy 210–215, *212–215*, **216**, 217
- sphalerite 229–231, *232*
- SPO *see* shape-preferred orientation (SPO)
- Stoneley dispersion 71, *73, 73, 77, 78, 81, 82, 89*
- Stoneley shear slowness 71, *73, 73, 81, 82*
- storage reservoirs 107, *120, 120*
- Strain-Electric displacement equations 233, *234, 234*
- Strain-Electric field equations 234, *234*
- strength profiles 2, *3, 4*
- Stress-Electric displacement equations 234, *234*
- Stress-Electric field equations 234, *234*
- stress fields *see* percolation of stress fields of aligned cracks
- stress state 93–105
  - alternative perceptions of 103–105
  - experimental core programme 97–102, *97, 98, 99, 100–102*
  - memory of past stress states 102–103
  - numerical simulations 94–96, *95*
  - see also* formation stresses using wellbore sonic data
- Strona Ceneri Border Zone 202, *203*, 218
- subduction 9
  - subgrain rotation 176, *177, 192, 193, 194, 195, 197*
- synchrotron X-ray micro-tomography (SR-CT) 205
- synkinematic emplacement 167, *172*
- synshearing crystallization 171, *172*
- synthetic metapelites *see* illite shale powder, chemical compaction
- texture analysis *see* MTEX texture analysis
- thermal cracking *see* Sioux Quartzite, permeability and thermal cracking
- thermoelastic strain anisotropy 98
- Tibet plateau 10
- time-dependent strain anisotropy 98
- Tongue Quartzite, piezoelectric properties 239–246, *241–243, 246*
- tourmaline 167, *168, 233*
- triangular diagram 233, *234*
- Umbria–Marche Apennines, S-C fabrics in shallow shear zone 149–165
  - assemblages studied 153–155, *154, 155*
  - geological framework 150–153, *151–153*
  - results discussed 163–164, **163**
  - structural analysis 155–163, *156, 157, 159–162*
- University of Manchester 20
- upper crustal deformation
  - applied rock mechanics 5–6
  - brittle faulting 3–4, *4, 12*
  - critical-state soil mechanics 4–5, *5*
  - pressure solution 6–7, *6*
- U-stage technique 202
  - Southern Alps amphibolite 202, *208, 215, 215*, **216**
- Val D'Ossola 9
- visco-plastic self-consistent (VPSC) model of olivine CPO 252, *253, 255, 256, 258, 258, 260, 260, 262, 263, 264, 265, 265*
- Voigt average, of polycrystalline quartz vein 224, *240–246, 243, 246*
- Voigt matrix notation 226, *232–233, 234–235*
- wellbore breakout 97, *98, 99*
- wellbore stresses *see* formation stresses using wellbore sonic data
- X-ray computed tomography (CT) *204, 205*
- X-ray diffraction 202
- YPR cataclases 149
- zincite 238, *238, 239*