

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- acoustic Doppler current profiler (ADCP) 156, 182
agriculture, impact on weathering 48
anthropogenic impact 5–6, 15
 Diaokou lobe 191–192, **192**
 Lingdingyang Bay 182
 Pearl River delta sediments 48
apatite fission track (AFT), provenance evidence
 18–20, 23
⁴⁰Ar/³⁹Ar dating, role in provenance studies 20–21
- Baiyun Sag 32, 33
Bashi Straits 9, *10*
¹⁰Be date 199
Beibu Gulf *100*, 101
 geological setting 88–90
 location 87
 map 88
 sea-level change post glacial 101–102
 sediment movement 2
 southern mud depocentre 89
 sediment study
 methods 90
 results
 ¹⁴C dating 92, **92**, 95, 96
 geochemistry 93–95, *94*
 lithology 93
 seismic profiles 90, *91*, 92–93
 results discussed 96–97
Beijiang River 32, 33
Beipanjiang River 32, 33
Bohai Basin 186
Bohai Bay 187
Bohai Sea 224, 225
 environmental setting 224–225, 226
 sedimentary process-product relationship 246, **249**,
 250–251
 sedimentary processes
 current circulations 227, 229, **229**, 230–231
 gravity flows 231–233
 tidal 226–227, **228**
 sedimentary record *251*
 sedimentary systems 225
 deltas 233
 muds 244–246, *245*
 tidal flats 233, 239–241
 tidal ridges **235**, **238**, 241–244
Bohai Sea Mud 88
Bohai Strait *245*
Bolivina spp. **202**, **205**, *206*
Borneo 11–12, 14
bottom stress and flow, Yangtze River plume 163–164,
 165, *166*, *167*
Bulimina spp. 202, **202**, **205**, *206*
butterfly delta 2, 90
¹³C isotope analysis 198
¹⁴C age measurement
 Beibu Gulf 92, **92**, 95, 96
 southern mud depocentre 90
Diaokou lobe sediments 188
 Gulf of Tonkin 75
 offshore cores 212, **215**
 offshore Hainan Island
 method 102
 results 104, *104*
Cangzhou rise 186
carbonate
 offshore Hainan Island sediment study
 methods 104
 results *110*
 South China Sea sediment *200*
Cassidulina carinata **202**, **205**, *206*
Cathaysia Block 123, *124*
Cathaysia (South China) terrane 11, *12*, 19
Central Yellow Sea Mud 88
Changjiang (Yangtze) River 88, 224, 225, 225, 226
 catchment climate 140
 catchment geology 139–140
 delta sedimentary system 233, **234**, **236**, **237**, **248**, **249**
 discharge pattern *156*, 230, 231
 gravity flow 231
 history of inputs to East China Sea 140
 deglaciation 144–145
 Last Glacial Maximum evidence 140–141, *142*,
 143–144, *143*
 mid-to late Holocene 145–146
 modern mud patches 146–148
 sediment plume to East China Sea 154–155
 data collection 155–157
 methods of analysis 157
 results
 bottom boundary layer flow 163–164
 complex water masses 159–160
 echogram *162*
 interface microstructures 160, 162–163
 mean flows and residuals 160, *161*
 salinity *159*, 160, *160*, *161*
 sediment gravity currents 158–159
 seismic data 157–158, *157*
 temperature *159*, 160, *160*, *161*
 turbidity maxima 158
 results discussed 164–167
 sedimentary record *251*
 setting 137, *138*

- Cheju Island (SW) Mud 88
- chemical index of alteration (CIA) 16–17, 46
- Pearl River delta study 56, **57**, **58**, **59**, **60**, 62–63, 65, 69
- chemical weathering, impact of 3, 4–5, 45
- clay minerals 14–15
- proxies 46–47
- Pearl River delta sediment study 48
- methods
- analyses 50–51
- sampling 49–50
- results
- chemical index of alteration 56, **57**, **58**, **59**, **60**, 62–63, **65**
- clay mineralogy 49, **53**, 54, 55, **57**, **58**, **59**, **60**, 61, 62
- geochemistry **52**, **53**, 54–55, 55, 64
- grain size 63, 65, 66
- Sr isotope ratio 56, **57**, **58**, **59**, **60**, **63**
- weathering proxies 48–49
- results discussed 65, 67–69
- Chilostomella* **202**, 203, **205**, 206
- chlorite 14, 15, 47, 67–68, 69
- Chuanbi Channel 178
- Cibicides wuellerstorfi* 202, **202**, **205**, 206
- Clavulina* spp. 202, **202**
- clay minerals
- offshore Hainan Island sediment study
- methods 103
- results 110
- Pearl River delta study
- methods 51
- results 49, **53**, 54, 55, **57**, **58**, **59**, **60**, 61, 62
- results discussed 67–68, 69
- provenance indicators 13–15
- South China Sea study 33
- weathering proxies 47
- climate, forcing factors 1
- conductivity-temperature-depth (CTD)
- sensor 156
- Coriolis force 230
- current systems 229, **229**
- impact on sediment transport 5
- longshore 2, 3
- Dangerous Grounds 10, 12, 13
- dating
- ⁴⁰Ar/³⁹Ar, role in provenance studies 20–21
- ¹⁰Be 199
- ¹⁴C
- Beibu Gulf
- southern mud depocentre sediment study
- method 90
- results 92, **92**, 95, 96
- Diaokou lobe sediments 188
- Gulf of Tonkin 75
- offshore cores 212, **215**
- offshore Hainan Island
- method 102
- results 104, 104
- optically stimulated luminescence (OSL) 102, 104, 104
- zircon U–Pb dating
- role in provenance studies 21–23, 22
- Yangtze River sediments 143
- delta lobes *see* Diaokou Lobe
- Diaokou Channel 186, 187
- Diaokou Lobe, Yellow (Huanghe) River
- location 186
- sediment study
- methods
- ¹⁴C dating 188
- coring 187
- magnetic properties 187–188
- particle size analysis 187
- ²¹⁰Pb 188
- results
- facies analysis 188–190
- stratigraphy 190–191
- results discussed
- correlations 193
- lobe profile 193
- sediment ages 191, **192**
- stratigraphic evolution 191, 192, 194
- summary 194
- diatoms, *Paralia sulcata* study
- application in palaeoenvironmental reconstruction
- methods 212
- results
- East China Sea 216–217
- South China Sea 214–216
- results discussed
- palaeoclimatic significance 217–218
- palaeogeographic significance 218–220
- characteristics 211–212
- distribution 213–214
- environmental indicator properties 212
- SEM image 216
- Dongge Cave speleothem study 46, 48–49
- location map 48
- weathering record 48, 49
- Dongjiang River 32, 33
- East Asia marginal seas 213
- see* East China Sea; South China Sea; Yellow Sea
- East Asia monsoon
- characteristics 197, 225, 226, 227
- circulation patterns 74, 154, 211, 231
- history of 1, 9
- impacts on
- clay minerals 14, 47
- fluvial sediment 3, 4, 6
- foraminifera productivity 203, 205, 207
- weathering 46, 47

- reconstruction of palaeoclimatic impact with diatoms
 methods 212
 results
 East China Sea 216–217
 South China Sea 214–216
 results discussed
 palaeoclimatic significance 217–218
 palaeogeographic significance 218–220
 characteristics 211–212
 distribution 213–214
 environmental indicator properties 212
 SEM image 216
- East China Sea 224, 225
 diatom distribution 216–217
 environmental setting 224–225, 226
 ocean and shelf current circulation 138, 154
 sedimentary process-product relationship 246–247, 248, 250–251
 sedimentary processes
 current circulation 227, 229, 229, 229, 230–231
 gravity flow 231–233
 tidal 226–227, 228
 sedimentary systems 139, 225
 deltas 233
 muds 244–246
 tidal flats 233, 239–241
 tidal ridges 235, 237, 241–244
 setting 137, 138
- Yangtze (Changjiang) River inputs
 history of inputs to East China Sea 140
 deglaciation 144–145
 Last Glacial Maximum evidence 140–141, 142, 143–144, 143
 mid-to late Holocene 145–146
 modern mud patches 146–148
 plume to East China Sea 154–155
 data collection 155–157
 methods of analysis 157
 results
 bottom boundary layer flow 163–164
 complex water masses 159–160
 echogram 162
 interface microstructures 160, 162–163
 mean flows and residuals 160, 161
 salinity 159, 160, 160, 161
 sediment gravity currents 158–159
 seismic data 157–158, 157
 temperature 159, 160, 160, 161
 turbidity maxima 158
 results discussed 164–167
- environment 6–7
see palaeoenvironmental analysis
- europium (Eu) anomaly 17, 34
 eustasy, effect on sedimentation 3–4
- Fanshi Channel 172, 172, 178
 Fanshi Shoal 177
 fission track methods *see* apatite fission track
- fluvial sediment, factors affecting 3
- foraminifera
 offshore Hainan Island
 methods 103
 results 105
 South China Sea (northern) 198
 methods 198
 results
 carbonate 200
 ecological significance 200–203, 202, 205
 $\delta^{18}\text{O}$ 200
 species diversity 199–200, 201, 206
 stratigraphy 199
 results discussed 203, 204, 205, 207
- Gd/Yb 17
- geochemistry and provenance 15–17
 Beibu Gulf southern mud depocentre
 methods 90
 results 93–95, 94
 Pearl River delta study
 methods 51
 results 52, 53, 54, 55
 Pearl River sediment study
 methods 35
 results 35
 Tonkin, Gulf of 75–76, 77, 78, 79
 Yangtze (Changjiang) River offshore mud
 patches 146, 147
- Globigerinoides ruber* 212, 215
Globobulimina spp. 202, 203, 205, 206
Globocassidulina subglobulosa 202, 202, 205, 206
- grain size
 offshore Hainan Island sediment study
 methods 104
 results 108, 110
 Pearl River delta sediment study 63, 65, 66
 gravity flows and currents, sediment 153, 165, 167, 231–233, 232
- Guijiang River 32, 33
 Gunagdong Coastal Mud 88
- Hainan Island 10, 11, 100, 101
 geology 74
 Last Glacial Cycle offshore sediment study
 methods of analysis
 ^{14}C dating 102
 carbonate 104
 clay minerals 103
 foraminifera 103
 grain size 104
 $\delta^{18}\text{O}$ 103
 OSL dating 102
 seismic profiling 102
 results
 ages 104, 104
 facies analysis 107–111
 foraminifera 105

- Hainan Island (*Continued*)
 $\delta^{18}\text{O}$ 105–106, 105, 106
 sedimentology 104–105, 106–107
 seismic architecture 111–113
 stratigraphy 104–105
 synthesis 113–117
 results discussed 117–119
- Han River deltaic basin
 age of sequence 130
 geological setting 127, 128
 sediment dates 127
 tectonic subsidence 129
- Hang Hau Formation 50, 50
- Hangzhou Bay 224, 225, 231, **234**, **237**, 246, 251
- Hanjiang River 31
- Hanoi Trough 124
- hard isothermal remanent magnetization (HIRM) 146
- head-water capture 1, 3, 9
- heavy mineral analysis
 Pearl River sediment study
 methods 34
 results 35
 results discussed 37–39
- Hengmen Outlet 171, 172, 180, 181
- Hoeglundina* spp. 201, **202**, **205**, 206
- Hongqili Outlet 171, 172, 179, 181
- Hongshuihe River 33
- Huanghe (Yellow) River 88, 137, 140, 146, 224, 225
 delta *see* Diaokou lobe
 delta sedimentary system 233, **234**, **236**, **237**,
248, **249**
 discharge 230
 discharge rate 187
 estuary tides and currents 187
 features 185
 geographical setting 186–187
 gravity flows 231, 232
 history 225–226
 sedimentary record 251
- human impact *see* anthropogenic impact
- Humen Outlet 171, 172, 179
- humidity proxy 47
- Hupijiao Rise 138, 140
- Huskan Mud Belt **236**, **238**, 251
- hyperpycnal waters 153, 231
- illite 14, 15, 47, 67–68, 69, 231
- India-Asia tectonic collision 9
- Indosinian Orogeny 11, 20
- isotopes
 fractionation 47
 role in provenance studies 17–18
- Jaomen Outlet 171, 172, 179, 181
- Jeju Warm Current 229, **229**
- Jiangsu coast 224, 225, 227, 230
 sediment systems **234**, **235**, **237**, 239, 240, 241, 243
 sedimentary record 251
- kaolinite 14, 15, 47, 67–68, 69, 231
- Kaoping River 11
- Khorat Plateau 19, 22
- Kontum Massif 19, 19
- Kuroshio Current 2, 138, 155, 187, 227, 229, **229**, 230
- La/Yb 17
- laser ablation ICP-MS 21
- Last Glacial Cycle
 diatom response 217–218
 sediments offshore Hainan Island
 methods of analysis
 ^{14}C dating 102
 carbonate 104
 clay minerals 103
 foraminifera 103
 grain size 104
 $\delta^{18}\text{O}$ 103
 OSL dating 102
 seismic profiling 102
 results
 ages 104, 104
 facies analysis 107–111
 foraminifera 105
 $\delta^{18}\text{O}$ 105–106, 105, 106
 sedimentology 104–105, 106–107
 seismic architecture 111–113
 stratigraphy 104–105
 synthesis 113–117
 results discussed 117–119
- Last Glacial Maximum (LGM) 88, 138, 186
 history of Yangtze River sedimentation 140–141,
 142, 143
 impact in Gulf of Tonkin 74
 sea-level change 218–219
 weathering characteristics 14
- latitude, effect on weathering 3
- leaching 46–47
- Leizhou Peninsula 74, 100
- Lenticulina* spp. 201, **202**, 206
- Lhasa Block 12
- Lingding Channel 172, 172
- Lingdingyang Bay
 geographical setting 171–173, 172
 geomorphological study
 methods
 GIS 175–176
 remote sensing 174–175, 175
 surveying 173–174, 174
 results 176–177
 bathymetry 177–178, 178, 179, 180
 hydrodynamics 182
 shoreline changes 177, 178–182
 tidal currents 181
 location 173
- Liujang River 32
- longshore currents 2
- Luofushan-Dongjiang Fault 125, 126

- Luzon Arc 11, 13
 sediment studies
 AFT evidence 18
 clay mineralogy 14, 15, 15
 isotope evidence 17, 18
 REE 17
- Mekong River 9, 10, 11, 12, 16
 sediment studies
 AFT evidence 19
⁴⁰Ar/³⁹Ar dating 20, 20
 CIA evidence 16, 16
 clay mineralogy 14
 isotope character 17
 zircon U–Pb dating 21, 22
- Melonis barleeanus* 202, 202, 205, 206
 mineralogy, role in provenance study 13–15
 Molengraaff River 23
 monazite 17
 monsoon *see* East Asia monsoon
 mud belts, development 153–154
 muscovite ⁴⁰Ar/³⁹Ar dating, role in provenance studies 20–21
- Nanliu River 2
 Nanpanjiang River 32, 33
 Nd evidence 17, 18, 23, 33
Nodosaria spp. 201, 202, 206
 North Yellow Sea Mud 88
- δ¹⁸O
 in offshore cores 212, 214, 215
 Dongge Cave speleothems 46, 48–49, 48, 49
 sediments offshore Hainan Island
 methods 103
 results 105–106, 106
 South China Sea 200
- Okinawa Trough 137, 138, 141, 143, 144,
 148, 231
- optical backscatter sensor (OBS) 156
 optically stimulated luminescence (OSL) dating
 offshore Hainan Island
 method 102
 results 104, 104
- optimal interpolation sea surface temperature (OI-SST)
 156–157
- oxygen minimum zone (OMZ) 198,
 203, 207
- palaeoenvironmental analysis
see diatoms; foraminifera
see also sediment record under named seas
- Paralia sulcata*
 application in palaeoenvironmental reconstruction
 methods 212
 results
 East China Sea 216–217
 South China Sea 214–216
- results discussed
 palaeoclimatic significance 217–218
 palaeogeographic significance 218–220
 characteristics 211–212
 distribution 213–214
 environmental indicator properties 212
 SEM image 216
- particle size distribution
 offshore Hainan Island sediment study
 methods 104
 results 108, 110
 Pearl River delta sediment study 63, 65, 66
- ²¹⁰Pb, Diaokou lobe sediments 188
- Pearl River 9, 10, 11, 12, 16, 88
 characteristics
 sediment transport 2
 shoreline history 176
- delta sediment chemical weathering study 48
 methods
 analyses 50–51
 sampling 49–50
 results
 chemical index of alteration 56, 57, 58, 59, 60,
 62–63, 65
 clay mineralogy 49, 53, 54, 55, 57, 58, 59, 60,
 61, 62
 geochemistry 52, 53, 54–55, 55, 64
 grain size 63, 65, 66
 Sr isotope ratio 56, 57, 58, 59, 60, 63
 weathering proxies 48–49
 results discussed 65, 67–69
- deltaic plain
 age of sequence 130
 geological setting 125–127, 126
 lithostratigraphy 131–133
 sediment dates 127
 tectonic subsidence 129
- discharge to Gulf of Tonkin 74
- estuary system 171, 172
 interaction with Lingdingyang Bay
 geographical setting 171–173, 172
 geomorphological study 173
 methods
 GIS 175–176
 remote sensing 174–175, 175
 surveying 173–174, 174
 results 176–177
 bathymetry 177–178, 178, 179, 180
 hydrodynamics 182
 shoreline changes 177, 178–182
 tidal currents 181
- sediment characterization
 drainage pattern 31, 32, 32, 33
 methods 34
 results
 heavy minerals 35, 37
 major element geochemistry 35, 38
 rare earth elements 34–35

- Pearl River (*Continued*)
 results discussed
 geochemistry 39, 41
 heavy minerals 37–39
 rare earth elements 35–37, 36, 39
 sampling strategy 33–34
 sediment provenance study
 AFT evidence 20
 CIA evidence 16, 16
 clay mineral assemblage 14, 15, 15,
 47–48
 isotope evidence 17, 18
 Pearl River Distal Mud 88, 245
 Pearl River Proximal Mud 88
 Philippine Islands 11
 physical weathering and erosion 47
 provenance
 apatite fission track evidence 18–20
 bulk geochemistry evidence 15–17
 CIA evidence 16, 16
 clay mineral evidence 13–15, 47–48
 impact on shelf sediments 4
 importance of recognition 9
 isotope evidence 17–18
 muscovite $^{40}\text{Ar}/^{39}\text{Ar}$ evidence 20–21
 role of reworking 12–13
 terrane factors 11, 12
 zircon U–Pb dating evidence 21–23
Pyrgo spp. 201, **202**, **205**, 206
- Qaidam Block 12
 Qiangtang Block 12, 20, 21
 Qingshui Channel 186, 187
 Qiongdongnan Basin 31, 100, 101
 Qiongzhou Strait 2, 74, 74, 88, 100
- rare earth elements (REE)
 Oligocene sediment 33
 Pearl River sediment study
 methods 34
 results 34–35, 36
 results discussed 35–37
 role in provenance studies 17
 Tonkin, Gulf of 76, **77**, 78, **80**, 81, 82
- Red River Fault Zone 20, 101, 123, 124
 Red (Song Hong) River 9, 10, 11, 12, 16, 88, 89
 AFT evidence 19
 $^{40}\text{Ar}/^{39}\text{Ar}$ dating evidence 20, 20
 CIA evidence 16, 16
 clay mineral assemblage 14
 deltaic basin
 age 130–131
 geological setting 124, 125
 sediment dates **127**
 tectonic subsidence 127–129
 discharge to Gulf of Tonkin 73–74
 drainage basin 31
 input to Gulf of Tonkin 73–74
 isotope evidence 17
 REE evidence 17
 sediment 2, 101
 zircon U–Pb dating evidence 21, 22
- Richardson number 162, 163, 164
 river dispersal system 153
- salinity, Yangtze River plume 159, 160, 161, 165,
 166, 167
- sea-level change
 Bohai Basin 86
 impact on weathering 3, 3–4, 4–5
 Post Glacial 101–102
 South China Sea 219
- sea-level cycles 223
 sediment channel 165, 167
 sediment dispersal, rivers 153
 seismic stratigraphic profiles
 Beibu Gulf southern mud depocentre
 90, 91
 offshore Hainan Island
 methods 102
 results 112, 113, 114, **114**, 115, **117**
 Yangtze River plume study
 methods, CHIRP 157
 results 157–158, 158
- sequence stratigraphy 3–4
 Sham Wat Formation 50, 50, 51, **52**
 Shandong Coastal Mud 88
 Shandong Peninsula 224, 225, 226
 Shawan–Ningdingyang Fault 125
 shelf sea classification 223–224
 Shenxian Channel 185–186, 187
 Sibumasu terrane 12, 21
 smectite 14, 15, 47, 67–68, 69, 231
 Oligocene sediment 33
- soil mobilization 48
 Song Chay Fault 124, 125
 Song Hong (Red) River 9, 10, 11, 12, 16, 88, 89
 AFT evidence 19
 $^{40}\text{Ar}/^{39}\text{Ar}$ dating evidence 20, 20
 CIA evidence 16, 16
 clay mineral assemblage 14
 deltaic basin
 age 130–131
 geological setting 124, 125
 sediment dates **127**
 tectonic subsidence 127–129
 discharge to Gulf of Tonkin 73–74
 drainage basin 31
 input to Gulf of Tonkin 73–74
 isotope evidence 17
 REE evidence 17
 sediment 2, 101
 zircon U–Pb dating evidence 21, 22
- Song Hong (Yinggehai) Basin 31, 100, 101
 Song Lo Fault 124, 125
 Songpan Garze Terrane 11, 12, 20

- South China Sea 9
 diatom distribution 214–216
 distal muds 245
 geological setting 10–11
 location 31
 map 10
 palaeogeography 13
 sea-level change 219
 sediment input characterization 11–13
 apatite fission track 18–20
 bulk geochemistry 15–17
 bulk isotopes 17–18
 clay minerals 13–15
 muscovite $^{40}\text{Ar}/^{39}\text{Ar}$ 20–21
 zircon U–Pb 21–23
 sediment record 46
 sediment weathering proxies for Pearl River delta 48
 methods
 analyses 50–51
 sampling 49–50
 results
 chemical index of alteration 56, **57**, **58**, **59**, **60**,
 62–63, **65**
 clay mineralogy 49, **53**, 54, 55, **57**, **58**, **59**,
60, 61, 62
 geochemistry **52**, **53**, 54–55, 55, 64
 grain size 63, 65, 66
 Sr isotope ratio 56, **57**, **58**, **59**, **60**, 63
 weathering proxies 48–49
 results discussed 65, 67–69
 tectonic setting 10–11
see also sediment input studies
 Beibu Gulf
 Hainan Island
 Tonkin, Gulf of
 Taiwan
- South China Sea (northern)
 basement 31, 32
 deltaic inputs
 age 130–131
 Han River 127, 128
 lithostratigraphy 131–133
 Pearl River 125–127, 126
 Red River 124, 125
 foraminifera community study 198
 methods 198
 results
 carbonate 200
 ecological significance 200–203, **202**, **205**
 $\delta^{18}\text{O}$ 200
 species diversity 199–200, 201, 206
 stratigraphy 199
 results discussed 203, 204, 205, 207
 oxygen minimum zone 198
 primary production 197
 Pearl River sediment input characterization
 drainage pattern 31, 32, 32, 33
 methods 34
 results
 heavy minerals 35, 37
 major element geochemistry 35, 38
 rare earth elements 34–35
 results discussed
 geochemistry 39, 41
 heavy minerals 37–39
 rare earth elements 35–37, 36, 39
 sampling strategy 33–34
 tectonic subsidence
 Han River deltaic basin 129
 Pearl River deltaic basin 129
 Red River basin 127–129
 South-East Yellow Sea Mud 88
 South-West Yellow Sea Mud 88
Spartina 239–240
 speleothems and climate records
 Dongge Cave study 46, 48–49
 location map 48
 weathering record 48, 49
 Sr isotope ratios 17, 18, 23, 47
 Pearl River delta sediment study
 methods 51
 results **51**, 56, **57**, **58**, **59**, **60**, 63
 results discussed 68
 stratification processes 154
 Yangtze River plume
 methods of study 156
 results 163
 Sunda Shelf 23
 Sundaland 13
 Sundaland Block 123, 124
 suspended sediment *see* turbidity
- Taiwan 10, 11
 river systems 137, 139
 sediment characterization
 clay mineralogy 14, 15, 231
 isotope evidence 17, 18
 sediment erosion 11
 sediment inputs to South China Sea 46, 50, 54,
58, **59**, **60**, 61, 62, 63
 Taiwan Strait, opening 218–220
 Taiwan Warm Current 138, 154, 155,
 229, **229**
 Tancheng–Luujiang Fault 186
 tectonic forcing factors 1
 temperature, Yangtze River plume 159, 160, 161,
 165, 166, 167
 thermochronology *see* apatite fission track (AFT)
 Three Gorges Dam 145
 Tonkin, Gulf of 2, 10
 geological setting 73–74
 sediment geochemistry study
 methods 74–75
 results
 lithology 75

- Tonkin, Gulf of (*Continued*)
 major/trace element geochemistry 75–76, **77**,
 78, **79**
 rare earth elements 76, **77**, 78, **80**, 81, 82
 results discussed 78, 81–83
 significance of environmental change 83
- Tsengwen River 11
- Tsushima Current 229, **229**
- turbidity measurements, Yangtze River plume 156, 158,
 164, 165, 166, 167
- turbulence, methods of study 157
- Typhoon Herb 11
- U–Pb zircon dating
 role in provenance studies 21–23, 22
 Yangtze River sediments 143
- uplift of Tibetan Plateau, impact of 1, 3, 9
- upwelling 165, 227
- Uvigerina* spp. 202, **202**, **205**, 206
- volcanic provinces 11
- weathering *see* chemical weathering
- Western Korea Coastal Current 229, **229**
- Xianxain rise 186
- Xihu depression 138, 140
- Xijiang Fault 125, 126
- Xijiang River 32
- XRD 14
- Yangtze (Changjiang) River 88, 224, 225, 225, 226
 catchment climate 140
 catchment geology 139–140
 delta sedimentary system 233, **234**, **236**, **237**,
248, **249**
 discharge pattern 156, 230, 231
 gravity flows 231
 history of inputs to East China Sea 140
 deglaciation 144–145
 Last Glacial Maximum evidence 140–141, 142,
 143–144, 143
 mid-to late Holocene 145–146
 modern mud patches 146–148
 plume to East China Sea 154–155
 data collection 155–157
 methods of analysis 157
 results
 bottom boundary layer flow 163–164
 complex water masses 159–160
 echograms 162
 interface microstructures 160, 162–163
 mean flows and residuals 160, 161
 salinity 159, 160, 160, 161
 sediment gravity currents 158–159
 seismic data 157–158, 157
 temperature 159, 160, 160, 161
 turbidity maxima 158
 results discussed 164–167
 sedimentary record 251
 setting 137, 138
- Yangtze Craton 11, 12, 22
- Yangtze River Proximal Mud 88
- Yangtze Shoal 141, 156, **235**, **238**, **249**, 251
- Yellow (Huanghe) River 88, 137, 140, 146, 224, 225
 delta *see* Diaokou lobe
 delta sedimentary system 233, **234**, **236**, **237**,
248, **249**
 discharge 230
 discharge rate 187
 estuary tides and currents 187
 features 185
 geographical setting 186–187
 gravity flows 231, 232
 history 225–226
 sedimentary record 251
- Yellow Sea 224, 225
 currents systems 229, **229**
 environmental setting 224–225, 226
 sedimentary process-product relationship 246–247,
249, 250–251
 sedimentary processes
 current circulations 227, 229, 229, **229**,
 230–231
 gravity flows 231–233
 tidal 226–227, **228**
 sedimentary systems 225
 deltas 233
 muds **236**, **238**, 244–246
 tidal flats 233, 239–241
 tidal ridges 241–244
- Yinggehai (Song Hong) Basin 31, 100, 101
- Youjiang River 33
- Yunnan–Guizhou Plateau 31
- Zhe-Min Coastal Current 138
- Zhedong depression 138, 140
- Zhejiang–Fujian Coastal Current (ZFCC) 154, 155
- Zhejiang–Fujian Coastal Mud Belt 88, 154, 155, 245
- Zhoushan 156
- zircon U–Pb dating
 role in provenance studies 21–23, 22
 Yangtze River sediments 143
- Zuojiang River 33