

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Aachenia* sp. [gymnosperm] 211, 215, 217
Abathomphalus mayaroensis [foraminifera] **311**, 314, 321, 323, 324
actinopterygian fish 2, 3
actinopterygian fish, Sweden 277–288
 palaeoecology 286
 preservation 280
 previous study 277–278
 stratigraphy 278
 study method 281
 systematic palaeontology 281–286
 taphonomy and biostratigraphy 286–287
 taxa and localities 278–280
Adventdalen Group 190
Aepyornis [bird] 22
Agardhfjellet Formation 190
Ahrensburg Glacial Erratics Assemblage 149–151
 erratic source 155–158
algae **133**, **219**
Amerasian Basin, opening 191
ammonite 150
 diversity 158
amniote 113
 dispersal 160
 in glacial erratics 149–160
amphibian *see* under temnospondyl 113–122
Andersson, Johan G. 20, 25–26, 27
angel shark 251, 271
angiosperm 4, 6, 209, 217–225
 pollen **218–219**, 223
Anomoeodus sp. [fish] 284
Anomoeodus subclavatus (Agassiz) 281, 282–284, 286, 287
anoxic conditions 183, 317, 322, 323
Antarctic expedition 20
apatite, in coprolites 63–64, 66
Ar/Ar age 129
archosaur footprints, East Greenland 74–77
 material and methods 73–74
 palaeoecology 80–82
 track makers 77–80
archosaur tracks 35, 43
aristonectine elasmosaur, reassessment 299
arthropod coprolites 105
arthropod traces 102
Article 8.1.2, violation of 251, 269–271
articulated skeleton, marine reptile 167, 172–176
 taxa and specimen details **168–169**
Åsen fossil locality 209, 232, 233, 241, 243, 247
 fish 278, 279, 287
 plesiosaur 293, 294, 295
 selachians 251–271
 stratigraphy 243
ash fall and false rings 141
asteroid impact 245
Atlantic opening 33, 128
Australosomus [fish] 3
autotrophy 89
avian fossils 17

bacteria 2, 97, 98, 106
Balsvik locality, fish **278**, 279–280
Baltic region
 Jurassic palaeogeography 159
Baltic Sea, ice flow 156, 157–158
barite, mineralization in bones 184, 185
bathymetry 315–319, 323 *see also* depth
beach, dinosaur tracks 194, 202
belemnite, informal zones 232, 243, 253–255
Bennettitales 87, 95–97
 leaf 89
 root 100
 sporangia 90
benthic fauna 313
benthic foraminifera 316, 322
 taxa, abundance and depth **306–310**
bentonite 191
biostratigraphy
 Åsen site 254–255
 foraminifera 305–312
 palynology 131
biota in silicified peat, Hopen 87–107
 biodiversity 90–103
 geological setting 88–89
 material and methods 89
 palaeoecology 104–106
 resource acquisition terminology 89
 silicification 106
 vegetation and composition 103–104
biota synthesis 2–6
biota, Kristianstad Basin 277
bird fossil 4–5, 6, 22, 45, 236, 237
bite marks 181, 183
bituminous shale 167
black shale 50, 51, 158, 166
Bobastrania [fish] 3
Boltodden, track site 189–204
bone preservation 183–184
bone-bed assemblage 4
Bornholm 6, 149, 156, 157, 158
Botryococcus [alga] 223, 225
Brachychirotherium [footprint] 75, 76–82
 measurements **74**

- braincase, plesiosaur 293–299
 Brandenburg Phase 156, 157
 bromalites 52
 Bryophyta **218**
 sporangia 90, 91, 95
 spores **132**
 buds, Bennettitales 95, 96, 97
 bullhead shark 271
 burial 184–185
 temperature 201
 burrows 53, 56, 57, 63–64
 in chalk 311
 preservation of chelipeds 247–248
- capitosaurian fossils, Svalbard 113–122,
 115–118
Capitosaurus polaris [temnospondyl amphibian]
 holotype re-evaluation 115–118
 carbon dioxide 127–128
 carbonate
 concretions 150
 in coprolites 64
 deposition 304
 carcass
 decomposition 179–180
 dispersal 237, 270, 286
 preservation 183
Caririchnium sp. [ichnofossil] 189, 190, 203, 204
 Carlsberg Fjord 34
 Carlsberg Fjord Beds 82
 Central Graben, Danish Sector 303–304, 305
 Central Skåne Volcanic Province 139, 141, 143
 geology 127, 128–130
 ceratopsian dispersal 237
 Chalk Group 304
 chalk, depth curve 318–319
 charcoal 106, 254
 chelipeds [crustacean] 244–248
 chelonioid turtle 6, 7
 Chinese vertebrate fossils 20, 21, 25–27
 chytrid fungi 99, 105, 106
 climate 142–143
 Early Cretaceous 201
 Late Cretaceous 253, 322
 Late Triassic 80–82
 coal 89, 103
 Early Cretaceous 201, 202
 coastline, rocky 251
 cold seep carbonates 184, 185
 collections and collectors
 vertebrate fossils 21–25
 computerized tomography 167, 184
 conifer pollen 94, 97
 continental drift 36, 51, 72, 82
 coprolite 87, 105, 106
 arthropod 102, 103
 mite 100
 texture 53, 57, 60–61
 coprolites, Late Triassic 49–67
 characteristics 57–58
 correlation/analysis 58–63
 included fragments 58, 61, 63–67
 methods and material 52–56
 terminology 52
 Cretaceous, biota synthesis 4–6, 7
Crypterygius [ichthyosaur] 5
 currents and disarticulation of bones 178–179
 Cycadales 97
 cyclicity 304
 orbital controls 36, 82
Cyclotosaurus [temnospondyl amphibian] 115, 116,
 118, 122
Cyparissidium sp. [conifer] 213, 217
- Dan Field, Danish sector 303, 305
 De Geerdalen Formation, Hopen 88–89
 palaeontology 115, 122
 De Greer, Gerard 17, 18
Debeya haldemiana [angiosperm] 211, 213, 214, 217,
 219–221, 224, 225
 Deccan Trap volcanism 322
 depositional environment
 Agardhfjellet Formation 190–191
 Helvetiafjellet Formation 190–191, 193
 Höör Sandstone Formation 128–129
 Jameson Land Basin 51, 72–73
 Kristianstad Basin 253
 Skåne, Late Cretaceous, 209
 depth index equation 316
 depth proxy 315, 317
 depth, Danish Central Graben 304
 detritivory 89, 104, 106
Dicotylophyllum frieseae [angiosperm] 216, 222, 225
 diet, shark 271, 286
 digit V 76–78
 dinoflagellate **223**, 224, 318–319
 dinosaur 2, 22, 23
 dinosaur tracks, Svalbard
 age and correlation 191
 description and maps 194–204
 dinosaurs in palaeo-arctic 189
 dinosaurs, Kristianstad Basin
 discussion/comparison 236–237
 palaeoenvironment 231–233
 systematic palaeontology 233–236
 Dobbertin, Liassic fossils 150, 157
Dorsoplanites [ammonite] 5
Dorygnathus [pterosaur] 22
Dryophyllum sp. [angiosperm] 216, 221, 225
 dvinosaurian 113, 117, **120**
 dysoxic conditions 179
- edaphically dry landscape 141, 143
 Elasmosauridae indet. [marine reptile] 296
Enchodus cf. *gladiolus* [fish] 283, 285–286
Enchodus sp. [fish] 286, 287

- Eosauropus* [footprint] 81
 epifaunal foraminifer 313–317, 320–323
 erosion of bones 182, 184, 185
 erratic with theropod fossil 231
 erratics
 Ahrensburg assemblage 149–151
 source 155–158
Ettingshausenia sp. [monocot] 213, 215, 221, 224, 225
Euhelopus [sauropod dinosaur] 22
Eurycleidus sp. [plesiosaur] 155
 eustatic sea-level rise 158
 extinction event 2, 3, 127, 128, 245, 247
- facies association
 Helvetiafjellet Formation 191–194, 201
 false rings 141, 142
 fern 94–95, 143
 osmundaceous 129–130
 fern spore 135, 141, 224
 taxa 131, **132–133**, **218**
 Festningen track site 190, 199, 200, 203, 204
 Filicophyta [fern] **218**
 fish coprolites 64, **65**, 66
 fish, actinopterygian 3, 277–288
 Fleming Fjord Formation, Late Triassic
 lacustrine deposits 72–73, 113–114
 palaeoclimate and environment 35–36
 reptile taxa 31–33
 stratigraphy 33–35, 37
 vertebrate fauna 36–46, 121, 122
- flora 1–2
 Jurassic 128–144
 Late Cretaceous 207–225
 flower fossil 254
 fluid inclusions 184–185
 footprint 2, 3, 4, 5, 71–82
 Svalbard 192, **195**, 197–200
 foraminiferal assemblage 254
 foraminiferal morphogroups 313–315, 318–319
 foraminiferal palaeoecology 303–324
 bathymetry 315–316
 biostratigraphy 305, 311–316, 318–319
 geological setting 303–304
 material and methods 304–305
 palaeoenvironment 317, 320–324
 taxa and abundance **306–310**
 foraminiferal zones 171
 fossil fragments in coprolites 58, 61, 63–64, **65**
 identification 66–67
 fungal sporocarps 101–102, 105–106
 fungi 2, 92, 97–99, 100, 101
 in wood 137
- galls 102, 105, 106
 gastroliths, plesiosaur 293
 geochemistry
 Korsaröd 134–136
- Ginkgoales 97
 glauconite 254
 glendolites 201
 gravity flow 320
 greenhouse climate
 Early Jurassic 158
 greenhouse gases 127
 Greenland, East 2, 3
 archosaur footprints 71–82
 coprolites, Late Triassic 49–67
 vertebrate fauna, Late Triassic 31–46
 Grimmen fossil locality 150, 151
 reptile fauna 160
 Grimmener Wall 157, 158
 growth rings 137, 138–144
 data 128
 sensitivity values **139**, 140
 gymnosperm pollen 135, 141, 143
 taxa 131, **132–133**, **218**, 223, 224
- Hadrosauropodus* sp. [ichnofossil] 189, 190
 hardground 304, 311, 320
Hauffiosaurus sp. [plesiosaur] 152
 Helvetiafjellet Formation 189, 192
 age and correlation 191
 facies with dinosaur tracks 191–194, 201
 ornithopod ichnotaxa 189–190
 Herbivore Expansion 3 87
 herbivory 89
 hesperornithiform birds 236, 237
 heterotrophy 89, 105
 Högestad fossil site 209, **210**
 hominid teeth 21, 26
 Höör Sandstone 128–129, 130
 palaeoenvironment 139, 141, 142–143
 palynology 131, **132–133**, 134, 135
 Hopen, permineralized biota 87–107
 hot spring community 127
 hot spring wetland 93
 hydrothermal springs 106, 143
 hyphae 99–101, 102–103, 106
- ice flow reconstruction, Baltic Sea 156, 158
 ichthyodectid teeth 282
Ichthyodectidae indet. [fish] 284–285
 ichthyosaur 23, 159–160
 taphonomy 165–185
 Ignaberga locality 279
 actinopterygian fish **278**, 280
 selachians 251, 252, 255, 264
Iguanodontipus sp. [ichnofossil] 189, 203
 infaunal foraminifera 313–317, 320–323
 Ingelstorp fossil site 209, **210**
 inselberg 253
 inversion tectonics 304
 invertebrate and vertebrate preservation 183
 Iron Cake Site, bone beds 36, 39
 isotope data 171

- Ivö Klack locality 232, 241–242, 279
 actinopterygian fish **278**
 crustacean 247
 plesiosaur 298
 selachian 270
- Jameson Land 119
 Jameson Land Basin 31–35, 50, 51, 72, 73, 80–82
 Jurassic, biota synthesis 3–4
 juvenile form 160
 eudicot leaflet 214
 footprint 77–78, 82, 203
 plesiosaur 155, 294, 299
 temnospondyl amphibian 121, 122
- K–T boundary
 planktic–benthic ratio 315–316
 water temperature 323
- kaolinite 201, 242, 254, 279
- Kap Stewart Formation, East Greenland
 coprolite details **65**, 67
- Kimmeridge Clay 181
- Köpinge sandstone, fossil site 209, 213, 225
 leaf taxa **210**, 224
 pollen and spore taxa **218–219**, 220
- Korallipteris* sp. [conifer] 212, 213, 215
- Korsaröd, volcanoclastic sediments 129
 fossil wood 136–141
 geochemistry 134–136
 palynology 131, **132–133**, 134, 135, 142–143
- Kristianstad Basin
 actinopterygian fish 277–288
 dinosaur fossils 233–237
 plesiosaurian braincase 293
 selachians 251–271
- Kristianstad Basin, Late Cretaceous
 geology 209, 231–233, 241–242, 253–254, 294
- lacustrine deposits
 Fleming Fjord Formation 72–73, 82
 Kap Stewart Formation 50–52
 Late Triassic, East Greenland 32–36
- Lagerstätte* 127
 marine reptiles 165–185, 180, 183, 185
 plant fossils 278
- Lagrelius Collection 16, 20, 22, 25–26
 Lagrelius, Axel 19, 20, 24, 26–27
- lahar deposit 139, 141, 142
 with plant fossils 4
- leaf megafloora, Skåne
 comparison with coeval flora 224–225
 geological setting 209–210
 history of research 207–209
 material and method 210–213
 systematic palaeontology 213–223
- leaves, Bennettitales 95, 96
- leeches 103, 105
- Lepidopteriselv site 40, 42, 44–45, 72, 73
- Lepisosteidae indet. [fish] 281–282
- leptoceratopsid [dinosaur] 237
 teeth 270
- Leptoceratopsidae 233, 234, **235**
- Liassic spheres 150
 erratics 156, 157
- limestone 232, 242, 279, 280
- liverworts 90
- London–Brabant Massif 160
- Lycophyta [club moss] **218**
 lycophyte
 in permineralized peat 90, 92, 93, 94, 103
 spore taxa **132**, 223
- lydian stone 89
- Lyrocephalus* [amphibian] 23
- Maastrichtian, warming event 322–323
- Macknight Bjerg 33, 34, 36, 40, 41
 magnetic susceptibility 36, 37
- Malmros Klint Member 34, 36, 40, 72, 73, 121
- mangrove environment 270–271
- marine reptile 165–185
 braincase 293–299
- mass spectrometry 184
- Megalosaurus* 201
- megaspores 90, 93
- methane release 158
- methanogenesis 184–185
- Meyerasaurus* sp. [plesiosaur]
 systematic palaeontology 154–155
- Microcleididae [plesiosaur]
 systematic palaeontology 151–154
- Microcleidus* distribution 150, 160
- microorganisms 101
- microspores 90, 93–94
- Milankovitch cycle 51
- miospore assemblage 224, 225
- mire 89, 93
 vegetation 103–104
- mite coprolites 100, 106
- Monoclonius* [dinosaur] 23
- Monocotyledoneae 222–223
- monsoonal rain 81–82
- moraine, Brandenburg Phase 157
- moss 90, 91, 95, 132, 218, 253–255
- Museum of Evolution, Uppsala University 15, 17, 18,
 26–27
- mycophagy 89, 106
- nannofossil biostratigraphy 305–312, 324
 palaeodepth curve 318–319
 zonation **312**
- nephelinite plug, age of 129
- Nilsson, Sven 207–209
- Norian–Rhaetian boundary 51
- North Sea, Danish sector
 foraminifera 303–324
 pelagic deposition 321–322

- ontogenetic stage *see* juvenile form
Opherceras [ammonoid] 3
orbital controls 36, 51, 82
organic carbon flux 303, 316, 317, 320, 322
Ornithischia [dinosaur] 233–235
ornithopod track site, Svalbard 189–204
 ichnotaxa 189–190
 track description 194–204
 track mapping method 194
Ornithopoda [dinosaur] 233–235
Ørsted Dal Member 72–73, 74, 121
otolith 67
Oxford Clay Formation, reptile preservation 167, 181, 183
oxygen level 303, 316, 317
 bottom water 322
oxygenation and fossil preservation 183
oysters 254, 270
- pachycormid teeth 282
pachyrhizodontid teeth 283
Pachyrhizodus sp. [fish] 283, 285, 286
Paqiophyllum sp. [conifer] 211, 212, 217
palaeobathymetry 315–316
palaeobiogeography
 Baltic region 158, 159
 temnospondyls 121–122
palaeoclimate 4, 128, 142–143
 Late Cretaceous 225
 Late Triassic 35–36
palaeodepth curve 318–319, 323
palaeoecology
 actinopterygian fish 286
 foraminifera 313–324
 leaf flora, Skåne 223–225
 peat 104–106
 shark 270–271
palaeoenvironment
 Early Jurassic 158–159
 foraminifera, Late Cretaceous 303–324
 Höör Sandstone 139, 141–143
palaeogeography
 Baltic 156, 158, 159
 Skåne 208
palaeolatititude
 Early Cretaceous, Svalbard 190, 201, 203
 Late Cretaceous, Danish sector 303–304
 Late Cretaceous, Sweden 225
 Late Triassic 81, 88, 103, 121
 Mid Jurassic, south Sweden 141, 142
palaeomagnetic data 35
palaeontology *see* systematic palaeontology
palaeoshoreline 232
palaeovegetation, Skåne area 141
palynofacies, Köpinge 223
palynology, Skåne
 Jurassic 130, 131, 132–133, 134
 Late Cretaceous 213, 223
 Pangaea 33, 35, 51, 72, 80–82, 122
 parasite, trophic diagram 105
 parasitism 89, 105, 106, 130
 peat, ecosystem, Hopen 87–107
 biodiversity 90–102
 composition 103, 104
 definition 89
 trophic levels 104–106
 Peking Man 21, 25
 pelagic deposition, North Sea 321–322
 permineralized biota, Svalbard 87–107
 permineralized biota, Sweden 128
 permineralized peat 103, 104, 106, 107
 Phalarodon [ichthyopterygian] 3, 23
 phytogeography 102–103
 Phytosaur Bone Bed 40–41
 phytosaur 44–45
 planktic–benthic ratio 305, 315–320, 323
 equation 316
 plant diversification 2, 87–88
 plant preservation 102
 Plateosaurus [dinosaur] 38, 39, 40, 46, 80
 plesiosaur [marine reptile]
 braincase re-examination 293
 British species 150–151
 taphonomy 165–185
 taxa 293
 plesiosaurian braincase 293–299
 discussion 299
 locality and geology 294–296
 study method 294
 systematic palaeontology 296–299
 taxa 293
 terminology 294
 plesiosaurian fossils in Baltic erratics 149–160
 systematic palaeontology 151–155
 pliosaurid predation 181, 183
 pollen 94, 135
 Bennettiales 95, 96
 conifer 97
 in situ 254
 taxa 131–133, 218, 220
 Posidonienschiefer Formation 167, 180–181, 183, 184
 predators 181, 183, 286, 287
 preservation modes, after Martill 167, 168–169
 preservation of skeleton 179–185
 Protocallianassa fajasi Desmarest
 [shrimp] 242, 244–245, 246, 247
 Protocallianassa, Late Cretaceous 241–248
 study method 242
 systematic palaeontology 242–245
 Protosphyraena sp. [fish] 282, 284, 286
 province, amniotes 160
 Pseudogumbelina hariaensis [foraminifera] 312, 321, 323, 324
 Pseudotextularia elegans [foraminifera] 312, 314, 320, 321, 322–323, 324

- Pteranodon* sp. [pterosaur] 23
pteridosperm remains 94
pterosaur 22, 23
pycnodontid teeth 281
Pycnodontidae indet. [fish] 284
- quadrupedality, ornithopod 203
quartz in coprolites 64
- Rarytkinia?* sp. [dicot] 216, 221–222
reconstruction
 volcanic landscape 143
red beds 34–35, 72–73
reptile taxa
 Late Cretaceous 293
 Late Jurassic **168–169**
 Late Triassic 32–33
Rhomaleosauridae [plesiosaur]
 systematic palaeontology 154–155
Rhomphaiodon [shark] tooth 63, 67
Rhynie chert 99
Rödmölla fossil site **210**, 224
root cell 101
root fungi 97–99
root galls 101–102
roots, Bennettitales 95, 96, 103–104
- Salicites wahlbergii* [angiosperm] 211, 222, 225
salinity 322
salt diapirism 304
salt structures, Permian 157, 158
sapro-xylophagy 89
saprotrrophy 89, 104, 105
Sassenisaurus spitzbergensis [temnospondyl amphibian]
 114
Saurichthys [fish] 3
Saurischia Seeley 235–236
sauropodomorph dinosaurs 36–40
 tracks 43, 45
Säve-Söderbergh, Gunnar 20
scales, actinopterygian 281–282, 284
Scania locality, fish **278**
scavengers 181, 183
Schmalensée, von Gustaf 209
Scutemys [turtle] 23
sea-level change 278, 316
 foraminiferal response 303–324
sea surface temperature 322–323
sea-level stand, Cretaceous 253, 304
sedimentation rate 184–185
seed, Bennettitales 95
Seeleysaurus [plesiosaur]
 systematic palaeontology 153–154
selachian diversity 270
selachians, Late Cretaceous sharks
 material and methods 255
 palaeoecology 270–271
 previous study 252–253
 stratigraphy of site 253–255
 systematic palaeontology 255–270
shark tooth 63, 67
 study 251–271
shrimp burrows 247–248
silicified peat 88, 89, 106
Skåne, Late Cretaceous dinosaurs 231–237
Skåne, Late Cretaceous megafloora 207–225
Skåne, Late Cretaceous shrimps 241–248
Slottsmøya Member 165–167
 composite log 170–171
 marine reptile specimens **168–169**
 taphonomy and diagenesis 172–185
SO₂ 127
soil profile, kaolinite 201
Spitsbergen 88
 marine reptile locations 166
Spitsbergen, track site 190
Spitzbergen Jurassic Research Group 165, 167
sponge 7
sporangia 90, 91, 94, 98, 99
spore taxa **131–132**, **218**, 220
spores 92, 94–95, 135
sporocarps 101–102
Squatina (*Squatina*) Duméril [angel shark] 255
Squatina (*Squatina*) *fortemordeo* sp. nov. 260, 261
 comparison 261–264
Squatina (*Squatina*) *lundegreni* sp. nov. 255–259, 261
 comparison 258–259
Squatina hassei Leriche 259
Squatina, diet 271
Squatina, palaeoecology 271
Sr/Sr ratio 121
Stanstorps Member, flora 128
Stensiö, Erik, A. 20, 113, 115
Sternberg Collection 24
Stevns Klint UNESCO World Heritage Site 6, 7
stomatal density, proxy 128
stromatolites 43, 45
strombolian volcanism 143
sulphate depletion 185
sulphur dioxide 127
Svalbard expedition 21
 1908 17, 18
Svalbard, marine reptiles
 Slottsmøya Member 165–185
Svalbard, ornithopod tracks 189–204
Svalbard, permianized biota 87–107
Svalbard, Triassic vertebrates 113–122
Svenstorps Mölla, fossil site 209, **210**
Sverdrup Basin 201, 202
Synechodus [shark]
 palaeoecology 271
 phylogeny revision 271
Synechodus filipi sp. nov. 265, 266, 267
 comparison 268–270
Synechodus lerichei 269
Synechodus perssoni 269

- Synechodus* Woodward 264
systematic palaeontology
 actinopterygian fish 281–286
 angel shark/selachian 255–270
 decapod crustacean 242–245
 dinosaur 233–236
 megafloora 213–223
 Plesiosauria 151–155, 296–299
 temnospondyl amphibian 115–118
- Tait Bjerg site 72, 73
Tanius [hadrosaurian dinosaur] 22
taphonomy 106
 actinopterygian 286–287
 ichthyosaur and plesiosaur 165–185
 leaf flora 211–216
- taxa
 actinopterygian fish 278–280
 foraminifera **306–310**
 leaf taxa **210**, 224
 marine reptile **168–169**
 ornithopod ichnofossil 189–190
 plesiosaur 293
 pollen and spores **218–219**, 220, 223, 224
 pollen, gymnosperm 131, **132–133**, **218**
 reptile 31–33, 32–33, **168–169**, 293
 spore, fern 131, **132–133**, **218**
 spore, lycophyte **132**, 223
 temnospondyl amphibians **119**, **120**
 Wiman's vertebrates **21**
- teeth *see* tooth
Teleostei indet. [fish] 283, 286
temnospondyl amphibians 41
 distribution 120
 Eastern Greenland 118–121
 Svalbard 113–122
 Capitosaurus polaris reassessment 115–118
 fossil localities 114
 taxa and source units **119**, **120**
- temperature
 sea bottom 323
 sea surface 322–323
- terminal moraine 157
testudinatan carapace 41
tetrapod footprints 71–82
Thalassinoides [burrow] 247
thermal alteration index 213, 223
theropod dinosaur 159
 avian 45, 236, 237
 non-avian 6, 231, 236
 track 34–35, 42, 44–45
 track reinterpretation 202
- Theropoda Marsh, 1881 [dinosaur] 235–236
Thoracosaurus [gavialoid] 7
thrombolites 43, 45
Toarcian Oceanic Anoxic Event 158
tooth
 actinopterygian 281–283, 284–287
 Microcleididae 152
 reinterpretation 231
 Squatina sp. 256–257, 259, 260, 262, 263
 Synechodus sp. 265–266
 terminology 255
- Tor Formation 303, 304, 311, 318–319
Tosterup fossil site **210**, 224
total carbon content 165–166, 171, 172, 179, 183, 184–185
trace fossil, trophic diagram 105
Track Mountain 42, 43, 44–45
tracks 4, 5, 44
 dinosaur 37, 45
 tetrapod 42–43, 203
- Transitional Spore-spike Interval 128
tree ring analysis 130
trematosaurid 113, 115, 118, **119**, **120**, 122
- Triassic
 archosaur footprints, East Greenland 71–82
 biota 2, 3, 87–107
 Triassic–Jurassic boundary 128
 trophic diagram, Triassic ecosystem 105
 Tupilakosaurus [amphibian] 120–121, 122
 turtle 4, 6
 turtle carapace 7, 22, 23
 Tylocidaris [echinoid] 7
 Tyra SE Field, Danish sector 303, 305
- U–Pb age 191
 Rhaetian boundary 51
Ungsmunnarna locality 233
Ullstorp locality 241
 dinosaur fossils 232, 233
 fish **278**, 279, 280
UNESCO World Heritage Site 6, 7
- vegetation, bennettitalean 103
vegetation, disrupted (by volcanism)
 growth ring comparison 141–142
 methods and material 130–134
 palynology 134–136
 summary or palaeoenvironment 142–144
 wood preservation 136–141
vegetation, post-impact 247
vertebra 22
 erosion 182
 Germany, northern 152–154
 ichthyosaur CT scan 178
 plesiosaur 298, 299
- vertebrate and invertebrate preservation 183
vertebrate palaeontology in Sweden 15–27
 Wiman's specimens and taxa **21**
- vertebrates 252
 and coprolites 64, **65**
 East Greenland 36–46
 Svalbard 113–122
volcanic landscape reconstruction 143
volcanic plug, Skåne 129

- volcaniclastic sediments, Korsaröd 134–136, 142–143
 - palynology 131, **132–133**, 135
- volcanism and vegetation 127–144, 158
- volcanism, Deccan Trap 322
- volcanism, Svalbard, Early Cretaceous 191
- Vomb Trough 208, 209

- warming event, Maastrichtian 322–324
- water depth indicators 315–316
- water-mass flow 304, 322, 324
- water-mass indicators 303
- Weichselian Maximum Ice Advance 156, 157
- wells, Danish sector 304, 305
- Wiman, Carl, J. E.
 - collaborators and supporters 18–21
 - collections 21–27
 - research 17–18
 - vertebrate palaeontology in Sweden 15–17

- Wood Bjerg site 50
- wood growth patterns
 - comparison 141–142
- wood preservation
 - Korsaröd 136–141
- wood, silicified 106
- Wordie Creek Formation
 - temnospondyl remains 119, **120**

- X-ray diffraction (XRD) 63–64, 66
 - coprolites 54, 56
- X-ray fluorescence
 - Korsaröd 134, **136**
- xylophagy 89

- Zdansky, Otto 17, 25, 26
- zonation, belemnite (informal) 243, 253–255
- zonation, foraminifera 171
- zonation, nannofossils **312**