

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- accretion-type orogeny 153–154, *154*
Altun–Qilian–North Qaidam studies 157
 arc magmatism and metamorphism 163–166
 HP–LT metamorphism 157
 North Altun Complex 157–160
 North Qilian Complex 160–163
 orogenies compared 172–174
ACF system applied to metabasics 29–31, **30**, *30*, **31**, *32*
experimental work 28–29
history of research 25–26
metamorphic facies transitions 31–33, *33*
 amphibolite to eclogite 37, *38*
 amphibolite to granulite 36–37, *36*
 blueschist to eclogite 33–36, *34*, *35*
 kyanite-bearing assemblages 37–38, *39*
 THERMOCALC for MORB 26–28
 P–T pseudosection 38–41
actinolite, phase relations 18, 29
adakite 291, 292, 300, 302–303
aegirine 17
age, geochronologically defined 48
Alashan (Alxa) block *155*, 156
albite, phase relations 29
Alpine (Himalayan or continental)-type margin
 209, 275, 287
Altun Group 156
Altun–Qilian–North Qaidam orogenic system
 154, *155*, 156–157
 Barrovian metamorphism 168–172
 North Qaidam complex 169–170
 South Altun complex 168–169
 metamorphism and accretionary orogenesis 157
 HP–LT 157–163
 North Altun 157–160
 North Qilian 160–163
 related to arc magmatism 163–166
 metamorphism and collisional orogenesis 166–168
 post collisional extension and collapse 170–172
 summary tectonic model 172–174
Altyn Tagh fault 156, *332*
Alxa (Alashan) block *155*, 156, *173*
Ama Drime Massif 184, *185*, 186, 192–193
 geochronology 194–195
 P–T and age data **201**
 petrology 193–194
Amdo microcontinent 212
amphiboles
 experiments and phase modelling compared 29
 Marun–Keu Complex **263**, 269
 phase relations, history of research 25
 role in the ACF system **30**
 Tso Moriri eclogites 17–18, *18*
amphibolite, Kaghan Valley 187
amphibolite facies, phase relations 31–33, 36–37
Andean (Cordilleran) arcs 163
Andean (Pacific)-type convergent margin 209, 210, 291
⁴⁰Ar–³⁹Ar geochronology **138**, 183, 220
artefact study of jadeite/jadeite
 methods, sampling and analyses 235, 236
 results
 bulk geochemistry 244–245
 cathodoluminescence 239–241
 mineral chemistry
 analcime 244
 calcite 244
 chlorite 242, **243**
 clinopyroxene 242, **243**
 epidote 242, **243**
 garnet 242, **243**, 244
 glaucophane 242, **243**
 lawsonite 244
 micas 242, **243**, 244
 paragonite 242, **243**
 plagioclase 242, **243**
 titanite 244
 petrography 235–236
 blueschists 239
 jadeite–lawsonite 237–239
 jadeite s.s. 236–237
 Río San Juan Complex samples 239
 results discussed
 mineral assemblages 247–248
 mineral chemistry 248
 provenance character 245, 247
 trace elements 248
 summary, Caribbean context 248–250
 Arun Valley 184, *185*, 186, 192–193
 geochronology 194–195
 P–T and age data **201**
 petrography 193–194
 Asian Plate 184, *185*, 332

Bailang, glaucophane eclogite **217**, 218, 219, 221
Baltica, collision 255
banalsite 249
Banggong–Nujiang Suture Zone (BNSZ) 6, *210*, 211, *332*
barroisite 18
Barrovian metamorphism 154, 184
 Altun–Qilian–North Qaidam complex 168–170
basic/metabasic (MORB) rocks
 ACF system 29–31, **30**, *30*, **31**, *32*
 chemical analysis **26**
 experimental work 28–29
 history of research 25–26
 metamorphic facies transitions 31–33, *33*
 amphibolite to eclogite 37, *38*
 amphibolite to granulite 36–37, *36*
 blueschist to eclogite 33–36, *34*, *35*
 kyanite-bearing assemblages 37–38, *39*
 THERMOCALC for MORB 26–28
 P–T pseudosection 38–41
Bhutan 184, *185*, 186, 187–188
 P–T and age data **201**
biotite
 Namche Barwa Complex 335
 phase relations, THERMOCALC 26–27

- blueschists
 North Altun complex 157–160, 158
 North Qilian complex 161
 Oana 216
 phase relations 31–33, 33–36
 Southwestern Tianshan 136, 138
- carbonates
 Tso Morari eclogite 13, 18–19
- Caribbean, use of jadeitite 232, 248–249
- carpholite 7
 North Qaidam belt 276
- celsian 249
- Central Altun block 155
- Central Asia Orogen 154, 155
- Central Dabie zone 91, 91
- Central Himalaya 193–195
 metabasite protolith 195
 P–T and age data **200**, **201**, 202
- Central Orogenic Belt of China 154, 155
- Central Tiashan Plate 134
- Chayu–Western Yunnan (Dianxi)–Burma batholith 292
- chlorite
 experiments and phase modelling compared 29
 jadeitite tool samples 242
 role in the ACF system **30**
- chloritoid 162
- clinopyroxene
 Marun–Keu 260, **262**
 phase relations, THERMOCALC 26
 role in the ACF system **30**
 Tso Morari eclogite 15–17, 17
- clinozoisite 162
 jadeitite tool samples 242
 Marun–Keu 263, **263**, 269
- coesite 133, 209
 Dabie eclogite 310
 G-type eclogite 93
 Himalayan orogen 7, 186
 North Qaidam belt 276
 M-type eclogites 94, 96
 P-type eclogites 94
 Southwestern Tianshan orogenic belt 134,
 135, 136, 136
 Tso Morari eclogite 7, 11, 189
- collision-type orogeny 154, 154
 Altun–Qilian–North Qaidam orogenies compared
 172–174
 Dabie–Sulu orogenic belt 103–108
- continental (Alpine or Himalayan-type) subduction
 154, 275, 287
- continental (Andean or Cordilleran) arcs 163
- cordierite 7, 135
- Cuba, jadeitite 232, 233
- cymrite 249
- date, geochronologically defined 48
- Dabie Mountains 310
- Dabie orogen 90, 91, 91
 eclogite-bearing terrane
 structure 310, 311
 Ti-in-zircon thermometry
 methods of analysis 310–311, 313
 results
 ages 315, 318, 319, 320, 320
 composition 314–315, 316, 317
 morphology and structure 313–314, 314
 rock types **312**
 results discussed 320–322, 320, 321, 322
 associated pressures 323, 324
 estimated temperatures **324**, 325–327, 326, 327
 tectonic implications 327–328
- Dabie–Sulu orogenic belt 90, 91, 91, 210, 309
 geochemistry 96–97
 Harker diagrams 99
 major and trace elements 98
 Rb/Sr ratios 101
 REE patterns 100, 101
 Sm/Nd ratios 102
 geochronology 92, 93, 102–103
 geological setting 90–93
 location 90–91, 90
 petrography 93–96
 eclogite classification
 G-type 93, 94
 M-type 94, 96
 P-type 94, 94
 structure 91–92
 summary of significant results 122
 collisional phase 103–108
 continental subduction tectonics
 mono- v. bidirectional 112–114
 north v. south 114–115
 exhumation 115–116
 post-collision reworking 116–119
 subduction zone metamorphism 108–112
 temperature estimation 78
 Wilson cycle 119–121
- decay systems and constants 48–49
- detachments, South Altun–North Qaidam complex
 170–172
- diamond/microdiamond 93, 209, 276
- Dinggye 184, 185, 186, 192–193
 geochronology 194–195
 P–T and age data **201**
 petrology 193–194
- diopside 249
- dolomite 13, 19, 135
- Dominican Republic
 jadeitite 232, 233
see also Playa Grande; Río San Juan Complex
- ductile deformation
 North Altun complex 158–159
 North Qilian complex 162–163
- Dulan terrane
 coesite 276
 observations
 mineral analyses
 methods 278–280
 results **279**
 garnet porphyroblasts 280
 compositional profile 280–281
 lawsonite pseudomorphs 280
 P–T estimate 281
 zircon
 SHRIMP ages 281–282
 structure and inclusions 281
 U and REE patterns 283–284

- petrography
 - Shaliuhe section 277–278, 277
 - Yematan section 276–277, 277
 - observations discussed
 - oceanic v. continental subduction 284–285
 - subduction timescale and significance 286–287
 - Ti-in-zircon thermometry 285–286
 - Dunhuang block 155
 - Eastern Himalaya
 - Bhutan 197–198
 - metabasite protolith 198
 - Sikkim 195–196
 - Eastern Himalayan Syntaxis 292, 292, 332–333, 332
 - Namche Barwa Complex 6, 292, 292, 331, 333
 - history of research 331–332
 - map 332
 - paragneiss study
 - methods of analysis 333, 335
 - results
 - mineral compositions
 - assemblages 338
 - feldspar 338
 - garnet 338
 - major elements 335, 336, 337, 337
 - REEs 337–338, 337, 338, 339, 341, 343, 344, 347
 - P–T pseudosections 341–343, 345, 346
 - petrography 335
 - photomicrographs 334
 - zircon geochronology 338, 340, 340, 342
 - results discussed
 - crystallization of zircon 348
 - metamorphic ages 343–348
 - summary metamorphic history 348–349
 - eclogite and eclogite-bearing localities 275–276
 - Bhutan 197–198
 - Dabie terrane
 - structure 309, 310, 311
 - Ti-in-zircon thermometry
 - methods of analysis 310–311, 313
 - results
 - ages 315, 318, 319, 320, 320
 - composition 314–315, 316, 317
 - morphology and structure 313–314, 314
 - rock types 312
 - results discussed 320–322, 320, 321, 322
 - associated pressures 323, 324
 - estimated temperatures 324, 325–327, 326, 327
 - tectonic implications 327–328
 - Dabie–Sulu orogenic belt 90, 91, 91, 210, 309
 - geochemistry 96–97
 - Harker diagrams 99
 - major and trace elements 98
 - Rb/Sr ratios 101
 - REE patterns 100, 101
 - Sm/Nd ratios 102
 - geochronology 92, 93, 102–103
 - geological setting 90–93
 - location 90–91, 90
 - petrography 93–96
 - eclogite classification
 - G-type 93, 94
 - M-type 94, 96
 - P-type 94, 94
 - structure 91–92
 - summary of significant results 122
 - collisional phase 103–108
 - continental subduction tectonics
 - mono- v. bidirectional 112–114
 - north v. south 114–115
 - exhumation 115–116
 - post-collision reworking 116–119
 - subduction zone metamorphism 108–112
 - temperature estimation 78
 - Wilson cycle 119–121
- Dulan terrane
 - Yematan section 276–277, 277
 - Shaliuhe section 277–278, 277
 - significance of metamorphic epochs 284–285, 286–287
- HHC 184
- Himalayan orogen 7, 186, 187–188
 - significance of occurrence 198–199
- Kaghan Valley 187–188
- Marun–Keu 258–259, 259–260
- North Altun complex 157–160, 158
- North Qiadam 276
- North Qilian complex 161
- Qilian orogen 276
- South Altun–North Qaidam complex 167
- Southwestern Tiashan orogen
 - age 140, 144
 - geochemistry 139–140
 - P–T–t paths 141, 142, 143, 144–145, 144
 - petrology 136–139
- Stak Valley 191
- Sumdo Complex 211, 212, 213
 - localities
 - Bailang area, glaucophane eclogite 213, 214, 218, 219, 221
 - Jilang area, phengite eclogite 213, 214, 216, 218, 219, 221
 - Sumdo area 212–213, 213, 214
 - blueschist 216
 - garnet mica schist 216
 - glaucophane eclogites 214, 215–216
 - phengite eclogites 213–215, 213, 214
 - observations
 - geochemistry 218–219, 219
 - geochronology 219–221, 220
 - P–T plot 215, 217
 - observations discussed
 - evolution 224, 225
 - interpretation 223–225
 - significance 221–223
- Tso Morari 10–11, 189–191
 - eclogite analyses 10–11, 11, 200
 - mineralogy and petrography 12–13, 13
 - amphiboles 17–18, 18
 - carbonates 18–19
 - clinopyroxene 15–17, 17
 - garnet 14–15, 16, 17
 - thin sections 14, 15
 - P–T paths 11–12, 12
 - summary 19–20
- eclogite facies, phase relations 33–36, 37–38

- epidote 137, 242
 experiments and phase modelling compared 29
 role in the ACF system **30**
- Everest, Mount 6
- facies phase relationships
 metamorphic facies transitions 31–33, 33
 amphibolite to eclogite 37, 38
 amphibolite to granulite 36–37, 36
 blueschist to eclogite 33–36, 34, 35
 kyanite-bearing assemblages 37–38, 39
- feldspar *see* albite *also* plagioclase
- Franciscan-type subduction *see* oceanic
- Gangdese Batholith 5, 212, 292, 332
- Gangdese magmatic arc 291, 292
 granitoid study
 methods of analysis 293–294
 results
 whole-rock geochemistry 297–298
 zircon
 geochronology 294–295, 297
 Hf isotopes 297
 results discussed
 adakite origins 300, 302–303
 source rocks and evolution 298–300
 tectonic implications 303–304
- garnet
 Dulan terrane garnet porphyroblasts 280
 compositional profile 280–281
 lawsonite pseudomorph 280
 P–T estimate 281
 experiments and phase modelling compared 29
 geochronology
 history of research 47
 methodology
 analytical techniques 51
 closure temperatures 50
 decay constants 48–49
 decay systems 48
 uncertainties 49–50
 named isotopes in garnet
 Lu–Hf 47–48, 50–51
 case study of Hong'an orogenic belt
 methods 59–60
 results 60–63
 results discussed 63
 setting and sampling 59
 texture and zonation 59
 methods of analysis 53–55
 results
 problems of interpretation
 diffusion 58
 inclusion issues 57
 isotopic disequilibrium 55–57
 microsampling 58–59
 Sm–Nd 47–48, 50–51
 case study of Hong'an orogenic belt
 methods 59–60
 results 60–63
 results discussed 63
 setting and sampling 59
 texture and zonation 59
 methods of analysis 52–53
 results
 problems of interpretation
 diffusion 58
 inclusion issues 57
 isotopic disequilibrium 55–57
 microsampling 58–59
 jadeite tool samples 242, 244
 Marun–Keu 260, **261**, 264
 phase relations, history of research 25
 role in the ACF system **30**
 Tso Morari eclogites 14–16, 16, 17
 garnet–clinopyroxene thermometer 79
 garnetite, Kaghan Valley 188–189
 geochemistry
 Dabie–Sulu belt 96–97
 Gangdese arc 297–298
 Marun–Keu 256–257
 jadeite tools 244–245
 Sumdo belt 218–219
 SW Tianshan belt 139–140
 geochronology
 applied to localities
 Dulan terrane 281–282, **282**
 Higher Himalayan Crystalline 183
 India–Asia collision 184
 Kaghan Valley 189
 Marun–Keu Complex 258
 North Altun complex 158–159
 North Qaidam complex 172, 172
 North Qilian complex 160–161, 163
 South Altun–North Qaidam complex 168
 Southwestern Tianshan **138**, 140–141, 144
 Stak Valley 191
 Sumdo Complex **217**, 219–221
 Tso Morari 10, 190–191
 history of research 47
 methodology
 analytical techniques 51
 closure temperatures 50
 decay constants 48–49
 decay systems 48
 uncertainties 49–50
 named isotopes in garnet
 Lu–Hf 47–48, 50–51
 case study of Hong'an orogenic belt
 methods 59–60
 results 60–63
 results discussed 63
 setting and sampling 59
 texture and zonation 59
 methods of analysis 53–55
 results
 problems of interpretation
 diffusion 58
 inclusion issues 57
 isotopic disequilibrium 55–57
 microsampling 58–59
 Sm–Nd 47–48, 50–51
 case study of Hong'an orogenic belt
 methods 59–60
 results 60–63
 results discussed 63
 setting and sampling 59
 texture and zonation 59

- methods of analysis 52–53
 - results
 - problems of interpretation
 - diffusion 58
 - inclusion issues 57
 - isotopic disequilibrium 55–57
 - microsampling 58–59
- glaucophane 18
 - experiments and phase modelling compared 29
 - jadeite tool samples 242
 - mica–schists 162, 162
- Godwin Austen 6
- granitoids of Gangdese magmatic arc 291, 292
 - methods of analysis 293–294
 - results
 - whole-rock geochemistry 297–298
 - zircon
 - geochronology 294–295, 297
 - Hf isotopes 297
 - results discussed
 - adakite origins 300, 302–303
 - source rocks and evolution 298–300
 - tectonic implications 303–304
- granulite facies, phase relations 36–37
- greenschist, Kaghan Valley 187
- greenschist facies, phase relations 31–33
- Guatemala, Motagua Fault Zone 232, 233, 249

- Haerkeshan Fault 134
- Hazara Syntaxis 186
- Higher Himalaya 8, 186
 - Central Crystallines 5, 6
 - Tibetan Tethys Zone 5, 6
- Higher Himalayan Crystallines 185, 331, 332, 333
- Higher Himalayan Sequence 292, 292
 - see also* Namche Barwa Complex
- Himalayan Mountain Range 183, 184, 185
- Himalayan orogen 7–9, 8, 332
 - geological setting 184, 186–187
 - map 185
 - observations discussed
 - collision and metamorphism age 198–199
 - concurrent v. diachronous collision 199, 200–201
 - petrographic features
 - Central Himalaya 193–195
 - metabasite protolith 195
 - P–T and age data **200, 201, 202**
 - Eastern Himalaya
 - Bhutan 197–198
 - metabasite protolith 198
 - Sikkim 195–196
 - Western Himalaya
 - Khagan Valley 187–189
 - geochronology 189
 - metabasite protolith 191–192
 - Stak Valley 191
 - Tso Morari 189–191
 - summary 203
- Himalayan (Alpine or continental)-type convergent margin 209, 275, 287
- Hispaniola *see* Playa Grande
- Hong'an orogenic belt
 - garnet geochronology study
 - methods 59–60
 - results 60–63
 - results discussed 63
 - setting and sampling 59
 - texture and zonation 59
 - Ti-in-zircon temperature 78
 - hornblende, experiments and phase modelling compared 29
- Hualong Group 156
- Huangyuan Group 156, 163

- ilmenite, phase relations, THERMOCALC 27–28
- India–Asia collision 183, 291, 332
 - timing 184
- Indian Plate (Tethyan–Himalayan Block) 184, 185, 210, 211, 332, 332
- Indus Molasse 9
- Indus River 5, 6
- Indus–Tsangpo Suture Zone 5, 6, 8, 9, 184, 185, 186, 292, 292
- isochron method 48
 - uncertainties 49–50

- jadeite, metamorphic significance 231–232
- jadeite 231–232
 - worldwide occurrence 232
- jadeite/jadeite tool study
 - methods, sampling and analyses 235, 236
 - results
 - bulk geochemistry 244–245
 - cathodoluminescence 239–241
 - mineral chemistry
 - analcime 244
 - calcite 244
 - chlorite 242, **243**
 - clinopyroxene 242, **243**
 - epidote 242, **243**
 - garnet 242, **243, 244**
 - glaucophane 242, **243**
 - lawsonite 244
 - micas 242, **243, 244**
 - paragonite 242, **243**
 - plagioclase 242, **243**
 - titanite 244
 - petrography 235–236
 - blueschists 239
 - jadeite–lawsonite 237–239
 - jadeite *s.s.* 236–237
 - RSJC samples 239
 - results discussed
 - mineral assemblages 247–248
 - mineral chemistry 248
 - provenance character 245, 247
 - trace elements 248
 - summary, Caribbean context 248–250
- Jiansha Suture Zone 332
- Jiaonan zone 91
- Jilang, phengite eclogite 216, **217, 218, 221**
- Jinsha Suture Zone (JSSZ) 6, 210, 211
- Jinyanshan Group 156

- Kaghan Valley 6, 7, 183, 184, 185, 186, 186
 - geochronology 189
 - P–T and age data **200**
 - petrography 187–189

- Karakoram Batholith *186*
 Karakoram Shear Zone *8*
 katophorite *18*
 Kohistan Arc *186*
 Kohistan Batholith *5, 6, 292*
 Kohistan–Ladakh arc *184, 185*
 Kunlun Block *210, 211*
 Kunlun Fault *332*
 kyanite *7*
 kyanite-bearing eclogite, phase relations *37–38*
 role in the ACF system **30**
- Ladakh Arc *186*
 Ladakh Batholith *5, 6, 9*
 Lamayuru Group *8*
 lawsonite *7, 11*
 Dulan terrane *276, 280, 284, 286*
 experiments and phase modelling compared *29*
 jadeite tool samples *244*
 role in ACF system **30**
- Lesser Himalaya *5, 6, 7, 8, 186*
 Lesser Himalayan Sequence *184, 185*
 Lhasa Terrane (Block) *6, 210, 211–212, 291, 332, 332, 333*
 composition *212*
 Gangdese magmatic arc *291, 292*
 granitoid study
 methods of analysis *293–294*
 results
 whole-rock geochemistry *297–298*
 zircon
 geochronology *294–295, 297*
 Hf isotopes *297*
 results discussed
 adakite origins *300, 302–303*
 source rocks and evolution *298–300*
 tectonic implications *303–304*
- Sumdo Complex *211*
 localities
 Bailang area, glaucophane eclogite *213, 214, 218, 219, 221*
 Jilang area, phengite eclogite *213, 214, 216, 218, 219, 221*
 Sumdo area *212–213, 213, 214*
 blueschist *216*
 garnet mica schist *216*
 glaucophane eclogites *214, 215–216*
 phengite eclogites *213–215, 213, 214*
 observations
 geochemistry *218–219, 219*
 geochronology *219–221, 220*
 P–T plot *215, 217*
 observations discussed
 evolution *224, 225*
 interpretation *223–225*
 significance *221–223*
- Lilong Batholith *292*
 Linzizong volcanic succession *212, 292*
 Longmu Tso–Shuanghu Suture Zone (LSSZ) *210, 211*
 Lu–Hf geochronology *47–48, 50–51, 220*
 case study of Hong'an orogenic belt
 methods *59–60*
 results *60–63*
 results discussed *63*
 setting and sampling *59*
 texture and zonation *59*
 methods of analysis *53–55*
 results
 problems of interpretation
 diffusion *58*
 inclusion issues *57*
 isotopic disequilibrium *55–57*
 microsampling *58–59*
- Luobaidui Milashan Fault *210, 212*
 magnesite *19, 135*
 Main Boundary Thrust *6, 7, 8, 185, 186, 332*
 Main Central Thrust *5, 6, 8, 184, 185, 186, 332*
 Main Frontal Thrust *8, 185*
 Main Karakoram Thrust *186*
 Main Uralian Fault *257*
 Maksyutov Complex *255*
 Marun–Keu Complex *255*
 map *258*
 observations
 geochemical classification *256–257*
 geochronology *258*
 mineral chemistry *260–261, 261, 262, 263, 263*
 petrography *258–260*
 granofels *259*
 kyanite eclogite *258–259*
 retrogressed kyanite eclogite *259–260*
 P–T evolution *263–264*
 pre-peak and peak events *264, 266*
 retrograde events *266–267*
 observations discussed
 P–T evolution *268–270*
 role of Fe ions *267–268*
 tectonic implications *270–271*
 setting *256–258, 257*
- Mata Nappe *9, 9*
 Maxianshan Group *156*
 metabasics and phase relations *29–31, 30, 30, 31, 32*
 ACF system *29–31, 30, 30, 31, 32*
 chemical analysis **26**
 experimental work *28–29*
 history of research *25–26*
 metamorphic facies transitions *31–33, 33*
 amphibolite to eclogite *37, 38*
 amphibolite to granulite *36–37, 36*
 blueschist to eclogite *33–36, 34, 35*
 kyanite-bearing assemblages *37–38, 39*
 THERMOCALC *26–28*
 P–T pseudosection *38–41*
- metabasites
 Himalayan orogen
 Central Himalaya *195, 202*
 Eastern Himalaya *198, 202*
 Western Himalaya *191–192, 202*
- metacherts *162*
 metamorphism
 four-fold classification *41–42*
 see also facies
- metasediments, North Qilian complex *163–164, 163–166*
 micas, jadeite tool samples *242*
 microdiamond *93, 209, 276*
 Monviso Massif (Alps) *210*

- MORB compositions 140
 ACF system 29–31, **30**, *30*, **31**, **32**
 chemical analysis **26**
 experimental work 28–29
 history of research 25–26
 metamorphic facies transitions 31–33, **33**
 amphibolite to eclogite 37, **38**
 amphibolite to granulite 36–37, **36**
 blueschist to eclogite 33–36, **34**, **35**
 kyanite-bearing assemblages 37–38, **39**
 THERMOCALC 26–28
 P–T pseudosection 38–41
 Motagua Fault Zone 232, 233, 249
 muscovite, phase relations, THERMOCALC 26–27
- Namche Barwa Complex *6*, 292, 292, 333
 history of research 331–332
 map **332**
 paragneiss study
 methods of analysis 333, 335
 results
 mineral compositions
 assemblages 338
 feldspar 338
 garnet 338
 major elements 335, **336**, **337**, **337**
 REEs 337–338, **337**, **338**, **339**, **341**, **343**, **344**,
 347
 P–T pseudosections 341–343, **345**, **346**
 petrography 335
 photomicrographs **334**
 zircon geochronology 338, **340**, **340**, **342**
 results discussed
 crystallization of zircon 348
 metamorphic ages 343–348
 summary metamorphic history 348–349
- Namche Barwa Detachment 332, 333
 Namula Thrust 332, 333
 Nanga Parbat *6*
 Nanga–Parbat–Haramosh Massif *6*, 186, 199
 NCFMASH system 29, **30**
 Neotethyan subduction 291
 nepheline 249
 nephrite 232
 North Altun subduction–accretion complex 155
 HP–LT metamorphism 157–160
 map 158
 summary tectonic model 172–173
 North China Craton 155, 210
 North Dabie Complex 310, 311
 North Dabie zone 91, 91
 North Huaiyang zone 91, 91
 North Qaidam 70
 North Qaidam orogenic belt 210, 276
 North Qaidam subduction–collision complex 155
 Barrovian metamorphism 169–170
 summary tectonic model 173–174
 North Qaidam–South Altun subduction–accretion belt
 156, 167–168
 North Qilian orogenic belt 210, 276
 North Qilian subduction–accretion complex 155, 157
 geochronology 160–161, 163
 HP–LT metamorphism 160–163
 map 161, 164
 summary tectonic model 172–173
 zircon thermometry 69–70, 71–74
 North Qilian–North Altun subduction–accretion belt 156
 Northern Suture *6*
 Nyingchi Complex 292, 293, 293
- ocean island arcs 163
 ocean island basalt geochemistry 139–140
 oceanic (Pacific or Franciscan-type) subduction
 133, 210, 275, 287
 Olongbuluke block 173
 omphacite, metamorphic significance 11, 17, 162,
 231–232
- orogeny
 classified 153–154
 defined 153
 orthopyroxene, role in the ACF system **30**
 Oulongbuluke (Qianji) block 157
 oxygen isotope analysis 102, 105
- Pacific (Andean)-type convergent margin 209, 210, 291
 Palaeo–Tiashan Ocean 135
 Pana, blueschist 216, **217**
 Panjal Traps 7, 191–192
 paragonite
 eclogite 137
 jadeitite tool samples 242
 pargasite 18
 pectolite 249
 Perple_X THERMOCALC 25–26
 phase modelling 26
 phase relations in metabasites
 ACF system 29–31, **30**, *30*, **31**, **32**
 experimental work 28–29
 history of research 25–26
 metamorphic facies transitions 31–33, **33**
 amphibolite to eclogite 37, **38**
 amphibolite to granulite 36–37, **36**
 blueschist to eclogite 33–36, **34**, **35**
 kyanite-bearing assemblages 37–38, **39**
 THERMOCALC for MORB 26–28
- phengite
 Marun–Keu **262**, 263
 North Qilian 162
 Tso Morari 11
- plagioclase
 jadeitite tool samples 242
 Namche Barwa Complex 337–338
 phase relations 25, 29, **30**
- Playa Grande jadeitite/jadeite artefact studies 233, 234
 methods, sampling and analyses 235, 236
 results
 bulk geochemistry 244–245
 cathodoluminescence 239–241
 mineral chemistry
 analcime 244
 calcite 244
 chlorite 242, **243**
 clinopyroxene 242, **243**
 epidote 242, **243**
 garnet 242, **243**, 244
 glaucophane 242, **243**
 lawsonite 244
 micas 242, **243**, 244

- Playa Grande jadeitite/jadeite (*Continued*)
 paragonite 242, **243**
 plagioclase 242, **243**
 titanite 244
 petrography 235–236
 blueschists 239
 jadeite–lawsonite 237–239
 jadeitite s.s. 236–237
 Río San Juan Complex samples 239
 results discussed
 mineral assemblages 247–248
 mineral chemistry 248
 provenance character 245, 247
 trace elements 248
 summary, Caribbean context 248–250
- Polar Urals, Marun–Keu Complex 255
 map 258
 observations
 geochemical classification 256–257
 geochronology 258
 mineral chemistry 260–261, **261**, **262**,
 263, **263**
 petrography 258–260
 granofels 259
 kyanite eclogite 258–259
 retrogressed kyanite eclogite 259–260
 P–T evolution 263–264
 pre-peak and peak events 264, 266
 retrograde events 266–267
 observations discussed
 P–T evolution 268–270
 role of Fe ions 267–268
 tectonic implications 270–271
 setting 256–258, 257
 preiswerkite 249
 Puga Gneiss 9
- Qaidam block 155, 156
 Qaidam Mountains 155
 Qaidam–North Kunlun block 173
 Qiangtang Terrane (Block) 6, 210, 211
 Qilian block 155, 156, 166
 Qilian Ocean 166
 Qilian orogen, eclogite 276
 Qilian–Central Altun microcontinental block 156
 Qinghai–Tibetan Plateau 276
 Quanji (Oulongbuluke) block 157
- radioisotopic decay systems and constants 48–49
 rare earth elements (REE)
 Dabie–Sulu belt 97, 99–102
 Gangdese arc 293, 297, 298, **301**, 302
 Namche Barwa Complex 337–338, **338**, 339,
 341, **343**, **344**, 347
 North Qaidam belt 283
 Sumdo Complex 219
- Río San Juan Complex 232, 233
 in Caribbean context 248–250
 setting 234–235
- Rupshu granite 9
- Russia, Marun–Keu Complex 255
 map 258
 observations
 geochemical classification 256–257
 geochronology 258
 mineral chemistry 260–261, **261**, **262**, 263, **263**
 petrography 258–260
 granofels 259
 kyanite eclogite 258–259
 retrogressed kyanite eclogite 259–260
 P–T evolution 263–264
 pre-peak and peak events 264, 266
 retrograde events 266–267
 observations discussed
 P–T evolution 268–270
 role of Fe ions 267–268
 tectonic implications 270–271
 setting 256–258, 257
- rutile
 Dabie eclogite 310, 313
 phase relations, THERMOCALC 27–28
 Zr-in- rutile geothermometry 79
 Tso Morari 11
- Shaliuhe section (Dulan terrane) 277–278, 277
 Shiquan River–Nam-Tso Fault 212
 Shyok Suture Zone 8
 siderite 13
 Sikkim 184, 185, 186, 195–196
 P–T and age data **201**
- Siwalik Group 7
 Siwalik molasse (Siwaliks) 184, 185, 186
 Sm–Nd geochronology 47–48, 50–51, 220, 221
 case study of Hong'an orogenic belt
 methods 59–60
 results 60–63
 results discussed 63
 setting and sampling 59
 texture and zonation 59
 methods of analysis 52–53
 results
 problems of interpretation
 diffusion 58
 inclusion issues 57
 isotopic disequilibrium 55–57
 microsampling 58–59
- Songpan–Ganze Terrane (Block) 6, 210, 211
 South Altun subduction–accretion complex 155, 157
 Barrovian metamorphism 168–169
 summary tectonic model 173–174
- South Altun–North Qaidam Mountains, UHP
 metamorphism 167–168
- South Central Tianshan Fault 134, 135
 South China block 155
 South Dabie zone 91, 91
 South Tianshan Fault 134
 South Tibetan Detachment 6, 7, 185, 332
- Southwestern Tianshan orogenic belt
 geological setting 133–135
 history of research **142**, **143**
 map 134
 results
 geochemistry 139–140
 geochronology **138**, 139, 140–141, 140, 144
 petrology
 country rock 137–138
 eclogites 135, 136–137
 coesite inclusions 136

- marble interlayers 138
- serpentinites 138–139
- results discussed
 - P–T–t paths 144–145
 - tectonic evolution 145, 146, 147
- summary 147–148
 - ongoing problems of interpretation 148–149
- sphene, phase relations, THERMOCALC 27–28
- Stak Valley 184, 185, 186, 186
- eclogite
 - P–T and age **200**
 - petrology and geochronology 191
- subduction zone metamorphism
 - Dabie–Sulu orogenic belt 108–112
 - continental subduction tectonics
 - mono- v. bidirectional 112–114
 - north v. south 114–115
 - Dulan terrane
 - oceanic v. continental subduction 284–285
 - subduction timescale and significance 286–287
 - oceanic (Franciscan) v. continental (Alpine)
 - 275–276, 287
- Subei zone 91
- Subhimalaya 5, 6, 7
- Sulu orogen 90, 91
- Sumdo Complex 211
 - localities
 - Bailang area, glaucophane eclogite 213, 214, 218, 219, 221
 - Jilang area, phengite eclogite 213, 214, 216, 218, 219, 221
 - Sumdo area 212–213, 213, 214
 - blueschist 216
 - garnet mica schist 216
 - glaucophane eclogites 214, 215–216
 - phengite eclogites 213–215, 213, 214
 - observations
 - geochemistry 218–219, 219
 - geochronology 219–221, 220
 - P–T plot 215, **217**
 - observations discussed
 - evolution 224, 225
 - interpretation 223–225
 - significance 221–223
- Sumdo Group 211
- Susong Group 310, 311
- Susong zone 91, 91
- talc 11
- Tan–Lu Fault 90, 91
- taramite 249
- Tarim Basin 332
- Tarim Craton (Block) 134, 155, 156, 210, 211
- Tashidaban (Jinyanshan) Group 156
- temperature studies *see* Ti-in-zircon thermometry
- Tethyan Himalayan Sedimentary Sequence 184, 185, 332
- Tethyan Himalayan Sequence 292, 292, 333
- Tethyan–Himalayan Block (Indian Plate) 211
- Tetraogal Nappe 9, 9
- THERMOCALC 25–26
 - MORB phase relations 26–28, 27
- thermometry *see* Ti-in-zircon thermometry
- Ti-in-zircon thermometry
 - Dabie terrane thermal structure study
 - methods of analysis 310–311, 313
 - results
 - ages 315, 318, 319, 320, 320
 - composition 314–315, 316, 317
 - morphology and structure 313–314, 314
 - rock types **312**
 - results discussed 320–322, 320, 321, 322
 - associated pressures 323, 324
 - estimated temperatures **324**, 325–327, 326, 327
 - tectonic implications 327–328
 - low-temperature eclogites 69
 - case studies
 - localities
 - North Qilian 69–70, 70
 - Western Tianshan 70, 70
 - methods 71
 - results
 - North Qilian 71–74
 - trace element analyses **72**, **74**
 - Western Tianshan 74–76
 - trace element analyses **75**
 - results discussed
 - diffusion factors 79–80
 - fluid action 81
 - pressure factors 76
 - recrystallization factors 80–81
 - temperature overestimation 76
 - TiO₂ and SiO₂ activities 78–79
 - history of research **77**
 - Tianshan belt 210
 - Tibetan Plateau 5
 - tool studies *see* artefact studies
 - Transhimalayan Batholith 5, 6, 7, 8, 292
 - tremolite 249
 - Tsaidam Basin 332
 - Tso Moriri 6, 7, 8, 183, 185, 186
 - eclogite analyses 10–11, 11
 - mineralogy and petrography 12–13, 13
 - amphiboles 17–18, 18
 - carbonates 18–19
 - clinopyroxene 15–17, 17
 - garnet 14–15, 16, 17
 - petrography 189–191
 - P–T and age data **200**
 - P–T paths 11–12, 12
 - summary 19–20
 - thin sections 14, 15
 - geochronology 10
 - geological setting 9
 - history of research 9–10
 - map 9
 - U–Pb ages 73, **74**, 139, 219–220, 221, **318**, **319**, 320
 - Gangdese magmatic arc granitoids 293–294, 294–295
 - Urals *see* Polar Urals
 - vesuvianite 249
 - Weihai zone 91
 - Western Gneiss Region (Norway) 210
 - Western Himalaya
 - Khagan Valley 187–189
 - geochronology 189

- Western Himalaya (*Continued*)
 metabasite protolith 191–192
 Stak Valley 191
 Tso Morari 189–191
 Western Qinling Orogen 155
 Western Tianshan 70, 74–76
 winchite 18
 Wulian zone 91
- Xitieshan
 coesite 276
 detachment 171, 172
- Yarlung Zangbo Suture Zone (YZSZ) 210, 211, 332, 332
 Yarlung Tsangpo River 5, 6
 Yemananshan Group 156
 Yematan section (Dulan terrane) 276–277, 277
 Yuka
 coesite 276
 detachment 171, 171
- Zanskar Shelf 186
 Zanskar shelf sediments 8
 Zhangbaling zone 91
 Zildat detachment 9
 zircon
 Dulan terrane zircons
 SHRIMP ages 281–282
 structure and inclusions 281
 U and REE patterns 283–284
 Hf isotope analysis 293, 294, 297
 oxygen isotope analysis 102, 105
 Ti-in-zircon thermometry
 Dabie terrane thermal structure study
 methods of analysis 310–311, 313
- results
 ages 315, 318, 319, 320, 320
 composition 314–315, 316, 317
 morphology and structure 313–314, 314
 rock types 312
 results discussed 320–322, 320, 321, 322
 associated pressures 323, 324
 estimated temperatures 324, 325–327,
 326, 327
 tectonic implications 327–328
 low-temperature eclogites 69
 case studies
 localities
 North Qilian 69–70, 70
 Western Tianshan 70, 70
 methods 71
 results
 North Qilian 71–74
 trace element analyses 72, 74
 Western Tianshan 74–76
 trace element analyses 75
 results discussed
 diffusion factors 79–80
 fluid action 81
 pressure factors 76
 recrystallization factors 80–81
 temperature overestimation 76
 TiO₂ and SiO₂ activities 78–79
 history of research 77
 U–Pb ages 73, 74, 139, 219–220, 221, 318,
 319, 320
 Gangdese magmatic arc granitoids 293–294,
 294–295
 zoisite, experiments and phase modelling compared 29
 Zr-in-rutile geothermometry 79