

# Index

References to Figures and Tables are in *italics*

- accommodation space
  - filling and effect on growth strata 270–1
- accommodation zones 129–30
- accumulation rates 269
- adaptive remeshing 240
- Agulhas Bank 359–60
- Alps, collisional features of 51
- Altomira, Sierra de
  - setting 309–10
  - tectonic subsidence 312–13
- analogue (sandbox) modelling
  - advantages and limitations of 219–21, 235
  - history of use 201–2
  - methods used
    - 2D 202
    - 3D 202–4, 227
  - results
    - 2D modelling
      - extensional faults 207–10, 288
      - listric faults 205, 206
      - particle displacement paths 207
      - ramp-flat listric faults 205–7
      - rift model 204–5
    - 3D modelling
      - extensional faults 210–13
      - rift model 210
    - inversion modelling 213–14
      - fault reactivation 301
      - listric faults 214–15, 216–17
      - normal faults 181–2
      - particle displacement paths 215–16
    - thrust tectonic modelling
      - detachments 228–9
      - palinspastic reconstruction
        - with plastic detachment 229–31
        - with viscous detachment 231–2
    - results discussed 217–19
    - simulation by finite element analysis
      - boundary conditions 240–1
      - numerical parameters 241
      - results 241–8
      - simulation compared with analogue model 248
- antithetic dips 135
- antithetic faults 198
- apatite fission track analysis 106–8
  - application in Otway Ranges 108, 109
- Apennines 51
  - compressional tectonic features 268
  - marine accumulation rates 269
- Appalachian Mountains detachments 228, 229
- Argentina
  - compressional tectonic features 268
  - marine accumulation rates 269
- Australia *see* Otway Ranges
- auto-tracking 190
- balanced cross-sections
  - see* cross section balancing
- Barram Delta 210
- basin development
  - extension model 286–7
  - normal fault effects 287–8
    - consequent stratigraphy 288–9
  - role of flexural response 290–1
  - syn rift:post rift ratio 291–4
- Bass Basin 101, 102
- Beartooth fault 268
- Bengal Fan 254, 255
- bent faults 59–63
- bifurcation 238–9
- Bitlis Suture 64
- Bobby Joe Fault 170–2
- border faults 303–4
- Bouguer gravity
  - Cardigan Bay 358–9
  - Rio Muni Basin 354–7
- Bray–SW England–St Georges Channel Lineament 63
- Brazil *see* Portguar Basin
- brittle deformation 298
- California
  - compressional tectonic features 268, 275
  - marine accumulation rates 269
- Canyonlands Graben (Utah)
  - fault segmentation
    - displacement 169–72
    - geometry 166–9
  - graben formation 165–6
  - setting 164
  - structure 165
- Cardigan Bay
  - Bouguer gravity 358–9
  - setting 357
  - strike-slip tectonics 63
  - structural restoration 358
  - structure 357–8
- Cartier Trough
  - seismic data for ductile strain assessment 30–31
- Cauchy stress tensor 236
- Central Graben
  - seismic velocity modelling 6–7
- Central System of Spain 308–9
  - flexure modelling 313–15
  - tectonic subsidence 312–13
- channel identification 9
- Channels Islands Thrust 268
- China, inversion studies in 69–70
- Colac Trough 101, 102
- compaction
  - effect on fault plane deformation 89
  - functions 145

- compaction, *contd*  
 structures 135  
   Sirte Basin study 136–8  
     forward modelling 138–42  
     model evaluation 143–5  
   synclines 37  
 compression  
   flexure modelling of 313–15  
   tectonic transport during 101–2  
 compressive deformation structures *see* thrusts *also* folds  
 conjugate faults 34–5  
 constitutive laws, choice for sand 236–8  
 Corsair Fault 211, 288  
 Coulomb friction law 238  
 creep, power law 299  
 cross-section balancing 41  
   problem of basin inversion 63–70  
   problem of detachments 104–6  
   problems in seismic sections 27, 29, 38–9  
   relation to tectonic transport 104  
   use in Otway Ranges 111, 112  
 cross-section restoration  
   history of use 147  
   Louisiana study 151  
     area balance 154–6  
     limitations 151–4  
     results 156–8  
     results discussed 158–9  
   problems of salt tectonics 148  
 cross-section retro-deformation  
 cross-section validation (XSV)  
   history of technique 41–2  
   industrial significance 44–5  
   limitations 45  
   methodology 45–8  
   rationale 42–4  
 cumulative frequency  
   graphs 13–14  
   method 17–18
- D* values (power law exponent) 11  
 confidence limits 17–18  
 examples of determination 18–20  
 measurement 12, 13–15, 16–17  
 summary 23–5
- Dead Sea Fault Zone 66
- deformation  
 compressive structures *see* folds *also* thrusts  
 gravity driven 345–6  
   Cardigan Bay 357  
     Bouguer gravity 358–9  
     strike-slip tectonics 63  
     structural restoration 358  
     structure 357–8  
   West African Atlantic Margin 346–8  
     Bouguer gravity 354–7  
     stratigraphy 348  
     structural geometry 348–51  
       palaeobathymetric evidence 351–2  
     structural restoration 352–4  
   Indian Ocean, scale of 251–5  
   localization on shear bands 238–40  
   mechanisms in modelling faults 90  
 delta systems and regional growth faults 210
- density and role in seismic interpretation 4  
 denudation complexes 271, 273  
 depositional history and fault plane deformation 89  
 depth–velocity modelling 6–7  
 detachment depth  
   measurement in Rhine Graben 82–4  
   relation to area balance 79–81  
   relation to necking 82  
   relation to strain 81–2  
 detachment folds 265, 266, 279  
   field studies on Mediano Anticline 277  
   modelling development of 270, 271, 272  
 detachments  
   in analogue models 228–9  
   palinspastic reconstruction  
     with plastic detachment 229–31  
     with viscous detachment 231–2  
   in section construction 104–6  
 Devil's Lane 169–70  
 digital evaluation models (DEM) 325  
 discrete frequency  
   graphs 15  
   method 18  
 displacement maximum (*D*) and relation to trace length  
   172–3  
 drag structures 143  
 Drücker-Prager criterion 237–8  
 ductile deformation 298  
 ductile folding 36–8  
 ductile strain  
   contribution to coalfield strain 28–9  
   defined 27  
   estimation in seismic data 30–1  
   importance of restoration 27, 29, 38–9  
   localized 31–2  
     conjugate faults 34–6  
     ductile folding 36–8  
     relay zones 32–4  
 Durroon Basin 102
- East African Rift 131, 208, 212, 283, 284  
 effect of fault density on 125, 126  
 effect of fault orientation on 128  
 effect of pre-existing fabric on 125  
*see also* Tanganyika Lake Rift
- Ebro Basin 269  
 Escanilla Formation 269  
 Etchegoin Formation 274  
 Eugene Island (Louisiana) salt tectonics study 149  
   cross-section restoration 151  
     area balance 154–6  
     limits to method 151–4  
     results 156–8  
     results discussed 158–9  
   setting 149–51  
 Eumeralla Formation 109  
 extension  
   associated deformation 92–3  
   basin development model 286–7  
   fault population effect  
     density 125–7  
     orientation 128–9  
     pre-existing fabric 125  
   methods of estimation 20–2, 117

- fractal analysis
  - 1D 122–5
  - 2D and 3-D 120–2
  - problems of fault invisibility 119–20
  - syn-rift sections 118–19
- numerical modelling 286–7
- role in transfer zones 129–30
- tectonic transport during 102–3
- extensional fault propagation folding 143
- extensional faults
  - analogue modelling
    - 2D 207–10
    - 3D 210–13
  - finite element modelling of
    - methods 301–2
    - results 302
  - flexure model 305–8
  - reactivation 301
  - relation to power law 119
- extensional forced folding 143
- extensional tectonics
  - flexure modelling of
    - methods 305–8
    - results 308
  - measurement 20–2
- fault displacement
  - single fault analysis 191–6
  - systems analysis 196–9
- fault geometry
  - limits of seismic data 189–90
  - optimization of interpretation 190–1
- fault plane
  - angle of 300
  - rotation of 301
- fault propagation folds 32, 265, 266, 278–9
  - field studies in Wheeler Ridge 275–7
  - modelling development of 270, 271, 272, 273
- fault rotation 55–8
- fault surface topography 192
- fault-bend folds 55, 143, 265, 266, 278
  - field studies
    - Lost Hills Anticline 274–5
    - Po Basin 275
  - modelling development of 270, 271, 272, 273
- fault-related folds
  - field studies of 274–7
  - modelling development of 269–73
  - significance of stratigraphical architecture 278–9
  - see also* fault bend; fault propagation; detachment
- faults
  - D value examples 18–20
  - displacement and the power law 12–13
  - cumulative frequency 13–14
  - discrete frequency graph 15–16
  - finite range effect 14–15
  - log interval graph 15–16
  - multi-line data 16–17
- fractal analysis of
  - 1D 122–5
  - 2D and 3D 120–2
- interpretation and seismic modelling 7
- invisibility in seismic sections 119–20
- lithosphere effects on 130–1
- ocean crust 254
- pre-existing
  - effect on crustal strength 300–1
  - finite element modelling of effects
    - method 301–2
    - results 302–3
  - flexure model 303–5
    - compressional regime 313–15
    - extensional regime 305–8
  - relation to tectonic extension 20–2
  - role in extension studies
    - density effects 125–7
    - inherited fabric effects 125
    - orientation effects 128–9
  - scaling of 11
  - simulation and analysis of power law applications
    - 13–14
  - sub-seismic occurrences 18–19
  - see also* conjugate; extensional; listric; normal; planar; reverse; strike-slip
- finite element modelling
  - advantages of 235
  - application to intraplate tectonic deformation
    - model parameters 255–8
    - results 258–60
    - results discussed 260–1
  - 2D elasto-plastic plane strain
    - method 301–2
    - results 302–3
  - relation to sandbox simulation
    - boundary conditions 240–1
    - methods compared 248
    - numerical parameters 241
    - results 241–8
  - theory 236
    - bifurcation 238–9
    - constitutive laws 236–8
- finite range effects 13–14
- flexural cantilever model 55
  - role in extension estimates 117, 118–19
- flexural-isostatic modelling 100–1
- flexural slip 92
- flexure modelling 305
  - model application
    - compressional regime 313–15
    - extensional regime 305–8
  - model specification 316–17
- faults
  - classification of 32–3
  - Indian Ocean 254
  - see also* fault-related folds
- footwall
  - deformation 60
  - uplift in relation to lithosphere rheology 290–1
- forced folds 36
- forward modelling
  - comparison with inverse modelling 181
  - Sirte Basin compaction study 138–42
- fractal analysis
  - application to faults
    - 1D 122–5
    - 2D and 3D 120–2
- fractal dimension 28
- fractal distribution 11

- fractal size distribution in relation to faults 119  
friction law 238
- geometrical balancing 100–1  
geophysical data in integrated modelling 5–9  
Gippsland Basin 101, 102  
glacial channels 8, 9  
gravitational collapse 345  
  use in palaeobathymetry estimation 346  
    Cardigan Bay 357  
    Bouguer gravity 358–9  
    strike-slip tectonics 63  
    structural restoration 358  
    structure 357–8  
    West African Atlantic Margin 346–8  
    Bouguer gravity 354–7  
    stratigraphy 348  
    structural geometry 348–51  
      palaeobathymetric evidence 351–2  
      structural restoration 352–4  
gravity data in seismic interpretation 5  
Great Glen Fault 63  
Gregory Rift 210, 216  
growth strata  
  defined 268  
  field studies 274–7  
  modelling the geometry of 269–73  
  significance of stratigraphical architecture 278–9
- Hadramaut  
  structural analysis 333–6  
  satellite data 336–7  
  seismic data 337  
  structural interpretation 341
- hanging-wall deformation 89, 92  
  analogue modelling 181–2, 217  
  kinematic modelling 179  
    2D inverse 179–81
- hanging-wall folds 52–63  
hard-linked faults 196  
heave, problems of measurement of 20–1, 117, 118  
Hebrides Shelf 289, 290
- Indian Ocean  
  intraplate deformation study  
    application of finite element model  
      model parameters 255–8  
      results 258–60  
      results discussed 260–1  
    basement undulation 283  
    crustal shortening estimates 254–5  
    folding and faulting 254  
    unconformities 254  
  inherited (pre-existing) fabrics, effect of 125  
Interference Accommodation Zones (INAZ) 305  
inverse modelling  
  comparison with forward modelling 181  
  2D 179–81  
  3D 182–7
- inversion  
  basin studies  
    problems of section balancing 63–70  
    problems of shortening 70–2  
    recognition 72–4  
    thin v. thick skinned tectonics 74–5  
  defined 51, 99  
  detachments 104–6  
  problems in restoration interpretation 99–101  
  role of tectonic transport 101–4  
  structures  
    analogue modelling 202, 213–17  
    significance of 51–2  
    thermochronology 106–11
- Italy *see* Po Basin  
iterative model 2
- Jaumann objective stress rate 236  
Jeanne d'Arc Basin 210
- keystone faults 59  
KFA imagery 325  
Kimmeridge Clay Formation 345  
kinematic modelling  
  2D inverse models 179–81  
  3D inverse models 182–7  
  limitations of 179  
kink bands, development of 54, 55  
Kohat Range, tectonic interpretation of 72–4  
Kwanza Basin 347
- Landsat imagery 322–5  
left-hand truncation 9–10
- Libya  
  compaction study 136–8  
  forward modelling 138–42  
  stratigraphy 136
- lick up 143  
listric faults  
  analogue modelling  
    2D 205, 206  
    3D 214–15, 216–17  
  extensional effects of 287  
  finite element modelling of 302–3  
  generation of 301  
  rotational 59–63  
  *see also* normal faults (listric)
- lithosphere  
  control on faults of 130–1  
  deformation in Indian Ocean 251–5  
  rheology 298–301  
  effect on basin evolution 297  
  effect of pre-existing faults on 300–1  
    2D models 301–3  
    3D models 303–15  
  rheology profiles 299  
  stratigraphy of 300  
  role in flexural response 290–1
- log interval  
  graphs 15–16  
  method 18
- log-normal distributions 11  
Lokichar Basin 127  
Lost Hills Anticline (California) 274  
lost-area balancing 79  
  application to Rhine Graben 82–4  
  theory 79–82
- Loth Hills Thrust 268  
Loti Anticline 331  
Louisiana salt tectonics study 149–51  
  cross-section restoration 151

- area balance 154–6
  - limits to method 151–4
  - results 156–8
  - results discussed 158–9
- Low Relief Accommodation Zones 305
- Madrid Basin
  - setting 310–12
  - tectonic subsidence 312–13
- magnetic surveys in seismic interpretation 4, 7, 9
- Mediano Anticline 269, 277
- Mermaid Fault 210, 211
- Mexico, Gulf of 210
  - compressional tectonic features 268
  - marine accumulation rates 269
  - seismic section 93
- misfit function
  - 2D 180–1
  - 3D 182
- Mississippi Delta 210
- modelling
  - flexural-isostatic 100–1
  - geometrical balancing 100–1
  - geophysical data integration 5–9
  - tectono-sedimentary 267–8
    - application to growth strata 269–73
  - see also* analogue modelling *also* kinematic modelling
- Moho geometry in extension measurement 117
- Mohr–Coulomb criterion 236–7
- Moray Firth
  - D* value measurement 19
  - volcanics in seismic interpretation 7–8
- Mozambique rift 208
- multi-line data 16–17
- multiblock rotation 53–4
- multispectral MK–4 imagery 325
- Murre Fault 288
  
- nappes, gravity driven *see* gravitational collapse
- Natuna Sea 216
- necking 82, 286, 291
- negative exponential distributions 11
- negative inversion 51
- New Zealand
  - Paparoa Basin cross-section 46
- Nile Delta 210
- normal drag folds 32–3
- normal faults
  - compaction relationships 136–8
    - forward modelling 138–42
  - critical stress difference for 298
  - displacement calculation 163–4
  - ductile strain estimates in
    - conjugate faults 34–6
    - contribution to coalfield strain 26–9
    - ductile folding 36–8
    - importance in section restoration 27, 29, 38–9
    - relay zones 32–4
    - use of seismic data 30–31
- hanging-wall deformation modelling
  - 2D inverse 179–81
  - 3D inverse 182–7
  - analogue 2D 181–2
  - limits 179
  - relation to syn-rift stratigraphy 288–9
  - role in basin development 287–8
  - segmentation study 164
    - fault segmentation
      - displacement 169–72
      - geometry 166–9
      - segment linkage 172–3
    - graben formation 165–6
    - structure 165
- normal faults (listric)
  - modelling algorithms 89–91
    - best fit shear 96–7
    - limits of 94–5
- North Sea *see* Central Graben *also* Moray Firth
- North Sea
  - block rotation and inversion 69
  - D* value measurement 19
  - ductile strain interpretation 37–8
  - graben studies 21–2, 208, 211
    - extension estimates 120, 126–7, 128
    - history of 117–18
    - gravity-driven deformation 345
    - seismic velocity modelling 6–7
  - rifting studies
    - effect of fault density on 125–6
    - effect on fault orientation on 128
    - effect of pre-existing fabric on 125
  - South Hewett Fault Zone 52, 55
  - volcanics in seismic interpretation 7–8
- offlap 284, 289
- oil–water emulsion in analogue modelling 228
- Oman, Gulf of 90
- onlap 284, 289
- Orcadian Basin inversion 63
- ortho-images 325
- Otway Basin 101, 102
- Otway Ranges 101
  - compression 104
  - section balancing 111
  - thermochronology 108–10
- Pakistan
  - Kohat Range 72–4
  - Pirkoh anticline
    - satellite data in section balancing 331
    - structural analysis 328–31
    - structural setting 327–8
    - tectono-stratigraphic setting 326
  - Sivalik Molasse 269
- palaeobathymetry
  - importance of interpretation 345–6
  - method of interpretation 346
  - regional applications
    - Cardigan Bay
      - Bouguer gravity 358–9
      - setting 357
      - structural restoration 358
      - structure 357–8
    - West African Atlantic Margin
      - Bouguer gravity 354–7
      - setting 346–8
      - stratigraphy 348
      - structural geometry 348–51
        - palaeobathymetric evidence 351–2
        - structural restoration 352–4

- palaeobathymetry, *contd*  
   restorations discussed 359  
   syn-rift v. post-rift settings 359–61  
 palinspastic reconstruction/restoration  
   role in analogue modelling  
     with plastic detachment 229–31  
     with viscous detachment 231–2  
   strategy 99–101  
     detachment problems 104–6  
     directional problems 101–4  
     erosion/uplift problems 106–11  
     technique application 111–13  
 Palmyrides Basin block rotation 64–7  
 Paparua Basin 46  
 Perdido Fold Belt 268, 269  
 Permo-Carboniferous studies in Orcadian Basin 63  
 pin lines 154  
 Pirkoh anticline  
   satellite data in section balancing 331  
   structural analysis 328–31  
   structural setting 327–8  
   tectono-stratigraphic setting 326  
 Pitas Point Thrust 268  
 planar faults 53–4  
   finite element modelling of 302  
   role in basin geometry 305  
 plane-strain deformation, limitations to interpretation  
   148  
 Po Basin (Italy) 275  
 Porcupine Bight 63  
 porosity values for shale 144  
 Portuar Basin (Brazil) 283, 284  
 positive inversion 51  
 power-law distribution  
   applied to faults 11, 26, 119  
   *D*-value examples 18–20  
   use in extension estimates 20–2  
   methods of analysis 12–119  
   relation to fault data quality 23  
   simulations and analysis 17–18  
   use in sub-seismic fault analysis 22–3  
 Precordillera Thrust Belt 268  
 Purbeck Anticline 63  
 Pyrenees 277  
   compressional tectonic features 268  
   marine accumulation rates 269  
  
 Qaidam Basin 69–70  
  
 radar imagery 325  
 raft tectonics 347  
 ramp-flat listric faults  
   analogue modelling 205–7  
   extensional effects of 287  
 Rattray Formation 7  
 refraction in seismic interpretation 5, 7, 9  
 relay structures 168  
 relay zones, ductile strain in 32–4  
 remote sensing *see* satellite imagery  
 Renee Ridge 7  
 resistivity in seismic interpretation 5, 7, 9  
 resolution effect on strain estimate 26–9  
 reverse drag folds 37  
 reverse faults 60  
 rheological profiles, stratification of 300  
  
 rheology *see* lithosphere rheology  
 Rhine Graben detachment 82–4  
 rift block faults 303, 304  
 rift velocity, effect of 297  
 rifting  
   analogue modelling of  
     2D 204–5  
     3D 210  
 right-hand truncation 13–14  
 rigid body rotation 92  
 Rio Muni Basin  
   Bouguer gravity 354–7  
   setting 346–8  
   stratigraphy 348  
   structural geometry 348–51  
     palaeobathymetry evidence 351–2  
     structural restoration 352–4  
 Rockall Trough 63  
 rollover geometry in normal faults  
   modelling algorithm 89–91  
     best fit shear 96–7  
     limits of 94–5  
 Ronne Graben 63  
 rotational block faulting 63–70  
 Rotliegendes *D* value measurement 14–16  
 Rukwa Rift 127, 129  
  
 salt tectonics  
   Louisiana study 149–51  
     area balance 154–6  
     cross-section restoration 151  
     limits of method 151–4  
     results 156–8  
     results discussed 158–9  
   problems in seismic modelling 6–7  
   role in cross-section restoration 148  
 San Joaquin Formation 274  
 San Joaquin Valley 269  
 sandbox modelling *see* analogue modelling  
 satellite imagery  
   applications  
     bed dips 325–6  
     structure contour maps 325  
   exploration advantage 321–1  
   integration with field data  
   Pakistan data  
     satellite data and section balancing 331  
     structural analysis 328–31  
     structural setting 327–8  
     tectono-stratigraphy 326  
   Yemen data  
     satellite information 336–7  
     seismic information 337  
     structural analysis 333–6  
     structural interpretation 341  
   technique evaluation 341–2  
   types of imagery 322–5  
 Scala Dei Group 269  
 Schell Creek Fault 288  
 section balancing *see* cross-section balancing  
 sediment geometry modelling 268  
 segment linkage 172–3  
 segmentation in faults  
   Canyonlands Graben study 164  
   graben formation 165–6

- segmentation analysis
  - displacement 169–72
  - geometry 166–9
  - structure 165
- seismic data
  - ductile strain estimation in 26–7
  - integrated modelling with 5–9
- seismic sections
  - 2D and 3D compared 189–90
  - problems of balancing 27, 29, 38–9
  - problems of fault invisibility 119–20
- sensitivity model 5–6
- shale compaction characteristics 143–4
- shear in normal fault modelling 89–91
- shear bands
  - bifurcation criterion 239
  - localization of deformation 238–9
- shortening and problems of measurement 70–2
- side-looking airborne radar (SLAR) 325
- Sierras Marginales Thrust 268
- silica content and power law creep 299
- silicone putty in analogue modelling 228
- Sirte Basin
  - compaction study 136–8
  - forward modelling 138–42
  - stratigraphy 136
- Siwalik Molasse 269
- slickensides 101
- slip rates 268
- soft-linked faults 196
- Sole Pit Basin 63
- South Hewett Fault Zone 52, 55
- Spain
  - Central System 308–9
    - flexure modelling 313–15
    - tectonic subsidence 312–13
  - Mediano Anticline 269, 277
- SPOT imagery 321, 322, 325
- strain modelling 235–6
  - cross-section validation 81–2
- strength, rheological 299
- stress analysis, effect of pre-existing faults 301–3
- strike-slip faults
  - analogue modelling 202
  - critical stress difference for 298
- strike-slip tectonics and relation to inversion 63
- structure contour mapping 325
- Suez, Gulf of 208, 212
  - extension estimates 121–2
- Sulaiman Range tectonic interpretation 72–4
- susceptibility in seismic interpretation 5, 7, 9
- synthetic aperture radar (SAR) 325
- synthetic dips 135
  - modes of occurrence 142–3
- Syria, block rotation in 64–7
- Tajo Basin 308–9
  - flexure modelling 313–15
  - tectonic subsidence 312–13
- Tanganyika Lake Rift 305
  - extension of 118–19, 121, 122
  - flexure modelling of
    - methods 305–8
    - results 308
- tectonic transport estimation 101–3
- tectono-sedimentary modelling
  - application to growth strata 269–73
  - parameters 267–8
- thermochronology
  - role in inversion basin history 106–11
    - application to Otway Ranges 108–10
    - limits to method 110–11
- thick *versus* thin skinned tectonics 74–5
- throw estimation 193
- thrust tectonics
  - analogue modelling
    - detachments 228–9
    - experimental method 227
  - critical stress difference for 298
  - modelling by simulation of sandbox
    - boundary conditions 240–1
    - numerical parameters 241
    - results of simulation 241–8
    - simulation compared with analogue model 248
- Tien Shan compressional tectonic features 268
- Timor Sea seismic data for ductile strain assessment 30–1
- tip line 190
- Tornquist Line 63
- Torquay Embayment 101
  - compression 104
  - detachments 106
  - seismic basement 105
  - stratigraphy 102
- trace length ( $L$ ) relation to maximum displacement 172–3
- transfer fault 197
- transfer zones 129–30
- Tugulu-Dushanzi Thrust 268
- Tulare Formation 274
- Van Eeelen criterion 238
- Variscan inversion studies 67–9
- Viking Graben 17–18, 208, 211
  - extension estimates 120, 126–7, 128
  - gravity-driven deformation 345
- vitrinite reflectance 106–8
  - application in Otway Ranges 108, 109
- volcanics in seismic interpretation 7–8
- Weald Anticline 63
- West African Atlantic Margin
  - Bouguer gravity 354–7
    - setting 346–8
  - stratigraphy 348
  - structural geometry 348–51
    - palaeobathymetric evidence 351–2
    - structural restoration 352–4
- Wheeler Ridge 269, 275
- Wheeler Ridge Thrust 268
- Witch Ground Graben 125, 125–6, 128
- Yemen
  - structural analysis 333–6
    - satellite data 336–7
    - seismic data 337
  - structural interpretation 341