

INDEX.

	PAGE
<i>Actinolite rock</i> , mass of in gneiss, in the Island of Oransa	186
<i>Adularia</i> , found at Tintagel	424
<i>Agate pebbles</i> , found in Sky	188
————— found at Kinnoul, described	225
—————, difficulty of describing the manner of their formation	226
————— of the Giant's Causeway, the parallel plates lie in a horizontal position	419
————— decomposition of, in the gravel of Litchfield	428
AIKIN, ARTHUR, Esq. Notice of some peculiarities observed in the gravel of Litchfield	426
—————, Notice on Shropshire witherite	438
—————, on a green waxy substance found near Stockport	445
<i>Alcyonia</i> , found in the sandstone at Whorlbury Camp	218
ALLEN, WILLIAM, F.R.S. Barometrical Measurements, by	434
<i>Alluvium</i> , of Northumberland and Durham described	95
—————, account of a remarkable deposit of, in Sky	189
<i>Alumine</i> , its use when combined with lime for mortar	433
<i>Aluminous Strata</i> , at Campsie, Mr. MACKINTOSH, on the	445
<i>Analcime</i> , of a brick red colour, found in Sky	188
<i>Anatase</i> , on the primitive crystal of	250
<i>Asbestos</i> , found in Melmerby scar	88
<i>Avanturine</i> , a variety of quartz rock	272
<i>Augite</i> , found in grains imbedded in the basalt of Teesdale	74
<i>Augit rock</i> , a rock of the trap family so called	182
<i>Baculites</i> , found by Mr. HONY, near Maestricht	312
<i>Barometrical Measurements</i> , by Mr. ALLEN and Mr. WOODS	434
<i>Barytes, Sulphate of</i> , Mr. PHILLIPS on the primitive crystal of	233
—————, on the cleavage of	246
<i>Basalt</i> occurs in the lead mine measures of Northumberland	73
————— sometimes a regular bed in them	73

	PAGE
<i>Basalt</i> in the lead mine measures of Northumberland agrees in situation with the toadstone of Derbyshire	73
——— overlying masses of, occur in many parts of the lead mine measures	74—78
<i>Basaltic dykes.</i> See <i>Dykes</i>	
<i>Basaltic veins</i> in the granite and schist of Cruachan	123
<i>Beadnel Bay</i> , dyke at, described	102
<i>Belfast Lough</i> , nuts filled with calcareous spar found in	443
BENNET, The Hon. HENRY GREY, on a whin dyke traversing limestone in the county of Northumberland	102
<i>Bitumen</i> , found in some varieties of the magnesian limestone near Sunderland	6
<i>Bituminous Limestone</i> , analysis of one, by Dr. CLARKE	430
<i>Blakheath</i> , account of plastic clay beds near	288
<i>Blende</i> , note on the cleavage of	257
<i>Bog iron ore</i> , found in the Cheviot hills	95
<i>Boring</i> , estimate of the expence attending at Roxburg or Berwick	101
<i>Breccia</i> , occurrence of one of a modern date at Loch Ericht, having a siliceous cement	266
<i>Brendon Hills</i> , height of the	437
BRIGHT, RICHARD, M.D. on the strata in the neighbourhood of Bristol	193
<i>Bristol</i> , Dr. BRIGHT and Mr. CUMBERLAND, on the strata in the neighbourhood of	193
———, sections of the strata near, given by Dr. BRIGHT and Mr. CUMBERLAND	197
———, horizontal beds lying on the edges of the inclined strata in the neighbourhood of	202
BUCKLAND, The Rev. W. Description of an insulated group of rocks of slate and greenstone, in Cumberland and Westmoreland, on the east side of Appleby, between Melmerby and Murton	105
———, Description of a series of specimens from the plastic clay near Reading, Berks: with observations on the formation to which those beds belong	277
———, Description of the paramoudra, a singular fossil body found in the chalk of the north of Ireland, with some general observations upon flints in chalk, tending to illustrate the history of their formation	413

INDEX.

461

	PAGE
<i>Cader Idris</i> , height of	435
<i>Calamine</i> , found frequently in the limestone near Bristol	200
<i>Campsie</i> , Mr. MACKINTOSH on the aluminous strata, at	445
<i>Carlisle</i> , plain of, consists principally of red sandstone	105
<i>Carnelians</i> , account of the manner in which they are procured in Cambay	447
<i>Chalcedony</i> , vegetables in	398
<i>Chalk Flints</i> . See <i>Flints</i> .	
<i>Chert</i> , lias changed into, in Sky	176
<i>Cheviot Hills</i> , composed of porphyry	93
—————, its junction with the lead mine measures not visible	93
—————, bog iron ore and hæmatite found in	95
<i>Chlorite</i> , frequent in the trap of Kinnoul	223
—————, crystals of, in quartz	398
<i>Chlorite Schist</i> , with felspar and quartz, rock composed of these substances interlaminated together, passing out of gneiss, at Sleat, in Sky	159
CLARKE, EDWARD DANIEL, LL.D. Analysis of one hundred parts of a dark bituminous limestone, from the parish of White- ford, in Flintshire, North Wales	430
<i>Clay ironstone</i> , formerly collected by the Carron Company on Holy Island	67
————— found in the shale of the lead mine measures	67
————— sometimes forming septaria	ib.
<i>Coak</i> , Mr. Taylor on some appearances in	448
<i>Coal</i> , estimate of the quantity annually raised in the Northum- berland coal-field	56
—— found in most parts of the lead mine districts	67
—— quantity of, shipped at Newcastle and Sunderland	99
—— quantity shipped from Hartley and Blyth collieries	100
—— quantity imported into London	100
—— dug near Melmerby and Ousby	113
—— in Sky, appearances of	178
—— altered by contact with basaltic dykes. See <i>Dykes</i> .	
<i>Coal measures</i> of Northumberland and Durham described	10
————— some of the lower beds of resemble the lead mine measures	11

	PAGE
<i>Coal Measures</i> , variable thickness of the beds of the	12
———— consequent difficulty of giving a general section	13
———— various beds composing the, particularly detailed	15
———— dykes in the	21
———— other irregularities in the	29
———— sections of the	31
———— mineral springs occurring in	51
———— shattered strata of, accompanying the slate and greenstone rocks near Appleby	106—112
<i>Coal works</i> section of, in the lead mine measures	69
<i>Conglomerate</i> , lying on the trap at Kinnoul	227
CONYBEARE, REV. J. J. Memoranda relative to the porphyritic veins, &c. of St. Agnes in Cornwall	401
———— Notice of fossil shells in the slate of Tintagel	424
<i>Copper</i> , ores of, found in Northumberland and Durham	84
<i>Coruisk</i> , in Sky, rocks of, described	183
<i>Corundum</i> , on the primitive crystal and cleavage of	254
<i>Cotham stone</i> , one of the beds of the lias	196
<i>Cross courses</i> , in the mine of Huel Peever, their extent	142
———— of later formation than the metallic veins	148
———— effect of one on the killas through which it passes	154
<i>Cross Fell</i> , one of the highest mountains in England	58
<i>Cruachan</i> , DR. MÆ CULLOCH'S remarks on the mountain so called, in Argyleshire	117
————, difference in the porphyry rocks of, from those of Arran	134
CUMBERLAND, GEORGE, ESQ. Notes extracted from his commu- nications on the strata in the neighbourhood of Bristol	193
———— On the strata at Whorlbury Camp in Somersetshire	216
———— Account of a trap rock at Micklewood	444
<i>Cyanite</i> , on the primitive crystal and cleavage of	253
<i>Dinsdale</i> sections at	97
<i>Diopside</i> , on the primitive crystal and cleavage of	252

	PAGE
<i>Dorking</i> , height of hills near	437
<i>Dover</i> , height of cliffs near	437
<i>Dunkerry Beacon</i> , height of	437
<i>Durham and Northumberland</i> . N. J. WINCH, Esq. on the Geology of	1
<i>Dyke</i> of basalt in the coal-field of Northumberland and Dur- ham, described	21
— effect of on the coal where in contact with it 21, 24, 25, 26, 27	21, 24, 25, 26, 27
— mineral resembling adularia found in that at Coley Hill	21
— horizontal section of that at Walker colliery	22
— at Coley hill described	21
— at Walker colliery	22
— at Walbottle Dean	23
— at Tynemouth castle	24
— at Butterby	24
— Ninety fathom	25
— Birtley	27
— Thistle pit	28
— Heworth	28
— of basalt in the lead mine measures	76
— at Tynemouth Priory	96
— traversing limestone in Northumberland. Mr. BENNET'S account of one	102
— the whin composing it different from that of other deposits	104
— through slate at Caterpallet composed of felspar mixed with talc	109
<i>Elvan</i> , the name given to porphyritic veins in Cornwall	401
—, a Cornish term applied to chlorite and quartz	152
<i>Encrini</i> , found abundantly in the black rock of Bristol	198
<i>Epidote</i> , forms a constituent part of the trap of Garsven in Sky	188
<i>Exmoor</i> , height of	437
<i>Extracts</i> , from the Minute book of the Geological Society	443
<i>Fetid limestone</i> , found in botryoidal masses in the magnesian limestone of Hartlepool	9

	PAGE
<i>Fire-damp</i> , account of	54
<i>Flints in Chalk</i> , Mr. BUCKLAND'S Observations on the history of	413
—————, Theory of their formation on organic remains	420
—————, formed in a different manner from the geodes in trap rocks	422
<i>Flints, plated</i> , veins of, in chalk	417
<i>Flinty slate</i> , appearance of in the clay slates of Cruachan when in contact with veins	118
————— occurs on the Western shore of Sky	176
<i>Fossil</i> , remarkable one found at Whorlbury camp	217
<i>Fossils</i> , of the plastic clay formation 279, 285, 286, 292, 296—300 —————, of the Plymouth limestone, observed by Mr. HENNAH	410
<i>Fossil Fish</i> , found in the magnesian limestone near Sunderland	9
<i>Fossil Shells</i> , found in the slate of Tintagel	424
————— of Snowdon	425
<i>Galena</i> , found in strings in Whitley quarry near Cullercoats	5
—————, the only metallic ore found in the magnesian limestone of Northumberland and Durham	9
—————, found in nodules of clay ironstone in the shale of the coal measures	19
—————, filling a crevice by the side of a basaltic vein	24
—————, found near Bristol	200—203
GILBY, W. H. M.D. On the magnesian limestone and red marl or Sandstone of the neighbourhood of Bristol	210
<i>Glen Gloy</i> , traces of parallel roads in	334
<i>Glen Roy</i> , Dr. MAC CULLOCH on the parallel roads of	314
—————, detailed description of the parallel roads of	317
—————, their breadth	322
—————, their elevation above the sea and neighbouring lochs	327
—————, causes which produced them, were equal and similar	328
—————, connexions of with the adjoining glens	332
—————, form and structure of the parallel roads of	337
—————, its connexions with the sea	338
—————, statement and examination of the hypothesis that the parallel roads of, are works of art, as roads for hunting	343
—————, statement of the three hypotheses which attribute the formation of the parallel roads to the action of water	349

INDEX.

465

	PAGE
<i>Glen Roy</i> , examination of the first hypothesis—a deluge or large torrent	352
————— second hypothesis; remains of water terraces	362
————— third hypothesis—a lake occupying the valley	367
—————, difficulties attending the third hypothesis	374
—————, position of the boundaries of the supposed lake	375—384
—————, the third hypothesis the most probable	374—380
—————, the level of the sea supposed to be marked by these lines	390
<i>Glen Tirit</i> , traces of parallel roads in, described	332
<i>Glenwhelt</i> , the highest land in England in the parallel from Newcastle to Carlisle	57
<i>Gneiss</i> , of peculiar character, occurs in the promontory of Sleat in Sky	159
—————, transition between it and graywacke and sandstone	161—165
<i>Goniometer</i> , common, not calculated to measure crystals with perfect accuracy	237
—————, reflecting, measurement of crystals by the	233—241
<i>Granitic rocks</i> , detached masses of, compose the hill of West Down in Devonshire	147
<i>Granite</i> , found at Dufton Pike in Westmoreland	109
—————, junction of, with the schist at Cruachan	120
—————, the country near Cruachan appears to consist chiefly of	125
—————, its extent there	128
—————, crowns the summit of Kithill in Devonshire	147
—————, deposit of upon the schist at Cligga point	402
<i>Granite veins</i> , penetrate the schist of Cruachan at its junction	120
—————, in slate in the Mourne Mountains	443
<i>Gravel</i> , of Litchfield, Mr. Aikin's observations on	426
<i>Greenstone and Slate</i> , group of rocks of, described	105
<i>Graywacké slate</i> , found in the Cheviot hills	94
————— series, transition between it and gneiss in Sky	161
<i>Grouan</i> , a Cornish term applied to clay porphyry	152
<i>Hangman Hill</i> , height of	437

	PAGE
<i>Heliotrope</i> , occurs in the trap of Kinnoul	227
<i>Helvellyn</i> , height of	436
<i>Hæmatite</i> found in the Cheviot hills	95
HENNAH, REV. RICHARD, Observations on the limestone of Plymouth	410
<i>Holy Island</i> , clay ironstone formerly collected on, by the Carron Company	67
HONY, the REV. W. E. Geological Remarks on the Vicinity of Maestricht	310
<i>Hornblende rock</i> , found in the Cheviot hills	95
————— <i>schist</i> , alternates with gneiss at Sleat in Sky	160
<i>Huel Peever</i> , Mr. WILLIAMS'S account of the veins of	139
<i>Hastings</i> , height of hills near	437
<i>Hypersthene rock</i> , rock of the trap family so called	184
<i>Infiltration</i> , process of, by which veins are formed	395
<i>Ingleborough</i> , height of	435
<i>Iron</i> , ores of; found in Northumberland and Durham	85
<i>Iron pyrites</i> , found abundantly in coal and shale; sold to the manufacturers of green vitriol	19
<i>Iron sand, magnetic</i> , found by Dr. TRAILL in Cheshire	447
<i>Iron, specular</i> , on the primitive crystal and cleavage of	251
<i>Iron work</i> , one only now remaining in Northumberland	67
<i>Iserine</i> , found by Dr. TRAILL in Cheshire	447
<i>Jasper</i> , its resemblance in character to porphyry	134
<i>Junction</i> of granite and schist at Cruachan	120
————— of trap and schist at Kinnoul	228
<i>Killas</i> , traversed by beds of other rocks in Devonshire	151
————, Dr. MAC CULLOCH on certain colours in	398
————, the principal rock from the borders of Dartmoor along the Tavy	146
————, extends to the coast, and joins the Plymouth limestone	148
————, of Devonshire intersected by metallic veins	148
————, altered in its texture by a cross course	154

	PAGE
<i>Kinnoul</i> , Dr. MAC CULLOCH's Observations on the Hill of	220
———, composed chiefly of trap	221
———, trap conglomerate at	227
———, junction of trap and schist at	228
——— <i>agates</i> , difficulty of explaining their formation	226
<i>Lakes</i> of Scotland, accumulations of alluvium are gradually filling them	381
<i>Laumonite</i> , found near Loch Eynort in Sky	187
———, alteration in its degree of hardness	188
<i>Lead</i> , quantity of, annually shipped at Newcastle and Stockton	82
——, <i>carbonate of</i> , on the primitive crystal and cleavage of	257
——, <i>sulphate of</i> , on the primitive crystal and cleavage of	259
—— <i>mine measures</i> , of Northumberland and Durham described	57
———, uniformity of in the southern part of Northumberland	58
———, total thickness of estimated	58
———, sections of the	59
———, coal found in most parts of	67
———, sections of the collieries in	69
———, organic remains in the	71
———, metallic veins in	77
———, minerals of described	83
<i>Lemington</i> , iron work at, the only one now in Northumberland	67
<i>Lewisham</i> , account of the plastic clay beds near	285
<i>Lias</i> , of Sky converted into chert	176
—— occurs at Redland near Bristol	196
<i>Limestone</i> near Ord in Sky, contains flint or chert in nodules	171
——— <i>and Coal measures</i> , shattered beds of accompanying the slate and greenstone rocks near Appleby	106—112
——— <i>beds</i> of the lead mine measures described	65
——— more regular thickness in than the shale or sandstone	66
———, <i>bituminous</i> . See <i>Bituminous Limestone</i>	
———, <i>entochal</i> , insulated mass of at Keisley	114
———, <i>in balls</i> , singular stratum of, near Bristol	201
——— <i>series</i> of Sky described	166

	PAGE
<i>Linton</i> , height of	437
<i>Litchfield</i> , Mr. AIKIN'S observations on the gravel of . . .	426
<i>Lodes</i> . See <i>Veins</i> .	
<i>London</i> , account of the plastic clay beds near	283
———, on the formation of the marsh lands near	302
——— <i>clay</i> , occurring at Shooter's Hill	290
<i>Lyas</i> . See <i>Lias</i> .	
<i>Lydian stone</i> , appearance of in the clay slate of Cruachan when in contact with veins	118
MAC CULLOCH, JOHN, M.D. F.L.S. President of the Geological Society, Observations on the Mountain Cruachan in Ar- gyleshire, with some remarks on the surrounding country	117
————— Corrections and additions to the Sketch of the Mineralogy of Sky, published in the Third Volume of the Transactions of the Geological Society	156
————— Observations on the Hill of Kinnoul in Perthshire	220
————— Supplementary observations on quartz rock, made in 1814.	264
————— Further observations, 1816.	273
————— On the parallel roads of Glen Roy	314
————— On a shifted vein occurring in limestone	392
————— Explanation of a Supplemen- tary plate to the paper on vegetable remains preserved in chalcedony, printed in the Second Volume of the Transactions of the Geological Society	398
————— On a peculiar disposition of the colouring matters in a schistose rock	399
MAC DONNELL, Dr. notice of nuts filled with calcareous spar in Bellfast Lough	443
————— on veins of granite in slate in the Mourne Mountains	443

	PAGE
MACKINTOSH, C. Esq. on the aluminous strata at Campsie	445
Maestricht, Mr. HONY's remarks on the Geology of the vicinity of	310
Magnesian Breccia, note on, by HENRY WARBURTON, Esq.	205
—————, its connection with the red marl, and occurrence near Bristol, and on the Mendip hills	207
—————, conjecture as to the former extent of the bed of, near Bristol	207
————— limestone, of Northumberland and Durham described	3
—————, remarkable deposit of, on the coal measures at Cullercoats in Northumberland	4
—————, flexible variety found near Sunderland	6
—————, near Sunderland sometimes contains bitumen	6
—————, of Northumberland and Durham rests on the coal measures	8
—————, no coal mine yet won by sinking through it	ibid.
—————, and red marl or sandstone of the neighbourhood of Bristol, Dr. GILBY on	210
—————, near Bristol, analysis of	212—215
—————, bed of, conformable to the mountain limestone, near Ross and near Bristol	215
Magnet affected by the summit of Cruachan	124
Manganese, found in small quantities in Sky	189
—————, found near Bristol	201
Marble, of good quality found in the Isle of Tino	446
Marle-shell. See Shell-marle.	
Marsh Lands, near London, notices on the formation of	302
Melmerby, description of a group of rocks of slate and greenstone near to	105
Mendip hills, height of the	436
Micaceous schist of Sleat in Sky, does not compose the whole promontory, as stated in the preceding volume	159
Micklewood, Mr. CUMBERLAND's account of a trap rock at	444
Minehead, height of North hill near	437
Mines of Devonshire, near Morwel Down, enumerated	149
Mineral Springs occurring in the coal field described	51
————— in the lead mine measures	88

	PAGE
<i>Morwel Down</i> , in Devonshire, description of the tunnel through	146
<i>Mountain limestone</i> , forms an elliptical basin in the neighbourhood of Bristol	210
—————, coal measures resting on it	211
<i>Needlestone</i> , found in Sky	189
<i>Northumberland</i> , Mr. BENNET'S account of a whin dyke in	102
<i>Northumberland and Durham</i> , N. J. WINCH, Esq. on the Geology of	1
<i>Nuts</i> , filled with calcareous spar, found in Belfast Lough	443
<i>Okehampton</i> , height of	437
<i>Old red sandstone</i> . See <i>Red Sandstone, Old</i> .	
<i>Olivine</i> , found in grains imbedded in the basalt of Teesdale	74
———— found in Sky	189
<i>Oolite</i> , stratum of found in the magnesian limestone beds at Hartlepool	7
<i>Organic remains</i> found in the magnesian limestone	10
———— found in the coal measures	19
———— none marine, among those of the coal measures	20
———— in the lead mine measures	71
———— in the limestone of Sky	169, 175, 176
<i>Parallel Roads</i> of Glen Roy, Dr. MAC CULLOCH on the	314
<i>Paramoudra</i> , description by Mr. BUCKLAND of the fossil so called	413
———— its mineral History connected with that of many spungiform bodies found in chalk	416
<i>Pentowan</i> . Mr. SMITH on the stream works of	404
<i>Pen-y gant</i> , height of	435
<i>Petroleum</i> , found in the black rock of Bristol	199
PHILLIPS, WILLIAM, Esq. Account of some attempts to ascertain the angles of the Primitive Crystals of Quartz and the Sulphate of Barytes	233
———— On the measurements, by the reflecting Goniometer of certain primitive crystals; with observations on the methods of obtaining them by mechanical division along the natural joints of crystals	241

	PAGE
<i>Plastic clay</i> , Mr. BUCKLAND on the beds of	277
—————, account of the beds of near Reading	282
—————, ————— near London	284
—————, ————— on the coast of Sussex	294
————— their connexion with those of France	298
<i>Plumsted</i> , account of the Plastic Clay beds near	290
<i>Plymouth</i> , Mr. HENNAH'S observations on the limestone of	410
<i>Porphyritic veins</i> , of St. Agnes. Rev. J. J. CONYBEARE ON	401
————— probably contemporaneous with the schistose rocks which they traverse	402
————— appearance of the schist in con- tact with them	403
<i>Porphyry</i> of the Cheviot hills described	93
————— <i>veins of</i> , traversing the schist and granite of Cruachan	121
————— generally appear perpendicular	121
————— of Cruachan, its varieties described	122
————— shews a regular series of transition from porphyry to trap	123
<i>Potter's clay</i> , found immediately below the soil over the coal measures	16
<i>Quartz</i> , beds of, interstratified with the marble limestone of Sky	167
————— Mr. PHILLIPS on the primitive crystal of	233
————— on the cleavage of	247
<i>Quartz rock and schist series</i> of Sky, described	161
————— alternates repeatedly with red sand- stone	162
—————, Dr. MAC CULLOCH'S supplementary observations on	264
—————, circumstances to prove that its origin is partly mechanical	268
—————, <i>avanturine</i> a variety of	272
—————, particulars of its occurrence in Sky	273
—————, alternations of, with red sandstone and greywacke schist	274
<i>Quicksands</i> , covering the coal measures	30

	PAGE
<i>Reading</i> , account of the plastic clay beds, near	278
<i>Red marl or sandstone</i> of the south-eastern part of Durham described	2
————— analogous to the red sandstone of Nottinghamshire	3
<i>Red marl</i> , probable identity of the deposits of, that cover the coal measures and abut against the inclined edges of mountain limestone	208
<i>Red sandstone with gypsum</i> composes the greater part of the plain of Carlisle	105
————— more recent than the old red sandstone	106—115
—————, its contact with the other rocks near Melmerby, described	112
————— near Melmerby the same as that of Cheshire and Salop	116
<i>Red sandstone, Old</i> , found in the Cheviot hills	94
————— interposed between the limestone series of Cross Fell, and the slate	111
————— the lowest rock of the neighbourhood of Bristol	210
————— bed of, in the slate near Cruachan	119—135
————— transition between it and gneiss in Sky	161—165
<i>Resin and oil</i> , substance composed of, found near Stockport	445
<i>Roads, Parallel. See Parallel Roads.</i>	
<i>Saddleback</i> height of	436
<i>Salt spring</i> , issuing from the interstices of a basaltic vein at Butterby	24
<i>Sandstone</i> , varieties of in the coal measures, described	17
—————, beds of in the lead mine measures described	63
—————, of Strathaird in Sky, observations on	171
<i>Satin spar</i> , found in a black slate clay at Aldstone	67
<i>Schist</i> of Cruachan, its junction with the granite	120
————— much indurated where in contact with the granite	121
<i>Secondary strata</i> , of Scotland, their line of separation from the primary generally noticed	221

	PAGE
<i>Section of the coal measures</i>	31
——— of the lead mine measures	59
——— of collieries in the lead mine measures	69
——— at Dinsdale	97
——— of Catsgrove Hill, near Reading	278, 281
——— of the Woolwich sand pits	284
——— of Loam Pit Hill, near Lewisham	285
——— at the canal at New Cross	292
——— of the Castle Hill at Newhaven	296
——— of the cliff near Dieppe	298
——— of the Pentowan Stream works	405, 406
<i>Shakespeare's Cliff</i> , height of	437
<i>Shale</i> , numerous beds of, among the lead mine measures	66
<i>Shap Fells</i> , height of	432
<i>Shell Marle</i> , Mr. WARBURTON, on some beds of, in Scotland	305
<i>Shifted Vein</i> , Dr. MAC CULLOCH on a	392
<i>Silica</i> , infiltration of	266, 269
<i>Siliceous schist</i> , on the western shore of Sky derived from shale	176
<i>Skiddaw</i> , height of	436
<i>Sky</i> , Dr. MAC CULLOCH's additions to the Sketch of the Mineralogy of, published in the Third Volume of the Transactions of the Geological Society	156
——— alternations of gneiss and mica slate in, 159—with chlorite schist, <i>ib.</i> —and hornblende schist, 160—transition of the gneiss series into graywacke, 161—165—Quartz rock series in, 161—Limestone series, 167—Trap, 173—Siliceous schist and chert, 176—Augit rock, 182—Hypersthene rock, 184—Minerals of, 186, seq.	
——— remarkable alluvial deposit in	189
<i>Slate</i> , converted into siliceous schist in Sky	176
——— shells found in, at Tintagel	424
——— on Snowdon	425
——— granite veins tin, in the Mourne mountains	443
<i>Slate and Greenstone</i> , group of rocks of, described	105
<i>Slate Clay</i> , found throughout the Coal field	17
<i>Steat</i> , Promontory of, in Sky, described	159
<i>Steat</i> , in Sky, mass of trap at	182

	PAGE
SMITH, EDWARD, Esq, on the Stream works of Pentowan	404
<i>Snowdon</i> , shells found in the slate of,	425
———— height of	434
<i>Springs</i> , in the neighbourhood of Bristol, their situation	204
<i>St. Agnes</i> , Rev. J. J. CONYBEARE, on the porphyritic veins of	401
<i>Strath</i> , in Sky, remarkable trap veins at	185
<i>Strontian</i> , found near Knaresborough	445
———— <i>Sulphate of</i> , found in balls in the sandstone near Bristol	196, 202, 214
———— on the primitive crystal and cleavage of	255
<i>Staurotide</i> , on the primitive crystal of	250
<i>Syenite</i> , of Sky, described	169
TAYLOR, JOHN, Esq. Description of the Tunnel of the Tavistock Canal, through Morwel Down in the county of Devon	146
———— notice on some appearances in coak	448
<i>Tin, Oxide of</i> , Mr. PHILLIPS on the cleavage of	245
<i>Tino, Isle of</i> , notice on the rocks of the	446
<i>Tintagel</i> , shells found in the slate of	424
TRAILL, T. S. M.D. notice of iserine and magnetic iron-sand in Cheshire	447
<i>Trap</i> , in the vicinity of Cruachan	137
——, of Sky described	173
——, variety of, called augit rock by Dr. MAC CULLOCH described	182
——, variety of, called hypersthene rock by Dr. MAC CULLOCH described	184
——, account of remarkable veins of, at Strath in Sky	185
——, Kinnoul Hill composed chiefly of	221
————, its varieties there, described	222
——, occurs at Micklewood in Gloucestershire	444
—— of <i>Kinnoul</i> , both porphyritic and amygdaloidal	223
————, its junction with schist	228
—— of <i>Sky</i> , additions to the account of	180
—— of <i>Trotternish</i> , has the appearance of interstratification and alternation with the strata it covers	180

	PAGE
<i>Trap, of Trotternish, the alternation only apparent, and this is probably the case in all other instances of such supposed alternation</i>	181
—————, columnar on a large scale	181
—————, generally composed of augit and felspar	182
<i>Trees, found in the marsh lands near London</i>	302
<i>Tunnel of the Tavistock canal, description of the</i>	146
—————, accuracy in the direction of the drift, its length and ventilation while making	155
<i>Tweed, account of the beds on the banks of the</i>	90
<i>Trotternish in Sky, its rocks described</i>	178
<i>Veins, numerous and chiefly of porphyry traverse the slate of Cruachan</i>	118—121
———— of trap sometimes occur in the slate of Cruachan	118—123
———— of Huel Peever described by Mr. WILLIAMS	139
———— of copper and tin run from north-east to south-west	148
———— that do not run north-east and south-west, generally unproductive of metal and seem of newer formation	148
———— occur but in few sorts of rocks	151
———— run through all the strata	151
———— at Morwel Down, their dip	151
————, general notice of such as are productive near Morwel Down	152
————, filled by infiltration	395
————, <i>porphyritic. See Porphyritic veins</i>	
<i>Vegetable remains in chalcedony, Dr. MAC CULLOCH on</i>	398
<i>Ventilation of the drift for the Tunnel of the Tavistock canal, reference to account of</i>	155
WARBURTON, HENRY, ESQ. Note on Magnesian breccia	205
————— On some beds of Shell-marle in Scotland	305
<i>Whernside, height of</i>	435
WILLIAMS, JOHN, JUNR. ESQ. Account of some remarkable disturbances in the veins of Huel Peever in Cornwall	139

	PAGE
WINCH, N. J. Esq. Observations on the Geology of Northumberland and Durham	1
<i>Witherite</i> , Mr. AIKIN on, found in Shropshire	438
———, analysis of	442
<i>Whorlbury Camp</i> in Somersetshire, GEORGE CUMBERLAND, Esq. on the strata at	216
WOODS, SAMUEL, Esq. Barometrical measurements by	436
<i>Woolwich</i> , account of the plastic clay beds near	284
<i>Yester</i> , height of	437
<i>Zinc</i> , ores of, found in Northumberland and Durham	85
<i>Zircon</i> , on the primitive crystal and cleavage of	248

THE END.

London: Printed by William Phillips,
George Yard, Lombard Street.